2013 2014 Product catalog



800-660-5803 | www.interlinksupply.com



Umidifiers - Upholstory - Carpet Cleaning - Dehumidinors - Carpet Cleaning - Denumidifiers - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Grout - Restoration - Education and Marketing - Airmovers - Truckmounts - Equipment and Marketing - The Chemicals - Tools and Accessories - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Grout - Restoration and Marketing - Truckmounts - Equipment - Chemicals - Tools and Accessories - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Accessories - Carpet Cleaning - Truckmounts - Equipment - Chemicals - Tools and Accessories - Cols and Accessories - Carpet Cleaning - Truckmounts - Equipment - Chemicals - Tools and Accessories - Chemicals - Tools and Accessories - Carpet Cleaning - Truckmounts - Education and Marketing - Truckmounts - Education and Marketing - Truckmounts - Education and Accessories - Chemicals - Tools and Accessories - Carpet Cleaning - The Accessories - Chemicals - Tools and Accessories - Chemicals - Tools and Accessories - Chemicals - Tools and Accessories - Carpet Cleaning - The Accessories - Constant - Restoration - Education and Marketing - Truckmounts - Education and Marketing - Truckmounts - Education and Accessories - Carpet Cleaning - Dehumidifiers - Upholstery Cleaning - Stone, Tile and Grout - Restoration - Education - Education and Marketing - The Accessories - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Grout - Restoration - Education - Chemicals - Tools and Accessories - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Grout - Restoration - Education - Chemicals - Tools and Accessories - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Grout - Restoration - Education - Chemicals - Tools and Accessories - Carpet Cleaning - Dehumidifiers - Upholstery - Stone, Tile and Grout - Restoration - Education - Chemicals - Tools and Accessories - Carpet Cleaning - The Accessories - Carpet Cleaning - The Accessories - Chemicals - Tools and Accessories - Carpet Cleanin

Table of Contents _

CHEMICALS..... 1-95

Carpet Cleaning Presprays	1-10
Carpet Extraction Detergents	. 11-17
Protectors	. 26-29
Upholstery Cleaning	. 31-38
Spot and Stain Removers	. 39-51
Deodorizers and Odor Removers	. 52-60
Concrete, Stone, Tile and Grout	. 66-77

TOOLS & ACCESSORIES 96-139

Cleaning Wands and Tools	. 96-104
Sprayers	105-109
Hose and Hose Accessories	119-125
Stone, Tile and Grout Cleaning	129-134

TRUCKMOUNTS 140-167

Air Cooled Truckmounts	140-146
Water Cooled Truckmounts	147-155
Truckmount and Van Financing1	153, 158
Clutch Drive Systems (CDS) Truckmounts	156-158
Truckmount and Van Accessories	159-167

EQUIPMENT..... 168-183

Portable Extractors	168-173
Rotary Brush/Agitation Floor Machines	174-178
Vacuums	179-181
Duct Cleaning	182-183

RESTORATION..... 184-277

Directed Heat Drying	184-190
Air Movers	193-201
Dehumidifiers	202-210
AFD/HEPA Air Scrubbers	211-213
Water Extraction	216-219
Floor and Wall Drying Systems	220-225
Odor Control	225-231
Meters and Instruments	232-250
Containment	250-254
Restoration Chemicals	260-277

MARKETING & EDUCATION. 278-288

Cleaning Procedure Guides	279
Instructional DVDs.	280
Client Retention	281-282
Training and Education	284-287

Pumps and Motors	289
Strainers and Pumps	. 290-291
Brass, Jets and Motors	. 292-293
Filters	295
Belts	299
Equipment Part Breakdowns	. 300-308


INDEX 309-312



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Terms and conditions:

- Applies to qualifying items most chemicals, accessories and parts
- Applies to 48 contiguous states. Ground freight
- Independent locations may have a different freight policy





Prespray, Traffic Lane Cleaner and Preconditioner Cleaning Solutions Usage Chart

CLEANING SOLUTION	RESIDENTIAL NYLON	COMMERCIAL NYLON	OLEFIN/ TRIEXTA/ POLYESTER	MOOL	EXTREME SOILING	GREEN
Bridgepoint Systems						
Flex (CC22GL)		×	×		×	
Flex Low VOC (CC23GL)		×	×		×	
Flex Powder w/ Citrus Solv (CC21A)	✓	×	×		×	
Zone Perfect Low VOC (CC04GL)	×	✓	×	\checkmark	✓	
Zone Perfect (CC03GL)	×	✓	×	\checkmark	✓	
Bio Break (CC18A)		×	×		×	
Zone Perfect, Original (CC02GL)	×	✓	×	\checkmark	✓	
Traffic Slam (CC20GL)		✓	×		×	
Wool Perfect (CW15GL)	✓			×		
Green Balance Carpet Prespray (CC11GL)	×					×
Hydro Break (CC14GL)	×			✓		
Encapuclean Green DS (CC15GL)		×	×			×
Groom Solutons		1	<u> </u>			
MegaPack (CC500GL)	×	×	×		✓	
Grungegone™ (CC502A)		×	×		×	
Stunned (CC501GL)		×	×		×	
HydraMaster		1	11		1	L
Fast Break HD (CC381GL)	×	 ✓ 	×		✓	
Quake HD (CC36GL)		×	×		×	
Blitz with Grease Breaker (CC941B)		✓	×		×	
Release with OxyBreak (CC921GL)	×	✓	✓	✓		✓
Prochem		1				
TrafficClean (CC53GL)	*	✓	×		✓	
Ultrapac Trafficlean (CC48GL)	×	✓	×		✓	
Ultrapac Trafficlean, Mint Fresh (CC49GL)	*	✓	×		✓	
Ultrapac Pre-Treat LVC (CC45GL)	×	✓	×		✓	
Heavy Artillery (CC77GL)		×	×		×	
Olefin Pre-Clean (CC47GL)			×			
Power Burst (CC59B)		×	×		×	
Fine Fabric - Upholstery (CU79GL)				×		
AXIOM Clean (CC74GL)	×			\checkmark		×
Sapphire Scientific	I					
Surge (CC201GL)	×	✓				
Fission Heavy Duty (CC200GL)		×	\checkmark			

× = Primary Use

✓ = Secondary Use

3






Flex Heavy Duty Liquid Prespray

Strongest prespray in the Bridgepoint line!

- "Nuke it" clean with high powered carpet prespray for severely soiled carpets
- As soon as you apply it, you can start to see it dissolve soil right before your eyes
- Ideal prespray for apartments, synthetic commercial carpets, and bringing dead carpets back to life
- Special blend of surfactants, alkaline builders, and boosters
- RTU pH: 12.5 Dilution Ratios: 1:8 Pump or Electric Sprayer: 16 oz./Gal. Hydro-Force Sprayer: Full strength with yellow tip



Flex Low VOC, gallon CC23GL \$19.50 (ea) \$17.55 (4) \$15.60 (16)

"I do a lot, probably 90%, of my business in rental condos for property management. I really like Flex because it gets those condos really clean. I do a lot of restaurants so that's my favorite product. I've never had a problem with it."

Cary Edler, Floor Seasons, Park City, UT





Zone Perfect Ultra Concentrated Prespray

VOC Compliant in all 50 states!*

- The perfect prespray for all types of synthetic carpets and most wool carpets
- Soil-blasting, grease cutting ingredients with an unbeatable cleaning punch that out-cleans competitive products
- Non-resoiling formula keeps the carpet cleaner longer
- Ultra-concentrated, 1:32

Zone Perfect is a formula that makes the best traffic lane cleaner in the industry even better, and it is VOC compliant in all 50 states*. ZonePerfect simply has better ingredients, and better ingredients equals better performance. ZonePerfect contains detergent polymers that provide detergent functionality while at the same time imparting anti-resoiling characteristics. It also contains dispersant polymers that provide a powerful soil dispersant and do not attract residues.

 RTU pH: 9.5
 Dilution Ratios: 1:32 Pump or Electric Sprayer: 4 oz./Gal. Hydro-Force Sprayer: Add 45 oz. to 5 qt. container, fill with water, use with yellow tip

 *Zone Perfect, gallon CC03GL \$36.88 (ea) "Most Preferred Zone Perfect"
 \$33.19 (4) \$29.50 (16)

 Original Zone Perfect, gallon CC02GL \$36.88 (ea) \$33.19 (4)
 \$33.19 (4) \$29.50 (16)

 *Zone Perfect Low VOC, gallon CC02GL \$36.88 (ea) \$33.19 (4)
 \$35.76 (4) \$35.76 (4)

 \$mart Buy
 \$31.78 (16)

CHEMICALS



Bio Break Powdered Enzyme Prespray

- Citrus booster for great oil cutting
- Enzyme prespray breaks down filthy built up oil and grease in carpets
- Stabilized for long shelf life
- Perfect for restaurant cleaning
- Economical less than 60¢ a gallon in ready to use formula

This highly concentrated formula is perfect for busy restaurants or residential family rooms. Bio Break contains encapsulated enzymes that produce tremendous enzymatic action to digest these organic soils and odors.

RTU pH - 9.8

Dilution Ratios: Pump or Electric Sprayer: 1-2 oz./Gal. of lukewarm water. Hydro-Force Sprayer: Mix 2 cups (16 oz.) to 5 qts. hot water, use with yellow tip



40 lb. pail CC18BB \$192.78 (ea) \$173.50 (4)



NEW Flex Powder Heavy Duty Prespray

- Ultra concentrated, Citrus Solv enhanced, high alkaline carpet prespray
- Works on contact and dissolves grease & oil in minutes
- Costs only pennies per diluted gallon
- Perfect for any restorative cleaning job
- Less foamy than other high pH presprays


Flex Powder with CitrusSolv is a heavy duty carpet prespray designed for use in the Hydro-Force injection sprayer and other types of pump or electric sprayers. Best results are obtained when mixed with hot water.

RTU pH - 12.5 - 13

Dilution Ratios: Pump or Electric Sprayer: 2 oz./Gal. of hot water. Hydro-Force Sprayer: Mix 2 cups (16 oz.) to 5 qts. hot water, use with yellow tip



36 lb. pail CC21B \$149.43 (ea) \$134.49 (4)



We should have named the product "WOW!, Holy Smoke! Check it Out!"

"For the last week since purchasing Flex Powder with Citrus Solv, I have used the product on various applications. These cleanings have included a couple of very dirty homes with typical cut pile nylon carpet and several banquet rooms at a facility. My initial reaction is that the product does everything advertised and then some. In one of the banquet rooms I have struggled to get it 'just right' using other presprays. Flex Powder knocked it out and brought the carpet back. All in all, please rename the product to; WOW!, Holy Smoke! Check it Out! etc."

Todd, Total Carpet Cleaning

BUY MORE, SAVE MORE!

Available exclusively through Interlink Supply, Bridgepoint Systems has developed a program to reward you for volume purchases. You can save 10%, 20% and even 30% on the products you use most! Just look for products marked with the \$mart Buy logo and save on a case, four cases, or a pallet.

Save 10, 20 or 30%! m is Look for this logo and save.

www.interlinksupply.com

6



Traffic Slam Olefin & Commercial Carpet Prespray

- Dissolves oily film on Olefin that other presprays miss
- Works fast heavy soils are emulsified and ready to extract in seconds
- Highly concentrated 1:32 dilution

One of our BEST BUYS, Traffic Slam is the ultimate prespray for all Olefin, Triexta, Sonora, Smart Strand and Polyester carpets, and works just as well on commercial nylon. An advanced blend of micro-emulsion surfactants and emulsifiers dissolves the toughest soils. Powerful enough for restaurants, apartments, fire damage and filtration soils.

RTU pH - 11

Dilution Ratios: 1:32 Pump or Electric Sprayer: 4 oz./gl. Hydro-Force Sprayer: Add 45 oz. to 5 qt. container, fill with water, use with yellow tip

> gallon CC20GL \$26.80 (ea) \$24.12 (4)
> \$mart Buy
> \$21.44 (16)



Wool Perfect

- Extremely Concentrated dilutions from 1 16 to 1 32
- Balanced blend of various types of cleaning agents to work on diverse soils encountered in wool rugs
- Versatile works like typical prespray and has enough lubrication to work like shampoo in pit or bath washing applications
- "Wool Safe" Approved ready to use pH 8 to 8.4
- Refined new superior chemical technology not available five years ago

RTU pH: 8-8.4

Dilution Ratios: 1:16, 1:32





Green Balance Carpet Prespray

This prespray uses advanced surfactant technology instead of solvents to rapidly dissolve tough oil-based soils. Unlike many other green cleaners, Green Balance utilizes a mildly alkaline formula that delivers significantly better cleaning than acid side cleaners.

Green Balance Prespray has been formulated based upon information supplied by the leading green certification program for environmentally preferred cleaning products.

Highly concentrated for economic use at 32 to 1 for normal soiling conditions. Safe for wool and all synthetic carpets.

RTU pH: 8

Dilution Ratios: 1:32 Normal Soiling: 4oz./Gal. 1:21 Extreme Soiling: 6 oz./Gal. Hydro-Force Sprayer: Mix 1:1 and use yellow tip.

> gallon CC11GL \$32.59 (ea) \$29.33 (4)
> \$mart Buy
> \$26.07 (16)



Just Add Booster!

Make any prespray a grease cutting, soil blasting miracle. Just add one ounce of booster per gallon and watch your grease and soil melt away. **Bonus:** The customers love the fresh natural fragrance!

See pages 23-25

Carpet Cleaning Procedures

COMMERCIAL CARPET SYSTEMS

Always pre-vacuum first

A) Medium to heavy soil.

PRESPRAY 1 part Flex to 8 parts hot water

EXTRACT

White Lightning Portable: 2 ounces per 5 gallons of water Truckmount: 3 cups per 5 gallons of water



B) Very heavy soil and grease.

PRESPRAY

1 part Flex to 8 parts hot water 2 oz. Citrus Solv to each gallon of RTU Flex

EXTRACT

White Lightning

Portable: 2 ounces per 5 gallons of water Truckmount: 3 cups per 5 gallons of water

C) Olefin (polypropylene), Olefin blends and Olefin Berber.

PRESPRAY

1 part **Traffic Slam** to 32 parts hot water For extreme soil dilute 1 to 24 1 oz. **Boost All** per gal. hot water (mix this first with hot water then add **Traffic Slam**)



EXTRACT

Fab-Set

Portable: 4 ounces per gallon of water Truckmount: 1 qt. per 5 gallons of water (meter high)



End Zone (For Extra-Heavy Soil) Portable: 2 - 4 ounces per 5 gallons of water Truckmount: 1 qt. per 5 gallons of water

IMPORTANT FOR ALL CATEGORIES

RESIDENTIAL CARPET SYSTEMS Always pre-vacuum first

A) All 5th generation nylon and other synthetic fibers. For Olefin, use formula "C".

PRESPRAY

1 part **Zone Perfec**t to 32 parts hot water 1 oz. **Citrus Solv** to each gallon of RTU **Zone Perfect**

EXTRACT

End Zone Portable: 2 - 4 ounces per 5 gallons of water Truckmount: 1 guart per 5 gallons of water

Power Point (For Extra-Heavy Soil) Portable: 2 oz. per 5 gallons of water Truckmount: 3 cups per 5 gallons of water



B) Wool, Berbers, light-colored carpets and carpets with brownout potential.

PRESPRAY

1 part **Zone Perfect** to 32 parts hot water 1 oz. **Citrus Solv** to each gallon of RTU **Zone Perfect**

EXTRACT

End Zone Portable: 2 - 4 ounces per 5 gallons of water Truckmount: 1 quart per 5 gallons of water

C) Olefin (polypropylene), Olefin blends and Olefin Berber.

PRESPRAY

1 part **Traffic Slam** to 32 parts hot water For extreme soil dilute 1 to 24 1 oz. **Boost All** per gal. hot water (mix this first with hot water then add **Traffic Slam**)

EXTRACT

Fab-Set

Portable: 4 ounces per gallon of water Truckmount: 1 qt. per 5 gallons of water (meter high) End Zone (For Extra-Heavy Soil) Portable: 2 - 4 ounces per 5 gallons of water Truckmount: 1 qt. per 5 gallons of water

- To increase efficiency use the Hydro-Force Injection Sprayer to apply pre-sprays.
- Always apply Maxim Advanced Protector to enhance soil and stain resistance and profitability.
- Use an OmniDry 2.9 air mover to reduce drying times. (See page 194)



8

CHEMICALS

RTU pH: 9.5

Dilution Ratios: 1:8 Pump or Electric Sprayer: 16 oz./Gal. Hydro-Force Sprayer: Use straight with yellow tip.



pH: 11.3-11.6 RTU **Dilution Routine Cleaning:** 4 ounces per gallon Dilution Heavy Soil: 6 oz. per gallon



Hydro Break Traffic Lane Prespray

- Balanced formula originated for use in Hydro-Force sprayers
- Safe and effective for stain resistant carpets
- Breaks down and dissolves stubborn oil and grease
- Suspends & emulsifies particulate soilina
- Free rinsing formula

Hydro Break is a great everyday "workhorse" traffic lane prespray because it performs superbly on 5th generation residential carpets, commercial carpet as well as Oriental rugs.

馬 gallon CC14GL \$18.95 (ea) \$17.06 (4) \$15.16 (16) \$mart Buy

馬 5 gl. pail CC14PL \$85.00 (ea) \$76.50 (4)

PROCHEM

Power Burst

Serious power for serious soil! Ultra-concentrated for ultimate cleaning under EXTREME conditions! Ultra-concentrated high-pH alkaline and solvent formula "bursts" through extreme soils. New enzyme technology is effective at high pH and high temperatures, digests food and protein soils.

6.5 lb. jar CC59B \$38.14 (ea) \$33.33 (4)

48 lb. pail CC59C \$225.21







RTU pH: 7.5 - 8.0 Dilution Ratio: 1:32



pH: 9.5-9.8 ready to use

gallon CC53GL \$31.11 (ea)

\$28.00 (4)

Stunned[™] Traffic Lane Cleaner

- · Super strength and ready for the "nasties"
- While economical to use, Stunned is fully active with new technology ingredients
- · Grease, heavy soil, oxidized restaurant oils, and food are easily dissolved with Stunned

RTU pH - 11.5 - 12.0 Dilution Ratio: 1:12-16



Stunned Traffic Lane Cleaner and Carpet Preconditioning Agent is an advanced high alkaline traffic lane cleaner/prespray formulated to be effective on heavily soiled and trashed synthetic carpeting.

> gallon CC501GL \$14.97 (ea) \$13.47 (4) \$11.98 (16)

Encapuclean Green DS

- DS is for Double Strength Highly economical at a 1:32 dilution
- It's Green with the huge bonus of being an effective cleaner
- Initially used in an encapsulation system, now gaining ground as an overall preconditioner

Encapuclean Green DS employs an exclusive, proprietary non-hygroscopic polymer that allows for even faster drying times. Encapuclean Green DS contains no alcohol or solvents to try and speed up drying. Its exclusive formula does not need them. Encapuclean Green DS works effectively and is compatible with your favorite method of agitation cylindrical, rotary brush, Cimex®, oscillating, orbital, and bonnet.



gallon CC15GL \$39.95 (ea) \$35.96 (4) \$31.96 (16)

PROCHEM

Trafficlean

New broad-based, dirt-busting, grease-cutting pre-spray. This concentrated cost-effective pre-spray contains encapsulating detergent polymers that provide maximized cleaning power and resists re-soiling the carpet. Utilizes an improved triple surfactant system for broad-based soil removal.

Dilution Routine Cleaning: 4 oz. per gallon Dilution Heavy Soil: Up to 6 oz. per gallon

9





RTU pH - 9.5 - 10.0 Dilution Ratio: 1:32-64

Megapack[™] Traffic Lane Cleaner

- Delivers exceptional results on all types of synthetic carpet
- Highly concentrated to deliver a ready to use price that is hard to beat
- Holds heavy soils in suspension until they are flushed out

This ultra concentrated carpet prespray is ideal for cleaning heavily soiled traffic lanes and overall carpet preconditioning. At a 1:32 -64 dilution (depending upon carpet construction and soiling conditions), MegaPack Traffic Lane Cleaner will deliver superior cleaning results, safely and effectively. Its nonresidual, VOC compliant formulation means that it cleans without contributing to re-soiling and is compliant with VOC standards in every state.

sallon CC500GL \$29.08 (ea) \$26.17 (4) \$23.26 (16)



Ultrapac Trafficlean

The ultimate in a traffic lane cleaner. Safe on stain resistant carpeting making this the first choice for your residential cleaning. It is also perfect for restaurant, offices, hotels or other heavily-soiled areas. For heaviest soils use with Liquid Slurry.

pH: 9.5-9.8 ready to use

Dilution Routine Cleaning: 4 oz. per gallon Dilution Heavy Soil: Up to 6 oz. per gallon

> gallon CC48GL \$38.95 (ea) \$35.06 (4)



Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location.





pH: 9.5-9.8 ready to use





RTU pH - 10.5 - 11.5 Dilution Ratio: 1-3 oz / 1 gallon of water

Ultrapac Trafficlean Mint Fresh™

A minimum residue, maximum cleaning traffic lane cleaner with a pleasant mint scent. Up to 1:32 dilution delivers cost-effective, high quality cleaning. Ideal for routine cleaning, with the power to clean heavily soiled carpet. Use in homes, offices, oily restaurants, anywhere there's dirt, grease and oil. Safe for use on stain resistant carpets.

Dilution Routine Cleaning: 4 oz. per gallon Dilution Heavy Soil: Up to 6 oz. per gallon

> gallon CC49GL \$45.66 (ea) \$41.09 (4)



Grungegone[™] Carpet Prespray

- Ultra-concentrated
- Low cost per RTU gallon
- High alkaline preconditioning formula for carpets and upholsterv
- Grease and oils dissolve in minutes
- · Excellent in restaurants and on problem soils

Grungegone starts to work on contact with its fast striking action. Grungegone contains encapsulated enzymes that stabilize the formula and keep it fresh and ready, even when stored for longer periods. Grungegone is safer for the environment and safer for the user than other high powered cleaners because it contains no butyls or other harsh solvents. Grungegone is economical and dissolves quickly, suitable for use in the Hydo-Force Sprayer. Ready to use, it costs you only pennies per diluted gallon.

6.5 lb. Jar CC502A \$29.68 (ea) \$26.71 (4) \$23.74 (16) 40 lb. pail CC502B \$152.43 (ea)



HivdraMaster pH: RTU 8.0-8.5 Dilution Ratio: 1:12-24



Release with OxyBreak

Release with OxyBreak[™] Carpet Prespray meets the standard for greener solutions. The cleaning power of Release Carpet Prespray is increased with the addition of OxyBreak[™] to synergistically enhance soil break down and removal through the power of oxidation. Release with OxyBreak™ contains Tritanol™, which helps the carpet stay cleaner longer and eliminates rapid re-soiling.

gallon CC921GL \$29.94 (ea) \$26.95 (4)

Heavy Artillery

Heavy-duty cleaning power utilizing a high pH formula. Contains powerful builders and detergents with solvent action for aggressive cleaning. Designed for heavily-soiled commercial, rental or residential properties. Ideal for use in power injection sprayers. VOC compliant.

pH: 11.9 - 12.4 RTU

Quake HD

Dilution Pump Sprayer: 16 oz. per gallon Hydro-Force Injection Sprayer: 1:1 Ready to Use

Uncompromising cleaning power is now available in a VOC compliant

formula with Quake HD. Quake HD is a VOC compliant formula that con-

tains the industry exclusive compo-

nent Tritanol[™] - an integrated blend

sequestrants, and surfactants. With

the unprecedented cleaning power

and performance of Tritanol[™], you

will experience deep restorative

of specialized polymers, organic

gallon CC77GL \$17.93 (ea)



pH: RTU 11.5-12.0

Dilution Ratio: 1:8-24

cleaning in high definition. **HivdraMaster** Super-concentrated

> Image And Amage \$19.95 (4) 馬 Quake, gallon CC35GL \$23.89 (ea)

\$21.50 (4)







Ultrapac Pre-Treat LVC

Ultrapac Pre-Treat LVC is a fragrance-free, premium concentrated, pre-conditioning carpet cleaner. Up to 1:32 dilution delivers costeffective high quality cleaning. Ideal for routine cleaning, with the power to clean heavily soiled carpet. Low vapor formulation reduces solvent vapors and odors during cleaning. Contains no added fragrance.

pH: 9.5-9.8 RTU

FastBreak HD

Dilution Routine Cleaning: 4 oz. per gallon Dilution Heavy Soil: Up to 6 oz. per gallon

gallon CC45GL \$40.31 (ea) \$36.28 (4)

FastBreak HD is a VOC compliant formula that contains the industry exclusive component Tritanol[™] an integrated blend of specialized polymers, organic sequestrants, and surfactants. With the unprecedented cleaning power and performance of Tritanol[™], you will experience deep restorative cleaning in high definition. It just works better!

- Ultra-concentrated
- VOC compliant
- Produces outstanding results on even heavily soiled carpets

pH: RTU 9.5-9.9 Dilution Ratio: 1:32-64

HydraMaster



PROCHEM


gallon CC381GL \$34.94 (ea) \$31.45 (4)

Olefin Pre-Clean

Safely deep cleans oily and particulate soils that cause yellowing and discoloration on olefin (polypropylene) carpet. Contains no harsh, strong-smelling solvents. For best results, always rinse with All Fiber Deep Clean.

pH: 10.0-10.5 RTU

Dilution Routine Cleaning: 4 ounces per gallon Dilution Heavy Soil: 6 oz. per gallon



www.interlinksupply.com



PROCHEM

Choosing the right cleaning solution can make <u>YOU</u> the hero.



facebook.com/cleansolutions youtube.com/hydramastertv



All CleanMaster Solutions are backed by the industry's first risk-free problem-solving guarantee. If you are not completely thrilled with the performance of a CleanMaster solution, we'll give you a product that does.



CHEMICALS

pH in dilution 12.0-12.5

Dilution Ratio: Pump-up sprayer: 2 oz per gallon hot water In-line injection sprayer: 10 oz per 5 quarts hot water



pH: 7.8-8.2 ready to use Dilution: 4 oz. per gallon



HiydraMaster

Blitz with Grease Breaker

Incorporating our famous solvent cleaning booster, Blitz with Grease-Breaker goes to work immediately breaking down and dissolving heavy built up oil based soiling. This economical powder prespray will melt the grimy soil away right before your eyes.

- No other cleaning additive or booster is needed, even for the most heavily soiled carpets
 Economical to use and super
- concentrated
- 6.5 lb. jar CC941B \$36.94 (ea)
 \$33.25 (4)
 - 30 lb. pail CC941C \$123.95

PROCHEM.

Fine Fabric Prespray

Concentrated Prespray made especially for the wool and cotton fabrics found in the upholstery industry. Approved by the WoolSafe organization as safe on wool fabrics. A blended product of solvents and detergents designed to out-perform other products in the fabric industry.

gallon CU79GL \$34.37 (ea) \$30.93 (4)

PROCHEM.

AXIOM Clean Prespray

Use as a cleaning pre-treatment for wool and synthetic carpet and water-cleanable upholstery, using hot-water extraction. For an effective 2-Step cleaning combination, use Axiom Clean Prespray with Axiom Clean Extraction Detergent or Axiom Clean Free Rinse.

• Removes Oily and Greasy Soils from Traffic Lanes and Spots

pH: 8.0-8.8 RTU

Dilution Pump Sprayer: 4 oz. per gallon Power Injection Sprayer: 1-1/2 to 2-1/2 quarts per 5 quarts

gallon CC74GL \$35.31 (ea) \$31.78 (4)



RTU pH - 9.2 Dilution: 1:24



RTU pH - 10.6 Dilution: 1:24



Surge Traffic Lane Cleaner

Surge delivers targeted cleaning to heavily soiled carpets and is extremely effective on high-traffic areas such as stairs, outdoor entryways and hallways. Formulated with a powerful blend of solvents and alkaline builders, Surge can help carpet cleaning professionals remove the most stubborn soils.

gallon CC201GL \$27.76 (ea) \$24.98 (4)

Sapphirescientific

Fission Heavy Duty Traffic Lane Cleaner

With a ready-to-use pH of 10.6 and superior effectiveness on heavily soiled carpets, Fission with SST stands out among traffic lane cleaners. The product's unique array of surfactants and solvents enable it to clean as effectively as aggressive cleaners without the risks associated with harsher alkalinity. SST stands for "soil separation technology," referring to the product's unique ability to detach even tightly-bound particulates from carpet piling and suspend it for removal. This effect also enables Fission to dissolve greasy, oily soils and to remove particulate soils such as pet hair from carpets.

gallon CC200GL \$28.04 (ea) \$25.24 (4)



Achieve amazing results residentially or commercially when you agitate with the Bush Pro following your prespray. Lift and separate the carpet strands for better penetration and cleaning.

See page 176

Extraction Detergents/Emulsifiers Cleaning Solutions Usage Chart

CLEANING SOLUTION	RESIDENTIAL NYLON	COMMERCIAL NYLON	OLEFIN/ TRIEXTA/ POLYESTER	MOOL	EXTREME SOILING	GREEN
Bridgepoint Systems						
End Zone (CC05GL)	×	×	×	\checkmark	 ✓ 	
Point Blue (CC24A)	×	×	×		 ✓ 	
CleanXtraction (CC25GL)	\checkmark	×	×		 ✓ 	×
White Lightning (CC09A)	×	×	×		×	
Power Point (CC26GL)	\checkmark	×	×		✓	
CleanFREE (CC27A)	×	×	×		✓	×
Fiber Plus (CC10A)	\checkmark		✓	×		\checkmark
Green Balance Crpt Extraction Detergent (CC13GL)	×	✓	×	✓		×
Groom Solutons			<u> </u>		-	
Vibrant (CC506GL)		×	×		×	
Select Pro (CC507GL)	×	×	×			
HydraMaster			<u> </u>			
HydraClean (CC93GL)	×	×	×		 ✓ 	
Hydra-Dri (CC86B)		\checkmark	×		×	
Prochem			· ·			
All Fiber Deep Clean (CC43GL)	×	 ✓ 	✓	×		
HeatWave (CC41A)		×	✓		×	
Dry Slurry (CC54C)	\checkmark	×	×		×	
Liquid Slurry (CC42GL)	\checkmark	×	×			
Clean Green (CC56D)	×	×	✓			
XL-333 (CC58GL)	×	 ✓ 	×			
AXIOM Clean Extraction Detergent (CC75GL)	×	 ✓ 	✓	×		×
Sapphire Scientific			ı			
DynaForce (CC203A)	×	×	×		×	
VersaClean (CC205GL)	×	 ✓ 	✓		 ✓ 	

13

× = Primary Use \checkmark = Secondary Use



SYSTEMS

Point Blue Powdered Extraction Formula

- Bridgepoint's most popular powdered extraction formula is now even better!
- Better cleaning, easier to dissolve, and fresh clean fragrance
- Very concentrated stays effective even when diluted with 326 parts of water

NEW and IMPROVED Point Blue is a highly versatile powdered extraction detergent. It is very effective on 5th generation carpets, filthy commercial carpeting or following water damage. That's because special buffering agents maintain the full strength of Point Blue during the entire cleaning process. Other cleaners decrease in strength as they encounter carpet soils—but not Point Blue!

RTU pH: 9.8

Dilution Ratios: Portables: 1/4 -1/2 oz./5 Gal. Truckmounts: 2-3 Cups/5 Gal. 6.5 lb. Jar CC24A \$37.93 (ea) \$34.14 (4)
 \$mart Buy
 \$30.34 (16)
 40 lb. Pail CC24B \$167.29 (ea) \$150.56 (4)



BRIDGEPOINT SYSTEMS



RTU pH: 4.5 - 5.0

Dilution Ratios: 1:320 Portables: 2oz. /5 gal water - Truckmounts: 1qt. per 5 gal water



RTU pH: 10.5 - 11

Dilution Ratios: Portables: 1/4 -1/2 oz./5 Gal. Truckmounts: 2-3 Cups/5 Gal.



End Zone Extraction Emulsifier/Neutralizer

End Zone is a powerful extraction emulsifier that also neutralizes after cleaning AND uses encapsulating polymer technology to help prevent resoiling! This is a cutting edge technology that allows you to get carpets cleaner and help them stay cleaner longer-a major benefit to your customers. End Zone's powerful surfactants remove tough soils including sand and other particulates that pre-sprays just can't remove.



■ 5 gl. Pail CC05PL \$115.95 (ea) 55 gl. Drum CC05DR \$1124.64 (ea)

White Lightning Super Strength Powdered

White Lightning is a super effective,

high pH detergent that dissolves quickly and completely making a

crystal clear cleaning solution that

melts away the toughest carpet

soils. White Lightning blasts off

really heavy soils and then rinses

freely, leaving no soil or cleaning

White Lightning works exceptionally

well in super high heat equipment, is

Extraction



RTU pH: 9.5

Dilution Ratios: 1:320 Portables: 2 oz./5 Gal. Truckmounts: 1 Qt./5 Gal. Water

SYSTEMS


Power Point Liquid **Extraction Formula**

- · Controlled pH for use on all residential and commercial applications
- Highly concentrated liquid no worry of undissolved powders
- Contains effective emulsifiers that combine with soil and presprays, giving a squeaky clean rinse

Power Point is a heavy duty alkaline rinse that is powerful enough to clean everything from greasy restaurants and filthy apartments to heavily soiled residential carpets, but is also safe for all carpet fibers. Power Point won't leave soil attracting residue BRIDGEPOINT behind. Power Point dissolves instantly, rinses freely and won't harm

> gallon CC26GL \$24.92 (ea) \$22.43 (4) \$19.94 (16)

5 gl. Pail CC26PL \$106.12 (ea) 55 gl. Drum CC26DR \$971.24 (ea)



The safer alternative for carpet or upholstery cleaning, Fiber Plus offers outstanding cleaning characteristics in a close to neutral pH formula that reduces the risk of dye bleeding or other pH related problems. Fiber Plus can be used on virtually any fiber that can be safely cleaned with water and it won't leave residues that promote resoiling. Only the finest, 100% active ingredients are used in Fiber Plus. A small amount makes a highly effective and economical cleaner. Fiber Plus contains corrosion inhibi-BRIDGEPOINT tors and won't harm your equipment.

> 7 lb. jar CC10A \$39.72 (ea) \$35.75 (4) \$mart Buy \$31.78 (16)

馬 40 lb. pail CC10B \$178.91 (ea) \$161.02 (4)

ideal for high production cleaning of commercial carpets and is especially good for apartments. Extra concentrated formula.

agent residue behind.

6.5 lb. Jar CC09A \$35.69 (ea) \$32.12 (4) \$mart Buy \$28.55 (16) 40 lb. Pail CC09B \$167.58 (ea) \$150.82 (4)

Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location.

www.interlinksupply.com

RTU pH: 7.5 - 8

Gal. Water

Dilution Ratios: Portables:

1/4 -1/2 oz./5 Gal. hot water Truckmounts: 2-3 Cups/5

SYSTEMS



\$mart Buy

equipment.







- Designed as the ideal extraction detergent for those "real world" dirty and filthy carpets you commonly encounter in restaurants, rental properties, apartments and more
- Works extremely well against extreme soiling when used "stand alone" as an in-tank cleaning solution for a portable or "walk-behind" extractor. Works even better when used with a compatible Bridgepoint carpet prespray
- Highly buffered to maintain cleaning efficiency even at the highest dilution and most challenging soiling conditions
- Highly concentrated 1:326 when used in truckmount or metered portable extractor

CleanXtraction Carpet Extraction Detergent is your best choice for hot water extraction cleaning. CleanXtraction is designed for those "real world" dirty and filthy carpets you commonly encounter. While designed to be used with a compatible carpet prespray, CleanXtraction works extremely well against extreme soiling conditions when used as a stand alone in-tank cleaning solution for a portable or walk behind extraction machine. CleanXtraction is highly buffered to maintain cleaning efficiency at the highest dilution and most challenging soiling conditions.

RTU pH: 11 - 11.5	馬 gallon CC25GL \$24.10 (ea)
Dilution Ratios: 2 oz. /5 gallon portable 32 oz to 5 gallon water truckmount	\$21.69 (4) \$mart Buy \$19.28 (16)
·	



CleanFREE: Soap Free Cleaning Agent

CleanFREE represents the next generation in extraction cleaning and rinsing solutions. CleanFREE provides soap and detergent free, sudsless cleaning. Its non-toxic formula contains no volatile organic compounds and is odor free at use dilution, and is formulated to be free-rinsing from the carpet. CleanFREE also uses the activating power of carbonation to assist in soil suspension and removal without the use of harsh solvents, bacterial enzymes, and potentially harmful bleaches.

RTU ph 9.8

Dilution: PreSpray 2 oz. per gallon | Portable Extraction 1/2 oz per gl TM extraction 3 cups per 5 gallons

6 lb. jar CC27A \$31.16 (ea) \$28.04 (4) \$mart Buy \$24.93 (16) 36 lb. pail CC27B \$155.54 (ea) \$139.99 (4)



Green Balance Carpet Extraction Rinse



BRIDGEPOINT

SYSTEMS

Designed to work in conjunction with Green Balance Prespray, Green Balance Extraction Rinse is a mildly alkaline formula designed to deliver additional cleaning power often missing from acid side "green" cleaners.

In addition, Green Balance Extraction Rinse incorporates advanced polymer technology to prevent rapid resoiling and keep carpets clean longer.

Formulated based upon the information supplied by the leading green certification program for environmentally preferred cleaning products.

RTU pH: 8-8.5 Dilution Ratios: 1:64 Portables: 2 oz./5 Gal. Truckmounts: 1 Qt./5 Gal. Water





15



PROCHEM. Dry Slurry

Dry Slurry is the leading carpet extraction detergent powder with a solvent boost to quickly cut through tough, dry or greasy soils and leave the carpet clean. Powerful enough for commercial buildings and restaurant carpets, yet safe for residential carpet. Its minimum residue, maximum cleaning formulation removes soil that others leave behind. Meets specifications for use on stainresistant carpets.

pH in dilution is 9.6-9.9

Dilution Ratios: Portables: 2 oz. /5 gallon. Truckmounts: 1 1/2 lbs. per 5 gallons

- 6.5 lb. Jar CC54C \$38.30 (ea)
 \$34.47 (4)
- 48 lb. pail CC54B \$183.92 (ea) \$165.53 (4)

PROCHEM.

HeatWave

Heat Wave provides super-strength cleaning power for use in the most powerful truckmounts. Performs in high temperatures while maintaining stability and 100% clarity. Heat Wave's ingredients will not separate under high heat, reducing residual deposits and clogged wands.

pH in dilution is 10-10.5

Dilution Ratios: Portables: 2 oz. /5 gallon. Truckmounts: 1 1/2 lbs. per 5 gallons

6.5 lb. jar CC41A \$35.60 (ea)
 \$32.04 (4)
 48 lb. pail CC41B \$212.69 (ea)

\$191.42 (4)



HydraMaster Hydra-Dri

Hydra-Dri is an ultra-concentrated, heavy duty extraction detergent especially formulated to work at cleaning temperatures associated with truckmounts and heated portable extractors. HydraDri contains a unique blend of solvents, detergents, and alkaline builders that break down and dissolve the toughest soils, while simultaneously softening the water for a cleaner, fresher, softer feel to the carpet after cleaning.

- Extra light flakes make mixing easy in hot or cold water
- Advanced formula corrosion inhibitors protect your equipment
- Powerful tropical breeze fragrance
- Compatible with stain resistant fibers
- Ultra concentration means you clean better and save money

RTU pH 9.5-11

Dilution Ratio: Truckmounts: 1.5 pounds into 5 gallons warm water to make stock solution Portables: 1-2 ounces per 5 gallons water

- 6.5 lb. jar CC86B \$40.08 (ea)
 \$36.07 (4)
- 40 lb. jar CC86C \$150.40 (ea)

Prices subject to change without notice. Call or go online for current pricing. All products not available at all locations.



PROCHEM. All Fiber Deep Clean

This low-pH detergent enhances the cleaning of wool and synthetic commercial and residential carpet, while providing superior rinsing capabilities. Reduces reappearing stains and wicking so common with olefin carpet. Excellent 2-step process with Olefin Pre Clean for maximum performance on olefin. Safe for stain-resistant carpet. WoolSafe approved for use on wool carpet and upholstery. Safe for watercleanable upholstery.

pH in dilution is 5.2-5.8

Dilution Ratios: Portables: 2 oz. per gallon Truckmounts: 1 qt. per 5 gallons

> gallon CC43GL \$31.56 (ea) \$28.40 (4)



Free shipping on orders over \$350 on orders from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon



on qualifying items. Terms and conditions:

- Applies to qualifying items most chemicals, accessories and parts
- Applies to 48 contiguous states. Ground freight
- Independent locations may have a different freight policy
- Non-qualifying items will ship at regular freight rates





Vibrant[™] Carpet Extraction Detergent

Vibrant[™] combines the boosted cleaning power of high pH extraction powders with the instant solubility of a liquid. No time is wasted stirring; just mix and use. Not only is Vibrant easy to use, it is also crammed full of active ingredients to provide you with the best clean possible in the least amount of time.

RTU pH 11.0 - 12.0

Dilution Ratio: 2 oz. / 5 gallons water

gallon CC506GL \$14.80 (ea) \$13.32 (4) **\$11.84 (16)**

Select Pro[™] Carpet Extraction Detergent

Select Pro Carpet Extraction Detergent combines the cleaning power of extraction powders with the instant solubility of a liquid. It is very aggressive on all types of soil, yet safe for your customer's carpets and for your machinery. Select Pro Carpet Extraction Detergent will effectively remove even the most deeply imbedded soils. It is very economical to use, yet uncompromising in results.

RTU pH 9.5 - 9..9

Dilution Ratio: 2 oz. / 5 gallons water

gallon CC507GL \$15.71 (ea) \$14.14 (4) **\$12.57 (16)**



PROCHEM.

Liquid Slurry

A concentrated extraction carpet cleaner, formulated to remove embedded dirt, and tough, greasy soils. Ideal for restaurants, auto repair lobbies, and other industrial areas. Ideal for both truckmounts and portables. 1 gallon makes up to 960 gallons of cleaning solution!

pH in dilution is 10-10.5

Dilution Ratios: Portables: 1 oz. per 5 gallons Truckmounts: 16 oz. per 5 gallons



gallon CC42GL \$49.77 (ea) **\$44.79 (4)**

PROCHEM. Clean Green

Clean Green is a uniquely formulated carpet extraction detergent. Excellent cleaning on residential and commercial carpets. Its nonionic surfactant system dissolves easily and emulsifies oily soil. Meets specifications for use on stainresistant carpet. Low foaming for truckmount and portable carpet extractors.

pH in dilution is 9.6-9.9

Dilution Ratios: Portables: 1/2 to 1 1/2 oz. per 5 gallon. Truckmounts: 1 1/2 lbs. per 5 gallons



6.5 lb. Jar CC56D \$31.56 (ea) \$28.40 (4)

48 lb. pail CC56B \$176.84 (ea) \$159.16 (4)








PROCHEM. XL-333™

XL-333 delivers powerful cleaning in an easy-to-use liquid. Builders, detergents plus solvents quickly cut through tough soil and leave the carpet clean. Powerful enough for commercial buildings and restaurant carpets, yet safe for residential carpet. Cleans in hot, warm, and cold water. Meets specifications for use on stain-resistant carpets.

pH in dilution is 10-10.5

Dilution Ratios: Portables: 2 oz. per 5 gallons Truckmounts: 1 qt. per 5 gallons



PROCHEM.

AXIOM Clean Extraction Detergent

Use as an extraction detergent for hotwater extraction cleaning of wool and synthetic carpet and water-cleanable upholstery. For an effective 2-step cleaning combination, use with Axiom Clean Pre-Spray.

- Top cleaning performance, for residential and commercial applications
- Liquid, easy to use and dilute
- Economical 1:320 dilution rate

pH in dilution is 7.5-8

Dilution Ratios: Portables: 2 oz. per 5 gallons Truckmounts: 1 qt. per 5 gallons



gallon CC75GL \$44.56 (ea) \$40.10 (4)



Life is Complicated... Choosing which Chemicals to use Shouldn't be!



Get the 2-Step Products that You Need to get the Job done Right

For Residential Carpets Step 1 – Ultrapac Trafficlean Step 2 – All Fiber Rinse For Natural Fiber Rugs Step 1 – Fine Fabric Pre-Spray Step 2 – Fine Fabric Rinse

For Commercial Carpets Step 1 – Olefin Pre Clean Step 2 – All Fiber Deep Clean

#1 FOR A REASON!



A member of KÄRCHER North America

Find us on Facebook

Sapphire



CHEMICALS



Hydra-Clean HydraMaster

Hydra-Clean completes the maximum soil removal, minimum residue cleaning process of the professional hot water extraction cleaning, virtually eliminating re-soiling issues common to many carpet cleaning solutions. Hydra-Clean allows you to remove soil that is deeply imbedded into the carpet pile with emulsifiers that hold the soil in suspension for easy removal.

pH: 9.0-10.0

Dilution Ratios: Portables: 2 oz/5 gallons water for RTU solution. Truckmounts: 1 quart/5 gallons water for concentrated solution



6.5 lb. jar CC93GL \$26.39 (ea) \$23.75 (4)



DynaForce[™] Concentrated Carpet Detergent

DynaForce is the primary in-tank detergent in the Sapphire Scientific carpet cleaning system. DynaForce dissolves quickly to prevent clogging and provides effective cleaning power. Rinses easily with Fiber Soft Rapid Rinse, leaving carpets with less residue. DynaForce is suitable for both residential and commercial grades of carpet.

pH in dilution is 10

Dilution Ratios: Portables: $1\!\!\!/_2$ to $3\!\!\!/_4$ ounces oz. per 5 gallon. Truckmounts: 1 1/2 lbs. per 5 gallons

6.5 lb. Jar CC203A \$40.50 (ea)
 \$36.45 (4)




VersaClean

Designed for use as an in-tank detergent, VersaClean outperforms competitive products in cleaning power and in cost-per-use. The product's extremely low foam characteristics ensure proper equipment operation and maximum efficiency – no need for anti-foaming additives.

pH in dilution is 7.0-8.5

Dilution Ratio: 2 oz. per 5 gallons



Acid Rinse/Neutralizing Rinses Cleaning Solutions Usage Chart

CLEANING SOLUTION	RESIDENTIAL NYLON	COMMERCIAL NYLON	OLEFIN/ TRIEXTA/ POLYESTER	NOOL	EXTREME SOILING	GREEN
Bridgepoint Systems						
End Zone (CC05GL)	×	×	×	×		
Fab Set (CR12GL)	×	×	✓	×		
Green Balance Neutralizing Rinse (CR03GL)	×	×	×	×		×
Groom Solutons						
Refreshsoft (CC508GL)	×	×	✓	×		
HydraMaster	·					
ClearWater Rinse (CR92GL)	×	×	×	×		
RinseFree w/ Oxy Break (CC911GL)	×	✓	✓	×		
Prochem						
AXIOM Clean Free Rinse (CC76GL)	×	✓	✓	×		×
All Fiber Rinse (CR36GL)	×	✓	✓	\checkmark		
Sapphire Scientific						
Fiber Soft Rapid Rinse (CC204GL)	×	×	×	\checkmark		

20 Carpet Neutralizing Rinses



SYSTEMS BRIDGEPOINT SYSTEMS

End Zone Extraction Emulsifier/Neutralizer

- The "perfect" companion to Zone Perfect prespray
- Leaves carpets soft to the hand and with no resoiling residue
- Prevent call backs eliminates wicking of deep stains and soil
- Neutralizing rinse that actually cleans

End Zone is a powerful extraction emulsifier that also neutralizes after cleaning AND uses encapsulating polymer technology to help prevent resoiling! This is a cutting edge technology that allows you to get carpets cleaner and help them stay cleaner longer—a major benefit to your customers. End Zone's powerful surfactants remove tough soils including sand and other particulates that pre-sprays just can't remove. End Zone then neutralizes carpet to a slightly acid pH and its polymer technology helps prevent browning, wicking and resoiling.

RTU pH: 4.5 - 5.0

Dilution Ratios: 1:320 Portables: 2oz. per 5 gal water - Truckmounts: 1qt. per 5 gal water



5 gl. Pail CC05PL \$115.95 (ea)
 55 gl. Drum CC05DR \$1124.64 (ea)



Fab-Set



Fab-Set is perfect as your carpet cleaning finishing touch. Fab-Set eliminates detergent residues, speeds carpet drying and makes colors really pop! It also prevents browning, gives carpet a wonderful, soft feel and returns carpet to the perfect pH for protector application. Ideal when used as a rinse in your portable or truck mount, Fab-Set can also be misted onto carpet as an after-spray.

RTU pH: 2.8

Dilution Ratios: Portables: 4-6 oz./Gal. Truckmounts: 1 Qt./5 Gal. Water



Green Balance Neutralizing Rinse

BRIDGEPOINT SYSTEMS SYSTEMS

Green Balance Neutralizing Rinse is ideal as an extraction rinse or post-cleaning topical spray. This acid rinse leaves carpet fibers absolutely their cleanest, free from both soil and detergent residue. Then, state-of-the art polymer technology insures that carpet won't resoil due to detergent residues. It stabilizes dyes, prevents browning and yellowing, pH neutralizes the carpet, and leaves a soft luxurious feel. Formulated based upon the information supplied by the U.S. EPA DFE program and other green programs for environmentally preferred cleaning products.


RTU pH: 2.5 - 3

Dilution Ratios: Portables: 2 oz./5 Gal. Truckmounts: 1 Qt./5 Gal. Water

	gallon CR	03GL	\$22.95 (ea)
			\$20.66 (4)
\$ma	rt Buy	\$	18.36 (16)

GROOM Solutions

Refreshsoft[™] Neutralizing Rinse



RTU pH 3.0 - 3.5

Dilution Ratio: 2 oz. / 5 gallons water

gallon CC508GL \$16.76 (ea) \$15.08 (4) \$13.41 (16)

Carpet Neutralizing Rinses







PROCHEM

All Fiber Rinse

All Fiber Rinse is a unique, high-tech rinse cleaner product for complete cleaning of carpet and water-cleanable upholstery. Rinses out soil and residue better than water alone! The safe, organic acid in All Fiber Rinse neutralizes alkalinity & removes detergent residues, leaving fibers clean and soft. Helps to stabilize dyes and inhibits browning and color bleeding. Meets specifications for use on stain-resistant carpet.

pH in dilution is 4.5-5.5

Dilution Ratios: 1 to 8 oz. per gallon depending on application

> 馬 gallon CR36GL \$20.89 (ea) \$18.80 (4)

ClearWater Rinse *MydraMaster*

ClearWater Rinse completes the maximum extraction cleaning job as a neutralizing rinse. It's pH neutralizes the carpet, contains emulsifying rinse agents to complete soil removal, and utilizes exclusive technology to help prevent re-soiling.

- · Ultra-concentrated formula means you use less cleaning solution
- Contains Tritanol[™] an integrated blend of specialized encapsulating polymers, organic sequestrants, and specialty surfactants

pH in dilution is 2.7-3.3

Dilution Ratios: Portable: 1-2 oz per 5 gallons water TM: 1qt per 5 gallons water Stand-alone Cleaning agent: 1:64

> **gallon** CR92GL \$24.96 (ea) \$22.46 (4)



PROCHEM

AXIOM Clean Free Rinse

Use as an extraction rinse for wool and synthetic carpet and water-cleanable upholstery, using hot water extraction methods. For effective 2-Step cleaning, use with Axiom Clean Prespray.

- · Formulated to meet or exceed major environmental green program guidelines
- Biodegradable, phosphate-free and VOC compliant

pH in dilution is 4.8-5.2

Dilution Ratios: Portables: 2 oz. per gallon Truckmounts: 1 qt. per 5 gallons

> allon CC76GL \$22.91 (ea) \$20.62 (4)

RinseFree with OxyBreak

RinseFree Liquid completes the greener hot water extraction carpet cleaning job. RinseFree emulsifies and lifts away loosened soil. The cleaning power of RinseFree Liquid is increased with the addition of OxyBreak[™] to synergistically activate other ingredients and enhance soil break down and removal through the power of oxidation. RinseFree Liquid contains only ingredients that have been identified by industry listing and certification groups as meeting the standard for greener solutions.

pH: RTU 5.3-5.7



Dilution Ratios: 1:356

sallon CC911GL \$32.94 (ea) \$29.65 (4)



Sapphirescientific

Fiber Soft Rapid Rinse and Cleaner

Fiber Soft is a mildly acidic rinse that neutralizes the alkaline characteristics of DynaForce and Surge detergents and also enhances the efficiency of rinse extraction. Fiber Soft cleanses detergent residue to avert problems associated with ineffective rinsing such as coarse carpet texture, stickiness, rapid resoiling and fiber damage. Use Fiber Soft as a rinse extract after primary cleaning.

pH in dilution is 3.5-4.5

Dilution Ratios: Portables: 2 oz. per gallon Truckmounts: 1 gt. per 5 gallons

> gallon CC204GL \$29.46 (ea) \$26.51 (4)



Grandi-Groomer The only way to finish carpet.

See page 110



22 Encapsulation and Bonnet Cleaning

Encapsulation/Bonnet Cleaning Solutions Usage Chart

CLEANING SOLUTION	COMMERCIAL NYLON	OLEFIN/ TRIEXTA/ POLYESTER	STANDARD STRENGTH	DOUBLE STRENGTH	OXYGEN BOOSTED	INCLUDES PROTECTOR
Bridgepoint Systems						
Encapuclean Green DS (CC15GL)	×	×		×		
Encapuclean O2 (CC17GL)	×	×		×	×	
Encapuclean (CC06GL)	×	×	×			
Encapuclean DS with Maxim (CC12GL)	×	×	×			×
Groom Solutions						
Brush N'Vac (CC33GL)	×	×	×			
Peroxicap (CC503GL)	×	×	×		×	
HydraMaster						
Zip-Dri Encap (CC39GL)	×	×	×			
Prochem						
ProCaps (CC51GL)	×	×	×			



BRIDGEPOINT SYSTEMS

Encapuclean Green DS - Low Moisture Carpet Cleaner

Being green does not mean clean. Encapuclean Green DS will out clean everything on the market. Guaranteed or your money back.

Encapuclean Green DS employs an exclusive, proprietary non-hygroscopic polymer that allows for even faster

drying times. Encapuclean Green DS contains no alcohol or solvents to try and speed up drying. Its exclusive formula does not need them. Double Strength (DS) means the formula is ultra-concentrated, stretching your square feet of cleaning per gallon and your dollars simultaneously! It has twice the cleaning coverage of conventional encapsulation cleaners.

RTU pH: 7.5 - 8.0 Dilution Ratio: 4 oz. per gallon







× = Primary Use



Encapuclean O2

Encapuclean O2 combines a synergistic hydrogen peroxide detergent blend with a special encapsulating polymer to bring you the most versatile encapsulation product available. The unique peroxide boost in Encapuclean O2 helps activate the other key ingredients enabling it to remove soils and stains from almost any source. It also

✓ = Secondary Use

helps effectively remove many spills and spots (coffee, wine, blood, urine caused discoloration, and more) during the cleaning process. Carpets cleaned with encapsulating polymers have been demonstrated to stay cleaner longer than when traditional cleaning solutions are used.

As with other products in the Encapuclean family, the encapsulating polymer bonds to, surrounds, and encapsulates soil allowing it to be removed from the carpet during routine post-vacuuming. In addition, the unique polymer blend helps resist soiling long after the cleaning process.

RTU pH: 5.5 Dilution Ratio: 1:12



www.interlinksupply.com

Encapsulation and Bonnet Cleaning



23







Encapuclean Bonnet/Brush Encapsulating Cleaner

Encapuclean is a state-of-the-art encapsulation cleaner that suspends and releases soils from carpet during cleaning and then leaves a special encapsulating polymer behind. This polymer attaches to carpet soils and fibers and then dries to a very hard polymer (like a very thin piece of glass). When vacuumed, the dry brittle polymer fractures away, taking the attached soils with it and leaving a clean non-sticky fiber behind.

 gallon CC06GL \$27.32 (ea)

 RTU pH: 7.5
 \$24.59 (4)

 Dilution Ratio: Pump or Electric Sprayer: 1:16 (8 oz./Gallon)
 \$21.86 (16)

馬 5 gl. Pail CC06PL \$117.25 (ea)

Encapuclean DS with Maxim

Encapuclean DS with Maxim offers all the same benefits of regular Encapuclean but adds stain resistance and additional dry soil protection! Regular use will enhance and maintain high levels of stain and soil resistance on commercial carpet.

RTU pH: 7.5

Dilution Ratio: Pump or Electric Sprayer: 1:16 (8 oz./ Gallon)



Prices subject to change without notice. Call or go online for current pricing.



HF HYDRO-FORCE

Brush Pro Dry Compound

Deep cleaning dry compound imbedded with cleaning agents that lift and separate soil from fibers then absorbs into the compound for easy removal. Dry and ready for use immediatley. RTU pH: N/A Dilution Ratios: RTU

Logicol 10. pail CC604B \$49.00



Brush Pro Carpet Prespray

Use as a spotter and pre-spray when using Brush Pro Dry Compound, or as a stand alone encapsulate cleaner with the Brush Pro machine.

RTU pH: N/A Dilution Ratios: 10 oz./gal. gallon CC602GL \$25.93 \$23.34 (4)

Spot Remover Encapsulation



Prespray for Brush Pro Dry Compound



www.interlinksupply.com





Peroxicap[™] Encapsulation Cleaner and Carpet Prespray

Peroxicap is a 5 in 1 multipurpose hydrogen peroxide activated and encapsulating polymer fortified carpet cleaning agent. It combines a synergistic hydrogen peroxide detergent blend with a special encapsulating polymer. The special peroxide blend oxygenates and activates the cleaning power of the polymers and surfactants, and also helps effectively remove many spills and spots (coffee, wine, blood, urine caused discoloration, and more) during the cleaning process.

RTU pH: 5.5-6.5 Dilution Ratio: 1:12

gallon CC503GL \$28.82 (ea) \$25.94 (4) \$23.06 (16)

Brush N' Vac Low Moisture Encapsulation Cleaner

Brush N' Vac absorbs and cleans the worst soil. The soil is absorbed into a bonnet or suspended for later vacuuming when used with a brush method. Remaining residue retards resoiling. This makes vacuuming more effective and is the foundation for an excellent maintenance system for commercial carpet. Hot water extraction is recommended on a semi-annual or annual basis.

RTU pH: 7.5 Dilution Ratio: 1:16

gallon CC33GL \$20.55 (ea) \$18.50 (4) \$16.44 (16)

Encapsulation and Bonnet Cleaning



pH: 6.5-7.5 Dilution Ratio: 1:32-64

Zip-Dri Encap *HivdraMaster*

ZipDri Encap TS is the only encapsulation cleaner that contains Tritanol[™] - an integrated blend of specialized encapsulating polymers, organic sequestrants, and specialty surfactants. Tritanol helps separate ground in soiling from the carpet fiber, encapsulates soil and holds it in suspension, and makes it easier for subsequent vacuuming to extract more soil than conventional encapsulation cleaners.

gallon CC391GL \$34.94 (ea) \$31.45 (4)



pH in dilution is 7.5-8 Dilution Ratio: 8 oz. per gallon

ProCaps **PROCHEM**.

ProCaps is a soil-encapsulating cleaner for interim maintenance cleaning between scheduled deep cleanings. ProCaps utilizes superior soil release agents, and provide much lower residue than other interim products. ProCaps also provides the added protection of fluorochemical stain resistance to keep your carpets looking clean even longer.

> gallon CC51GL \$35.69 (ea) \$32.12 (4)

ENCAPSULATION CLEANING PROCEDURES



Pile lift/vacuum area to be cleaned to remove excess soil. This also allows Encapuclean to coat more fibers.



Mix 4 oz. of Apply RTU Encapuclean Green solution as a mist DS with 1 gallon in a consistent hot water into overlapping pattern. pump-up or electric Use more solution only in heavily soiled areas.



Agitate solution into carpet with counter-rotating cylindrical brush agitation machine, shampoo brush, or pre-moistened microfiber bonnet.



Allow cleaning solution to dry completely. Use Air King or other air movers to reduce dry time.



Vacuum carpet thoroughly.



For long-term maintenance

Consider Encapuclean DS with Maxim. It provides enhanced soil resistant protection and the stain-resistance of commercial nylon carpet.

Visit our showroom or call in an order. See cover for contact information.



sprayer.

Interlink Supply offers the most comprehensive education available.

Whether you are a self-starter and prefer learning on your own or you prefer a classroom setting with hands-on instruction, we will help you receive the training that you need to succeed.

We are also affiliated with some of the best educators around. including: Bridgepoint University, Reets Drying Academy, Winners Circle, and Planning To Win.

See pages 278-288.

Carpet Cleaning Boosters and Additives

Booster/Additives Cleaning Solutions Usage Chart

CLEANING SOLUTION	RESIDENTIAL NYLON	COMMERCIAL NYLON	OLEFIN/ TRIEXTA/ POLYESTER	MOOL	EXTREME SOILING
Bridgepoint Systems					
Citrus Solv (CR08GL)	×	×	×	\checkmark	×
Pine Boost (CR07GL)	×	×	×	\checkmark	×
Boost All (CR16A or CR16C)	×	×	×		×
Groom Solutons	·				
Citrus Burst (CS510GL)	×	×	×	\checkmark	×
HydraMaster	·				
Grease Breaker (CR56GL)	✓	×	×		×
Hydra Boost CT (CST93A)	×	×	×		×
Prochem					-
Oxy Plus (CR42A)	×	×	×		×
Citrus Pro (CC62GL)	×	×	×		×
Yellow RX (CR47GL)	×	×		×	
Sapphire Scientific					
Amped (CR220A)	×		 ✓ 		
Oxcelerate (CR221A)	×	×	×		×

* = Primary Use

✓ = Secondary Use



Citrus Solv



- Instantly increase the power of your prespray
- 100% active solvent works in a split second to dissolve grease and oils
- Concentrated as little as 1 oz. per gallon can double the cleaning capacity of your pre-spray
- Customers love the natural fresh orange fragrance

Citrus Solv is one of the best selling products in the industry! That's because of the way it instantly removes many difficult stains like chewing gum, tar, grease, wax, cosmetics, crayon, lipstick, shoe polish, inks, adhesives, glues and many other oil-based stains. The secret is that Citrus Solv is made from citrus solvents and is 100% active! That means no carriers or fillers, just the most powerful citrus solvent spotter on the market! Not only is Citrus Solv a spotter that you will use (and love!) every day, it is also a phenomenal booster that is added to pre-sprays at just 1 to 2 oz. per diluted gallon to cut through the worst greasy, oily soils and avoid re-spraying or over scrubbing and over wetting traffic lanes. Citrus Solv also leaves a wonderful orange scent behind.

RTU pH: N/A Dilution Ratios: Spotter: Full Strength Prespray Additive: 1-2 oz. per Gal. RTU Prespray quart CR08QT \$21.40 (ea) \$19.26 (12)
 \$17.12 (48)
 gallon CR08GL \$53.50 (ea) \$48.16 (4)
 \$mart Buy
 \$42.80 (16)
 55 gl. Drum CR08DR \$2235.44 (ea)

25

Visit our showroom or call in an order. See cover for information.

Carpet Cleaning Boosters and Additives 26



RTU pH: N/A **Dilution Ratio:** 1-2 oz. per gallon



Pine Boost

- Same performance as Citrus Solv but more economical
- Just one ounce per gallon to your RTU prespray for amazing results

Pine Boost is a natural pine organic solvent degreaser concentrate. It is biodegradable, safe to the environment, contains no chlorinated solvents, no alkalies, and is 100% free from caustics and acids. Pine Boost is water miscible.

Professionals achieve incomparable results when using Pine Boost as a cleaning booster, creating readyto-use general purpose degreaser for carpet and upholstery cleaning solutions. Pine Boost is excellent as a general purpose degreaser for removal of encrusted grease, oil, and adhesives. Nobody tires of the natural scent of pine.

gallon CR07GL \$42.45 (ea) \$38.21 (4) \$mart Buy \$33.96 (16)



Oxy Plus PROCHEM.

A powerful oxygen bleach cleaning booster for synthetic or cotton fabrics. Removes light browning when combined with Fiber Buff. Safe for light colored carpets and most delicate water-cleanable upholstery fibers.

pH in dilution is 10.3-10.5 Dilution Ratios: 1/2 to 1 oz. per gallon

> 2 lb. jar CR42A \$24.99 (ea) \$22.49 (12)



Boost All

BRIDGEPOINT SYSTEMS

Add the power of oxygen to your cleaning solutions to boost cleaning effectiveness and brighten the finished look. Alkaline builders and color safe oxygen bleach supercharges carpet and upholstery cleaning solutions to remove heavy soiling and brighten dingy traffic lanes! Boost All is also excellent for correcting browning, removing water marks and is great on Oriental rug fringes.

RTU pH: 10

Dilution Ratios:

Groom Solution

CITRUS BURST

GROOM Solutions

Booster, Prespray: Add 1/2 oz./Gal. RTU Prespray. Let dwell 15 minutes then extract

Booster, Extraction: 1/4 to 1/2 oz./Gal. RTU extraction detergent. Use within an hour.

Booster, Upholstery: 1/4 to 1/2 oz./Gal. RTU extraction detergent or shampoo. Use within an hour.

	2 lb. Jar	CR16A	\$17.46 (ea)
			\$15.71 (12)
		\$	13.97 (48)
	8 lb. Jar	CR16C	\$59.95 (ea)
			\$53.96 (4)
\$n	nart Buy	\$	47.96 (16)

Citrus Burst

New Lower Price!

Citrus Burst Booster is a multipurpose cleaning solution boosting agent as well as an extremely effective solvent spotter for use on carpet and upholstery. Add Citrus Burst to your prespray, traffic lane cleaner, carpet extraction detergent, or tile and hard surface cleaning solution to boost cleaning power on tough jobs. Citrus Burst also works great as a cleaning booster and additive for upholstery cleaning solution, and for adding to your favorite degreaser.

RTU pH 7.0 - 7.5

Dilution Ratio: 1-2 ounces / mixed gallon

gallon CS510GL \$33.28 (ea) \$29.95 (4) \$26.62 (16)

Carpet Cleaning Boosters and Additives



Sapphirescientific



HydraBoost CT JiydraMaster

HydraBoost CT is a powdered high powered concrete, tile and grout cleaner/degreaser. Its powerful formula works with virtually any high powered hard surface cleaning wands such as the RX-20 with hard floor attachments, brush agitation system, automatic floor scrubber, or even a mop and bucket cleaning system.

- Effectively dissolves and emulsifies even the grimiest soils
- Effervescent solutions penetrates every crack, crevice and pore
- Ideal for heavily soiled restaurant kitchen tile floors

pH: RTU 11.0-12-0

Dilution Ratio: 1:32-64

6.5 lb. jar CST93A \$45.94 (ea)
 \$41.35 (4)



Oxcelerate uses an oxygen bleach formulation to power out residual odors and stains. Highly effective on pet urine, wine, algae and many other substances. Works where prior treatments have failed. Can also be used as part of Sapphire's Hard Surface Cleaning system to remove stubborn stains from tile, grout lines, concrete and other hard surfaces.

pH 10.0-10.3 RTU

Dilution Ratio: 1-1/2 oz. per gallon of hot water

6.5 lb. jar CR221A \$39.19 (ea) \$35.27 (4)




Citrus Pro



Prochem's Citrus Pro is a professional strength citrus-based cleaning additive. Add Citrus Pro to your pre-spray, extraction detergent, or tile cleaning solution to boost cleaning power for tough jobs. Gives your detergent more power to remove oily and greasy soil, asphalt track-in, food soil, and many other difficult soils on carpet, watercleanable upholstery, and ceramic tile and grout. VOC compliant. Safe for stain-resistant carpet.

pH N/A

Dilution Ratio: 1-2 oz to gallon of RTU prespray




Yellow Rx **PROCHEM**.

A specialty problem-solver formulated to remove yellow and brown discolorations on nylon, olefin and many natural fibers resulting from chemical residues, environmental or structural conditions.

pH 2.0-2.5 RTU

Dilution Ratios: Carpet: 24 oz. per gallon Upholstery: 12 oz. per gallon



Amped Enzyme Booster Additive

Amped Enzyme Booster Additive boosts the performance of Surge Traffic Lane cleaner to tackle tough biological soils such as urine, blood and protein stains. Amped uses enzymes – substances that promote faster chemical reactions – that boost the ability of detergents and emulsifiers to attack and dissolve the organic soils commonly found in carpet, including food-based soils.

pH N/A

Dilution Ratio: 1 oz to each gallon of Surge

2 lb. jar CR220A \$18.35 (ea) \$16.52 (4)



Pump-Up Sprayers

Interlink Supply has the most complete line of pump-up sprayers. Need a solvent sprayer? We have it. Need a 3 gallon, 2 gallon or 1 gallon sprayer? We have them all.

See pages 107-108

www.interlinksupply.com

Understanding Chemical Dilution and Cost

The cost of chemical should not be based on sticker price, but the Ready To Use (RTU) price.

Cost per gallon of RTU equals Price per gallon of concentrate divided by how many gallons of RTU it makes.

EXAMPLE: If a gallon of Traffic Slam concentrate costs \$26.80. The directions say to add 4 ounces per gallon of water. This means that the dilution ratio (see the chart) is 1 to 32. In other words, you would add one gallon of Traffic Slam to 32 gallons of water to make 33 gallons of RTU solution.

> One gallon of Traffic Slam = \$26.80 $\frac{$26.80}{33 \text{ gallons}} = $0.81/\text{RTU gallon}$

> > 33 gallons of RTU solution

at \$0.81 an RTU gallon



1 gallon of concentrate

1	to	1	=	128 oz.	Per gallo
1	to	2	=	64 oz.	Per gallo
1	to	3	=	43 oz.	Per gallo
1	to	4	=	32 oz.	Per gallo
1	to	5	=	26 oz.	Per gallo
1	to	6	=	21 oz.	Per gallo
1	to	7	=	18 oz.	Per gallo
1	to	8	=	16 oz.	Per gallo
1	to	9	=	14 oz.	Per gallo
1	to	10	=	13 oz.	Per gallo
1	to	15	=	8.5 oz.	Per gallo
1	to	20	=	6.5 oz.	Per gallo
1	to	25	=	5 oz.	Per gallo
1	to	32	=	4 oz.	Per gallo
1	to	40	=	3 oz.	Per gallo
1	to	50	=	2.5 oz.	Per gallo
1	to	60	=	2 oz.	Per gallo
1	to	80	=	1.8 oz.	Per gallo
1	to	100	=	1.3 oz.	Per gallo
1	to	128	=	1 oz.	Per gallo

Dilution Ratio Chart

on of water on of water

CARPET PROTECTORS

Protectors Cleaning Solutions Usage Chart

CLEANING SOLUTION	RESIDENTIAL NYLON	COMMERCIAL NYLON	OLEFIN/ TRIEXTA/ POLYESTER	MOOL	GREEN	
Bridgepoint Systems						
Maxim Advanced (CP04GL)	×	×	 ✓ 	✓		
Maxim Advanced for Wool (CP10GL)	✓			×		
Encapuguard Green (CR13GL)	×	×	×		×	
DuPont						
Teflon Advanced (CP16GL)	×	×	✓			
Groom Solutons						
Relax (CP509GL)	×	×	✓			
Prochem						
Fourguard Carpet Protector (CP35GL)	×	✓	✓	\checkmark		

Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location. × = Primary Use

✓ = Secondary Use





Give Your Customers Carpets They Can Actually Live On with Maxim[™] Advanced!

The Problem with Traditional Protectors

Traditional protectors work by creating a repellency barrier across the top of carpet to protect the fibers. But this repellency only works when spills are cleaned up immediately. If not, they simply soak through the barrier where they immediately bond to the unprotected fibers, creating difficult to remove stains. These repellency barriers can also be easily penetrated by hot spills and spills from heights. And, these surface barriers break down with time and foot traffic, further degrading the carpet's protection.

Maxim Advanced - Protects Fibers From the "Inside Out"

Instead of relying on repellency, Maxim Advanced uses a totally new technology to prevent spills from bonding to fibers. Because Maxim Advanced coats fibers with a stain barrier completely, not just at the top, spills will not bead up and then soak through to create stains. You and your customers will be able to remove spills easily even months later!

Dramatically Superior Dry Soil Resistance

Cleaners know that what really ruins carpets are the abrasive dry soils that scratch fibers and destroy carpet appearance. Maxim Advanced's fluorochemical represents a dramatic advance in dry soil protection that can maintain carpet appearance for years longer!

Faster Drying, Better Coverage!

Now, you can eliminate extended drying times because Maxim Advanced uses half the water of other protectors! Plus, special dispersing agents make sure all the carpet is thoroughly protected.

More Profit for You!

Maxim Advanced covers 20% more carpet per gallon than traditional (or competing) protectors. This means more profit on your bottom line! And you can save up to 30% more if you take advantage of the Interlink Smart Buy program!

A Word About Olefin and Polyester Carpets:

Olefin and polyester fibers are naturally stain resistant when it comes to dye stains, but they still need protection. That's because olefin and polyester love oily soils and absorb them quite easily. That's why these carpets can develop a yellow cast over time. Olefin and polyester are also easily damaged by dry soils that scratch the fibers and create permanent appearance loss. But now you can help your customers protect their olefin and polyester carpets because, unlike traditional protectors, Maxim Advanced has been designed to adhere to olefin and polyester and will provide extremely high levels of protection against oily and dry soils.

RTU pH: 4 - 6

Dilution Ratios: Pump or Electric Sprayer: Mix Maxim Advanced at 1:2 dilution (1 part Maxim Advanced to 2 parts water). *This is half the water of DuPont Teflon® or 3M Scotchgard®!*

Hydro-Force Sprayer: Use full strength, remove metering tip

Each concentrated gallon covers (wet OR dry carpet):

High density residential carpet: 1,200 sq. ft. per concentrated gallon Low density commercial carpet: 2,400 sq. ft. per concentrated gallon gallon CP04GL \$52.72 (ea) \$47.45 (4)
 \$mart Buy
 \$42.18 (16)
 5 gl. pail CP04PL \$222.38 (ea)

55 gl. drum CP04DR \$2152.55 (ea)



If a picture is worth a thousand words, a demo is worth a million! This handy demo kit makes it easy to show your customers how Maxim Advanced gives their carpets the best stain protection available.

Maxim Advanced Demo Kit

The kit includes:

- Travel Bag Silk Screened AC8100
- Red Dye (Kool-Aid®) Quart CP02QT
- · 1.75" Maxim Advanced Treated Carpet Squares AC008A
- · 1.75" Untreated Carpet Squares AC008B
- · Maxim Advanced Protector Warranty Cards LB20A
- · Maxim Advanced Blotter Cards LB03
- · Maxim Advanced Sales Brochures LB215
- Congratulations, Aftercare Brochures LB09
- · Maxim Advanced Sales CD with Certificate of Authenticity LB216

AC008 \$19.95

Ask your Interlink Distributor how to get this kit for free!



Maxim Advanced Sales Brochure

These four color brochures explain to your customers all the benefits of having Maxim Advanced applied to their carpet. These brochures are an important part of the sales process and can be used in person, as invoice stuffers, etc.

> LB215 Pkg. of 50 \$14.50

Maxim Advanced Warranty

By providing customers with a carpet protection warranty you will dramatically increase sales of Maxim Advanced, generate substantial additional profits and create customers for life! These pre-printed, two-part warranty



forms make offering a warranty simple and easy!

LB20A \$0.39



Teflon® Advanced Carpet Protector

DuPont Teflon is a brand name your customers trust, and Teflon Advanced is one of the finest carpet protectors on the market. There is no quality protector with more repellency than Teflon Advanced, and your customers will be highly impressed when spills bead up on the carpet surface awaiting removal.

Teflon Advanced also has improved protection against oil and water based spills and outstanding dry soil resistance so carpets look great year after year. Teflon Advanced is great as part of a two protector sales system.

RTU pH: 5.5-6.5

Dilution Ratio: Pump or Electric Sprayers: 1:4 parts water (Concentrated gallon covers 1,000 sq. ft.) Hydro-Force Sprayer: Fill container with concentrate, remove yellow tip and apply.



Maxim Advanced for Wool



Maxim Advanced for Wool starts with a Maxim Advanced base for superior protection, but has been modified with additional ingredients to assist penetration into fiber and add additional stain resistance for wool. Maxim Advanced for Wool now gives you the possibility of adding a wool specific product to high end rugs and other wool products.

RTU pH: 5-5.2 Dilution Ratio: 1:2



gallon CP16GL \$52.99 (ea)

\$50.34 (4)

\$45.04 (16)









RTU pH: 3.5

Dilution Ratios: 1:8 Pump or Electric Sprayer:16 oz./Gallon. Hydro-Force Sprayer: Use full strength with yellow tip

EncapuGuard Green



- Excellent protector at a low cost per sq. ft.
- Prevents soil and stain wick back particularly effective on low pile commercial carpet
- Can be used through an extractor
- Every truck should have a gallon to use when the customer complains of stains reappearing
- Contains acid dye resistors to resist stains

When price really matters, this protector shines. At around a penny per sq. ft. your cost, this may be the best bet for your penny pinching customers. EncapuGuard Green employs the use of soil resistance, stain protection, wicking prevention, and residue neutralizing technology. EncapuGuard Green replenishes the soil resistance and stain protection that came with your customer's new carpet. It enhances "cleanability" and spot and stain removal with exclusive encapsulating polymer protection.

	gallon (CR13GL	\$26.80 (ea)
			\$24.12 (4)
\$n	nart Buv	\$	21.44 (16)



- · Sprays at 50 psi
- Large cap enables easy refills
- Large wheels for easy movement
- Sealed cavity so pump and battery are protected from spills

FlexiPro Cordless Sprayer

Convenient! Flexible! Durable!

Once you use one you won't be able to go back to a regular sprayer. The FlexiPro Sprayer is battery powered and holds 2.9-gallon of chemical. This means you can go anywhere you need to without hoses or pump-up sprayers. The translucent bottle also allows you to easily see when you need a refill. Fifteen feet of coiled hose allow you to move around easily while leaving the sprayer unit in one place.

AS75 \$525.00





Relax[™] Premium Carpet and Upholstery Protector

Relax provides the most advanced C6 technology in fluorochemical (dye-blockers) for maximum stain prevention and enhanced water and oil based soil resistance. The excellent formula creates a better dispersal of solution across the entire area of the carpet being treated. This ensures equal treatment of all sprayed areas and protects your customer against uneven spraying. Comparable in performance to 3M Brand protectors.

RTU pH 4.5-5.0

Dilution Ratio: 1:4

gallon CP509GL \$39.73 (ea) \$35.76 (4) \$31.78 (16)

PROCHEM.

Fourguard[®] Carpet Protector 1:3

Fourguard applies a fluorocarbon protector which resists soil and makes the carpet easier to clean. Protects against soil, stains, spills and oil. FourGuard Carpet Protector 1:3 is concentrated offering the best price per square foot, (one gallon makes four gallons of ready to use protection).

pH in dilution is 5.0-6.0

Dilution Ratio: 32 oz. per gallon

gallon CP35GL \$71.96 (ea) \$64.76 (4)

Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location.

32 **Carpet Cleaning Foam Control**







Foam-Less knocks down foam fast! Unlike ready-to-use defoamers, Foam-Less is highly concentrated for an outstanding value. Foam-Less can be mixed and sucked through your vacuum hose to coat the entire system to knock down foam before it gets to your recovery tank, or you can add concentrate directly to the recovery tank.

RTU pH: 7.0

. . **Dilution Ratios: Sucked Through Vacuum** Hose: 8 oz./Gal. Hot Water Add to Recovery Tank: 1-2 oz. Concentrate



Powdered Defoamer



Powdered Defoamer is a great way to deal with high foaming carpets. Because you sprinkle the defoamer over the carpet, you knock the foam down at the source using much less defoamer than other traditional defoamers that are sucked through the vacuum hose. Powdered Defoamer prevents foam from developing, saving time and protecting your equipment!

RTU pH: N/A Dilution Ratio: RTU





Liquid Defoamer Concentrate PROCHEM

Liquid Defoamer Concentrate controls foam in your extraction cleaning equipment hose and waste tank while protecting equipment and maintaining extraction cleaning effectiveness. It controls foam from detergent residue buildup from past cleaning. Add to vacuum hose while cleaning.

pH in dilution is 8.5-9.5

gallon CC50GL \$28.53 (ea) Dilution Ratio: 8 oz. per gallon

\$25.68 (4)

Powder Defoamer Concentrate **PROCHEM**

Powder Defoamer Concentrate controls foam in your extraction cleaning equipment hose and waste tank while protecting equipment and maintaining extraction cleaning effectiveness. It controls foam from detergent residue buildup from past cleaning. Add to vacuum hose during extraction.

pH in dilution is 7.0-8.0

Dilution Ratio: 12 oz. per gallon

6.5 lb. jar WCC05 \$28.53 (ea) \$25.68 (4)




Upholstery Presprays





Avenge HD Odorless Ammonia Fabric Prespray



RTU pH: 9.8 - 10.2 Dilution Ratio: 1:1

	gallon	CU21GL	\$22.95 (ea)
			\$20.66 (4)
\$m	art Buy	\$	18.36 (16)

BRIDGEPOINT

SYSTEMS



Avenge Fabric Prespray

Avenge Fabric Prespray is a neutral pH blend of surfactants, solvents and builders formulated to emulsify the toughest soils and oils found in upholstery. Can be used on fine natural fabrics or the filthy synthetics that plague professionals, and do it safely. (Always pretest fabric.) Combining a lubricating, dual surfactant system, high solvency, and complete soil and grease suspension, Avenge Fabric Prespray is a neutral formula that out cleans other harsh products. Quick acting for amazing stain removal and free rinses to leave a soft hand.

BRIDGEPOINT

SYSTEMS

RTU pH: 7 - 7.5

Dilution Ratios: Medium to Heavy Soil: 1:1 part hot water Extra Heavy Soil: RTU, do not dilute.




BRIDGEPOINT

SYSTEMS



Fabric Prespray Fine Fabric Preconditioner



RTU pH: 8 Dilution Ratios: Pump or Electric Sprayer: 16 to 32 oz./Gal. Hydro-Force Sprayer: Use full strength with yellow tip gallon CU65GL \$29.45 (ea)
 \$26.51 (4)
 \$mart Buy
 \$23.56 (16)





BRIDGEPOINT SYSTEMS SYSTEMS

- Extremely Concentrated Dilutions from 1-16 to 1-32
- · Balanced blend of various types of cleaning agents to work on diverse soils encountered in wool rugs
- Versatile works like typical prespray and has enough lubrication to work like shampoo in pit or bath washing applications
- "Wool Safe" Approved ready to use pH: 8 to 8.4
- Refined new superior chemical technology not available five years ago



RTU pH: 8-8.4 Dilution Ratios: 1:16, 1:32
 sgallon CW15GL \$41.95 (ea)

 \$37.76 (4)

 \$mart Buy

 \$33.56 (16)

Upholstery Presprays





JiydraMaster FabricMaster Heavy Duty

FabricMaster HD Upholstery Pre-spray is designed for the upholstery cleaning craftsperson. While many cleaners use carpet pre-sprays on upholstery, the craftsperson recognizes the important differences between upholstered fabrics and carpeting, as well as the soils that build up in them.

- Cleans with the power of alkalinity, but then self neutralizes as it dries
- Low foaming formula, no sticky residue
- Removes many beverage spills without special treatments

pH: 11.0 (Self Neutralizes to 7.0) Dilution Ratio: Straight to 1:4

> gallon CU12GL \$22.94 (ea) \$20.65 (4)


PROCHEM.

Fine Fabric Prespray

Now a concentrated pre-spray made especially for the wool and fine fabrics found in the upholstery industry. Approved by the WoolSafe organization as safe on wool fabrics. A blended product of solvents and detergents designed to out-perform all other products in the fine fabric industry.

pH in dilution is 7.8-8.2

Dilution Ratio: 4 oz./gallon



Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location.



MydraMaster Natural Orange

- Natural Orange is a long time HydraMaster/CleanMaster favorite for removing problem spots and soils from upholstery
- Excellent for removing stubborn soil filtration, mix 1:1
- Natural Orange uses natural citrus solvents to create a gentle, effective neutral spotter and pre-spotter
- With a pleasant, natural fragrance, Natural Orange deodorizes as it cleans
- Especially effective on grease and oil based spots common to upholstery fabrics such as cooking grease, hair oils, gels, treatments, and body oils

pH: 7.0

Dilution Ratio: 1:2 to 1:10

gallon CS13GL \$42.78 (ea) \$38.50 (4)

PROCHEM.

Upholstery Prespray

A concentrated blend of detergents, solvents, and builders. Removes a variety of soils and stains, including hair and skin oils, while extracting surface dirt.

pH in dilution is 8.5-9

Dilution Ratio: 8 oz./gallon

gallon CU75GL \$39.34 (ea) \$35.41 (4)



Sapphirescienmeic

Upholstery Prespray

All-purpose upholstery prespray dissolves the toughest soils -- yet rinses clean! Alkaline formulation quickly dissolves dirt and breaks down oils on contact and suspends them for easy removal. Delivers optimum upholstery cleaning power.

pH 10.4-10.7 Dilution Ratio: 1 to 3

> gallon CU209GL \$28.33 (ea) \$25.50 (4)



Natural Fiber Cleaner

Cleans natural fibers thoroughly and safely and leaves a silky hand feel. Natural Fiber Cleaner is one of the most important advances in upholstery care in years. Specifically designed to prevent the bleeding or browning that often occurs with natural fibers like cotton, Natural Fiber Cleaner greatly reduces the chance of damaging fabrics and leaves them soft and dye-stable. In most situations only a clean water rinse is required. This saves time and material costs.

pH 3.0-4.0 RTU

Dilution Ratio: 4-12 oz./gallon

gallon CC206GL \$36.90 (ea) \$33.21 (4)

Upholstery Presprays

35

JPHOLSTERY SHAMPOOS



Dilution Ratio: 4-6 oz./gallon

BRIDGEPOINT SYSTEMS

RTU pH: 6.5

Fabric Shampoo

Fabric Shampoo is a truly "built" product loaded with surfactants to deliver a rich foam when used in rotary shampoo applications or a thick dry foam when performing upholstery shampoo foam cleaning. Slightly acidic, Fabric Shampoo is safe for use on synthetics and wool, and won't promote resoiling.

gallon CU61GL \$25.45 (ea) \$22.91 (4) \$mart Buy \$20.36 (16)



RTU pH: 7 Dilution Ratio: 1:32 - 1:42



Oxybuff Cotton Shampoo - Fringe Cleaner · Easy to Mix - powder blend of

- Boost All, Buff All and Fabric Shampoo. No longer any need to mix up three ingredients in a special recipe. Measure out 3 to 4 oz. with a gallon of hot water in bucket
- Easy to Apply Apply foam to fringe with a soft brush. Some areas may need extra agitation with a hard brush
- Efficient with System Apply to fringes of several rugs at a time. After sufficient dwell time, extract rugs and fringes at the same time with Wool Zone
 - 8 lb. jar CU62A \$66.24 (ea) \$59.62 (4)
 - \$mart Buy

pH 5.0-6.0 RTU

\$52.99 (16)



Fine Fabric Cotton Shampoo

A one-step product designed for use on raw and Haitian Cotton. It cleans effectively and helps inhibit browning and dye bleeding.

pH 3.3-3.7 RTU

Dilution Ratio: 32 oz. per gallon, whip to foam

gallon CU71GL \$35.92 (ea) \$32.33 (4)



PROCHEM

Dilution Ratios: 3-5 oz./gallon gallon CU73GL \$28.35 (ea)





Your Source for Upholstery Tools & Acessories





See pages 99 and 100.

Educate Yourself on Upholstery Cleaning

We have created simple and easy instructions to get you started in cleaning upholstery. Whether you are cleaning natural or synthetic fibers, or wanting to add protectors, this cleaning guide will give the understanding you need.

See page 38.

www.interlinksupply.com

Fine Fabric Shampoo

Safe for the most delicate of fabrics, and gentle on sensitive skin. With its combination of premium detergents, it goes to work instantly, and its low pH minimizes browning. Approved

by WoolSafe.

6 Upholstery Extraction Detergents



Fiber Plus



Fiber Plus has a unique formula that allows aggressive cleaning with a controlled pH close to neutral! This makes Fiber Plus the perfect cleaner for wool carpets, and especially wool Oriental and area rugs. It is also a very effective cleaner on all carpet fibers as well as wet cleanable upholstery fabrics. Fiber Plus reduces the risk of dye bleeding or other pH related problems, won't harm equipment and is a very economical product.

RTU pH: 7.5 - 8 Dilution Ratios

Dilution Ratios: Portables: 1/4 -1/2 oz./ 5 Gal. Truckmounts: 2-4 Cups/5 Gal.

	7 lb. jar	CC10A	\$39.72 (ea)
			\$35.75 (4)
\$mart B	Buy	\$	31.78 (16)

40 lb. pail CC10B \$178.91 (ea)



Avenge Clean Rinse Neutral Upholstery Emulsifier

SYSTEMS BRIDGEPOINT SYSTEMS

Avenge Clean Rinse is a blend of surfactants and rinse aids that work in perfect harmony with other Avenge upholstery products. It's formulated to rinse away soil and chemical residue thoroughly, leaving no soil attracting residues. The neutral pH will not contribute to browning or color bleeding. Avenge Clean Rinse works at any temperature, and is safe for your equipment.

RTU pH: 7 - 7.5 Dilution Ratios: Portables: 1 to 2 oz. per 5 gl. of hot water Truckmount: 1 qt./5 Gal. stock solution gallon CU24GL \$24.45 (ea) \$22.01 (4) \$mart Buy

PROCHEM.

Liquid Pro[™]



PROCHEM

Fine Fabric Cotton Detergent

Powdered detergent built with moderated bleaches for the most effective cleaning of all white cotton fabrics. Excellent for extraction and low moisture cleaning of white fabrics.

pH 5.0-7.0 RTU Dilution Ratio: 4 oz. per gallon

6.5 lb. jar Call for pricing



pH 8.7-9.3 RTU Dilution Ratio: 1-2 oz. per gl. cleaning of water-cleanable fine fabrics and delicate carpets. Its premium formulation combines gentle detergents and solvents with a mild pH to safely and effectively clean fine fabrics. It delicately removes surface oils and binding soils. Safe for use on wool carpets and upholstery.

Prochem's Liquid Pro[™] is a mild

detergent product for professional

gallon CU78GL \$23.14 (ea) \$20.83 (4)



Fine Fabric Detergent **PROCHEM**.

All the strength of a synthetic detergent now made for wool and water-cleanable fine fabrics. Approved by WoolSafe organization for safety on wool fabrics.

pH 8.3-8.5 RTU Dilution Ratio: 8 oz. per gallon

gallon CU80GL \$29.83 (ea) \$26.85 (4)

Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location.

Upholstery Neutralizing Rinses



Fab-Set Acid Rinse And Neutralizer



Fab-Set is a concentrated mild-acid solution that is excellent as a final step in the upholstery cleaning process to neutralize detergents, stabilize dyes and prevent browning. Fab-Set is safe on synthetic and all types of water-safe natural fibers. When used as a final rinse or spray neutralizer, Fab-Set will leave fabrics feeling soft, clean and new. Also, three different corrosion inhibitors in the formula block corrosion on standard metal parts. Fab-Set may be used as a final rinse through your machine or spray-misted on fabric after cleaning. gallon CR12GL \$17.81 (ea)

RTU pH: 2.8

Dilution Ratios: Portables: 4-6 oz./Gal. Truckmounts: 1 Qt./5 Gal. Water

\$16.03 (4) \$mart Buy \$14.25 (16)



pH in dilution is 3-3.5 Dilution Ratio: 1:320

HivdraMaster Rinse Out

RinseOut is a specially formulated neutralizing, detergent free acid rinse for the final step in the safe and effective cleaning of Oriental Rugs, Natural Fabric Upholstery, Investment Textiles, and Carpeting. RinseOut is also effective at fabric and textile treatment to prevent or correct cellulosic or chemical browning, yellowing, and to stabilize dyes and colors.

- · Contains corrosion inhibitors to protect your equipment
- Ultra-Concentrated makes up to 320 gallons

gallon CR91GL \$19.56 (ea) \$17.60 (4)



pH of concentrate 1.0 to 2.0 **Dilution Ratios: Portables:** 1-2 oz. per gallon water Truckmounts: 32 oz. per 5 gallons water



Upholstery Rinse

Neutralizes alkalinity in the final rinse step. Upholstery Rinse is a mild acidic rinse agent. Upholstery Rinse contains carefully selected water conditioning agents, surfactants, acidic neutralizers and water soluble solvents to provide superior soil removal and neutralize any alkaline residues left behind by the initial cleaning detergent.

gallon CU211GL \$25.23 (ea) \$22.71 (4)





Fine Fabric Rinse **PROCHEM**.

Now a product safe for wool, cotton, and fine fabrics. Approved by the Wool-Safe organization as a rinse. Developed as a dye stabilizer and for bleeding and browning control. Use with confidence on fine fabrics.

pH 2.5 - 2.9 RTU Dilution Ratios: Portables: 1 oz. per gl Truckmounts: 32 oz. per 5 gallons

> gallon CU82GL \$25.94 (ea) \$23.35 (4)

Y CLEANING



BRIDGEPOINT

SYSTEMS

Dry Cleaning Prespray

This special formulation of solvents is designed to dissolve and emulsify oils and soils for dry clean only upholstery, drapery and specialty fabrics such as wall coverings, etc. When used as part of a dry cleaning process, rinse with Furniture and Drapery Compound through a solvent safe extractor

RTU pH:N/A **Dilution Ratio: RTU**


> gallon CU57GL \$54.85 (ea) \$49.37 (4) Smart Buy \$43.88 (16)

Furniture & Drapery Compound

Furniture and Drapery Compound is effective and safe for your customer's most valued furnishings and is perfect for on-location dry cleaning of delicate upholstery and drapery fabrics. Precondition the fabric with Dry Cleaning Prespray and then use Furniture and Drapery Compound as an extraction liquid through solvent-capable machines.

BRIDGEPOINT SYSTEMS





37

Upholstery Bleaches and Boosters



RTU pH: 10

Boost All



Add the power of oxygen to your cleaning solutions to boost cleaning effectiveness and brighten the finished look. Alkaline builders and color safe oxygen bleach supercharges carpet and upholstery cleaning solutions to remove heavy soiling and brighten dingy traffic lanes! Boost All is also excellent for correcting browning, removing water marks and is great on oriental rug fringes.

Dilution Ratios: Booster, Prespray: Add 1/2 oz./Gal. RTU Prespray. Let dwell 15 minutes then extract.

Booster, Extraction: 1/4 to 1/2 oz./Gal. RTU extraction detergent. Use within an hour. Booster, Upholstery: 1/4 to 1/2 oz./Gal. RTU extraction detergent or shampoo. Use within an hour.





BRIDGEPOINT SYSTEMS

Coffee Stain Remover

water safe upholstery.

Neutralizer

This powdered sodium metabisulfite stain remover is ideal as an additive to upholstery cleaning detergents or shampoos to clean white cottons, canvas or haitian, tahitian or natural cotton upholstery fabric. This formula brightens white natural fabrics and dramatically reduces the chance of browning. In fact, it can correct browning from previous cleanings. Coffee Stain Remover is also great on coffee stains, water marks, and stains on carpet and

RTU pH: 4 - 4.5

Dilution Ratio:


Add 1 scoop per RTU Gal. of shampoo or detergent





BRIDGEPOINT

This unique, patented formula prevents both color bleeding and color crocking in multicolored upholstery. Use as a pre or post spray or a stand alone extraction solution.



Dye-Loc

\$24.29 (12) \$21.59 (48)

gallon CR14GL \$81.07 (ea) \$72.96 (4) Smart Buv \$64.86 (16)



Fine Fabric Rinse **PROCHEM**

Now a product safe for wool, cotton, and fine fabrics. Approved by the WoolSafe organization as a rinse. Developed as a dye stabilizer and for bleeding and browning control. Use with confidence on fine fabrics.

gallon CU82GL \$25.94 (ea) \$23.35 (4)

RTU pH: 2.5-2.9 Dilution Ratios: Portable: 1-3 oz. per gallon. Truckmount: 32 oz. per 5 gallons.



RTU pH: 2.8 Dilution Ratio: 4-6 oz. per gallon



Dye Stabilizer and Rinse

Dye Stabilizer and Rinse prevents fugitive dyes from redepositing. Can help correct dye migration from previous cleaning attempts. Especially useful on area rugs. Use as a rinse extraction after cleaning.

> gallon CC208GL \$19.96 (ea) \$17.96 (4)

RTU pH: 2.5-2.9

Sapphirescientific

Fab-Set Acid Rinse And BRIDGEPOINT

Fab-Set is a concentrated mild-acid solution that is excellent as a final step in the upholstery cleaning process to neutralize detergents, stabilize dyes and prevent browning. Use as a final rinse or spray neutralizer to leave fabrics feeling soft, clean and new.

> gallon CR12GL \$17.81 (ea) \$16.03 (4) **\$mart Buy** \$14.25 (16)

CHEMICALS

Upholstery Protectors



Maxim Advanced For Upholstery With Dye-Loc

- · Uses Flexible polymers that stretch with the fabric without losing protector when fabric gets heavy use!
- Contains special dye locking and color stabilizers, making it safe to use on even the most delicate, natural upholstery fabrics and bleeders!
- Includes a special additive for consistent, complete and even coverage.
- Protects against specific upholstery soils such as hair and body oils, airborne oils, and beverage spills.

RTU pH: 4.5 - 5.0 Dilution Ratio: RTU

Maxim Advanced For Upholstery Demo Kit

Seeing is believing. Now you can show your customer the amazing affects of protecting their fine furniture with Maxim Advanced for Upholstery. The new Maxim Advanced for Upholstery Demonstration kit includes:

- 4 ounce bottle for children's fruit drink
- 4 ounce bottle for cooking oil
- 2 pipettes (eye-droppers to apply solutions)

 5 Upholstery Fabric Samples – ¹/₂ treated, 1/2 untreated

BRIDGEPOINT

SYSTEMS

- 50 Maxim Advanced for Upholstery Sales Brochures
- 20 Maxim Advanced AfterCare Procedures/Warranty Information Pamphlets
- 10 Maxim Advanced for Upholstery Warranty Sheets

Maxim Advanced for Upholstery will provide your customer with painless spot and spill clean-up. Their upholstery will last longer because this protector also reduces wear from abrasive soiling.

BRIDGEPOINT

Vacuuming of protected furniture will be easier, faster and more effective in removing damaging dry soils. Maxim Advanced for Upholstery leaves fine fabrics cleaner, brighter, and fresher-and, it's safe for children and pets!

> gallon CP01GL \$46.75 (ea) \$42.08 (4) \$mart Buy \$37.40 (16)



Sales Brochures LB217 \$14.50 Warranty Sheet LB20A \$.39





RTU pH: N/A Dilution Ratio: RTU

NEW IMPROVED **DRYING TIME!**

Maxim Fine Fabric Solvent-Based Fluorochemical Protector

For those who prefer solvent protectors for fine upholstery fabrics that may be harmed by water, Maxim Fine Fabric is an excellent choice. This solvent based formula is safe on all upholstery fabrics (test special finishes before use). Maxim Fine Fabric keeps spills and stains from damaging fine upholstery by causing spills to bead up so they can be easily and safely wiped away. Furniture will be protected from oily soils, water based spills as well as damaging dry soils. This solvent based formula is easy to use and is also safe for draperies and other fine fabrics. Not available in low VOC states.



PROCHEM Fluorosil II[®] Protector

Prochem's Fluorosil II Protector guards upholstery fabrics and fine textiles from spots and spills. Fabrics treated with Fluorosil II resist water-based and oily spills, as well as dry soil. Spills are easier to remove before penetrating into the fabric.

pH N/A Dilution Ratio: RTU

> gallon CP34GL \$81.24 (ea) \$73.12 (4)

39

Prices subject to change without notice. Call or go online for current pricing. Not all products available at every location.



www.interlinksupply.com

\$53.20 (4)

40 Upholstery Cleaning Procedures

UPHOLSTERY SYSTEMS Natural Fibers

A) Use for: Refined cotton, wool, cotton velvet, silk (water-cleanable), linen, cotton

blends, rayon. *Formula used approximately 85% of the time.*

PRESPRAY

1 part **Avenge Fabric Prespray** to 1 part hot water. (May be used full strength for extra-heavy soil.)

EXTRACT

Avenge Clean Rinse Portable: 1 oz. per gal. hot water Truckmount: 1 gt. per 5 gal. water



PROTECT

Maxim Advanced for Upholstery or Maxim Fine Fabric (use straight)

B) Use for: Unrefined cotton, cotton canvas, exotics or any fabric prone to browning,

wicking or water marking. Formula used approximately 10% of the time.

PRESPRAY

1 part **Avenge Fabric Prespray** to 1 part hot water. (May be used full strength for extra heavy soil.)

EXTRACT

Fab-Set Portable: 8 oz. per gal. hot water Truckmount: 1 qt. per 5 gal. water

PROTECT

Maxim Advanced for Upholstery or Maxim Fine Fabric (use straight)

C) Use for: Bleeders, natural or synthetic

fibers. *Formula used approximately 5% of the time.*

PRESPRAY 3 oz. **Dye-Loc** per gal. of warm water, dwell one minute, followed by:

PRESPRAY 2 1 part Avenge Fabric Prespray to 1 part hot water

EXTRACT 3 oz. Dye-Loc per gal. of warm water

PROTECT Maxim Advanced for Upholstery or **Maxim Fine Fabric** (use straight)

UPHOLSTERY SYSTEMS Synthetic Fibers

A) Use for: Medium to heavy soiled synthetics such as nylon, olefin and

polyester. Formula used approximately 50% of the time.

PRESPRAY

1 part **Avenge HD Fabric Prespray** to 1 part hot water

EXTRACT

Avenge Clean Rinse Portable: 1 oz. per gal. hot water Truckmount: 1 qt. per 5 gal. water

PROTECT

Maxim Advanced for Upholstery (use straight)

B) Use for: Heavily soiled synthet-

ics with heavy stains and body oils.

This formula used approximately 30% of the time.

PRESPRAY

Avenge HD Fabric Prespray, do not dilute. Add 2 oz. Citrus Solv per gallon of Avenge HD

EXTRACT

Avenge Clean Rinse Portable: 1 oz. per gal. hot water Truckmount: 1 qt. per 5 gal. water

PROTECT

Maxim Advanced for Upholstery (use straight)

C) Use for: Exceptionally heavy soils, grease and stains on synthetics.

This formula used approximately 20% of the time.

PRESPRAY

Avenge HD Fabric Prespray, do not dilute. 1 oz. Boost-All, dissolve first in qt. of hot water then add to Avenge HD, 2 oz. Citrus Solv per gallon of Avenge HD

EXTRACT

Avenge Clean Rinse Portable: 1 oz. per gal. hot water Truckmount: 1 qt. per 5 gal. water

PROTECT

Maxim Advanced for Upholstery (use straight)











Fab-Set



AVENG



NEW Bridgepoint Professional Spot and Stain Removal Kit



SYSTEMS

41

Not Stain Removal Mystified - BUT - Stain Removal Simplified. Six Stain Removers and one Post Treatment solution take care of 99% of stains.

This kit contains everything in one professional kit to remove: Permanent Inks, Organic dyes, Synthetic dyes, Cosmetics, Paint, Protein spills, Food, Rust, Gum, Adhesives and MORE!

New SPOT STOP – Stops Wicking – Drives residues DOWN the fiber – Prevents re-soiling – removes odor

- COMES WITH
- Stain Zone (Qt.)
- · Red Zone Ready (Qt.)
- · T-Rust (Pint)
- · Gel Break (Pint)
- · Avenge Pro (12 oz.)
- All Solv Extreme (12 oz.)
- Spot Stop (Qt.)
- Gum Getter
- · Whiz Groom
- Cotton Towels (3)
- · Disposable Gloves (3 pair)
- Spot & Stain Removal Guide
- Training DVD
 Oversized Insulated Carry Case
- Reference in the second state in the second second

PROCHEM.



Prochem Professional Spotting Kit

This is the most complete and practical kit on the market for dealing with the wide range of stain problems faced by every professional cleaner. You'll be able to fill more of your customer's needs, efficiently and easily. It's the perfect kit for carpet, fabrics and hard surfaces.

Includes: Tamping Brush, Sprayers, Terry Towels, Product Selection Guide, MSDS booklet, Pro Spotter[™] RTU General-Purpose Spotter, Citrus Gel[™] Nonvolatile Solvent Spotter, Power Solvent[™] Volatile Solvent Spotter, Protein and Stain Spotter, Rust Remover, Coffee and Tannin Spotter, Zoop[™] Enzyme Spotter, Solv Ink, Pet Spotter and Deodorizer, Paint, Oil & Grease Remover

> Prochem Professional Spotting Kit CS60A \$167.67

Spot and Stain Removal

A Complete Spot & Stain Removal Guide Wherever You Are

Learn how to remove virtually every kind of stain using this easy to follow spot and stain removal guide or download the Spotting Guide on your phone or tablet. See page 51.



www.interlinksupply.com

CHEMICALS

NEW Bridgepoint Spotters

NEW Avenge Pro



Avenge Spotter has long been the standard for professionals to safely and effectively remove all types of spots, spills, and stains. Avenge Pro™ moves to the next level with its unique synergistic action. Avenge Pro™ will work alone on a wide variety of difficult stains, including protein stains like eggs, blood, grass stains, and tougher stains like ink, permanent marker, lipstick, shoe polish, grease, oil, tar and more. 00044 CO 05 (---)

RTU pH: 9.5 **Dilution Ratio: RTU**

la 👆 🕹 12	2 oz.	CS04A	\$8.95 (ea)
			\$8.06 (12)
Smart Bu	у		\$7.16 (48)
馬 gallo	n C	S04GL	\$34.95 (ea)
			\$31.46 (4)
\$mart Bu	У	\$2	27.96 (16)



NEW

NEW All Solv Extreme



All Solv Extreme is a multi-purpose gelled solvent formulated for use on carpet and fabric that is designed to remove ballpoint pen, stamp pad, duplicating, marking, writing, felt tip and colored art inks. It also works effectively on latex, enamel, spray, and other types of paints. It can also be used to remove shoe polish, nail polish, cosmetics and adhesives. It has been specially formulated to be in compliance with the latest emission regulations.

RTU pH: N/A	🔜 12 oz.	CS01A \$13.45 (ea)
Dilution Ratio: RTU		\$12.78 (12)
	\$mart Buy	\$12.11 (48)

Spot Stop

RTU pH: 3.5

BRIDGEPOINT SYSTEMS

Spot Stop contains an encapsulating polymer additive that will virtually eliminate wicking of soil or spills after effective stain removal techniques have been thoroughly completed. It will also neutralize any resoiling residue left from professional strength stain removal products. Contains Hydrocide to neutralize chemical and stain odors. Remove the stain, spray on Spot Stop and never see the stain again.

Dilution Ratio: RTU

馬 quart	CS17QT \$10.95 (ea)
	\$9.86 (12)
\$mart Buy	\$8.76 (48)



NEW Red Zone Ready



Red Zone Ready is a one step, highly effective, food and beverage stain removal process that is designed to alter the structure of stains by removing, bleaching, or making them invisible. It is ideal for use with any stain caused by spilled children's fruit drinks or sports drinks. This product is safe and effective on virtually any stain caused by a common household food or beverage spill. In addition, special additives allow the accelerating action to be activated right on the stain rather than in a spray bottle as with conventional two part Red Stain Removers. This product is for use with synthetic carpet or fabrics only. Not recommended for natural fabrics.

RTU pH: 7 - 7.5 **Dilution Ratio: RTU**

馬 quarts	CS30QT \$14.95 (ea)
	\$13.46 (12)
\$mart Buy	\$11.96 (48)

www.interlinksupply.com

NEW

Avenge Neutral Spotter



Avenge is the legendary spotter that thousands of cleaners use every day to safely and effectively remove most stains! Avenge has a unique synergistic action that allows a spotter with a neutral pH to remove over 85% of water-based stains, as well as many combination oil and water-based stains from carpet and upholstery. Choose Avenge to remove blood, pet stains, urine, catsup, chocolate, coffee, tea, food, liquor, most shoe polish, cosmetics, crayon, washable ink, grime, iodine, mildew, oil, latex paint and many more! Free rinsing action makes it a great final step for complex stain removal.



An effective non-toxic, ecologically safe all purpose cleaner for spot and stain removal on carpeting, upholstery, and clothing. Perky Spotter[®] is an odorless, water-based chemical that is safe to use around children and pets. Approved for all stain resistant carpets. Available in four sizes: 8 oz., 32 oz., 32 oz. Trigger Spray, and 1-gallon.

RTU pH: 9.5 Dilution Ratio: RTU

■ 8 oz. CS40E \$2.84 (ea)	32 oz. Spray CS40S \$11.73 (ea)
\$2.56 (24)	\$10.56 (12)
quart CS40QT \$11.21 (ea)	gallon CS40GL \$20.87 (ea)
\$10.09 (12)	\$18.78 (4)



Protein Spotter Liquid Alkaline Spotter T SYSTEMS

Protein Spotter is an alkaline stain remover specially formulated to remove protein stains that other spotters struggle with. Special ingredients break down proteins in blood, eggs, milk, chocolate, baby formula, cheese sauce, cream, pudding, vomit, ice cream, baby food and other protein stains so they can be easily rinsed away. Ideal for many stains found in homes, healthcare facilities, nursing homes, schools and more. Also effective on a wide variety of common, water-based stains.

RTU pH: 10.5 Dilution Ratio: RTU



PROCHEM. Protein and Stain Spotter

A heavy duty spotter made especially for the removal of blood, vomit, wine, ink, coffee, food, and other proteinbased stains. Ideal for carpets, watercleanable upholstery, and clothing.

pH 10-1

pH 10-10.5 RTU Dilution Ratio: RTU

quart CS55QT \$14.94 (ea)
\$13.45 (12)



Sapphirescientific

\$mart Buy

Smart Buv

General Purpose Spotter

quart CS23QT \$12.25 (ea)

gallon CS23GL \$24.95 (ea)

\$11.03 (12) **\$9.80 (48)**

\$22.46 (4)

\$19.96 (16)

General Purpose Spotter removes a variety of water soluble soils as well as water insoluble particulate matter. It suspends water insoluble soils such as fine sand and dust without generating the foam that so often interferes with rinse extraction.

pH 8.0-9.6 RTU Dilution Ratio: RTU

www.interlinksupply.com

quart CS224QT \$8.96 (ea) \$8.06 (12)





TCU Neutralizer

BRIDGEPOINT SYSTEMS

Mild but effective acid side spotter used to neutralize alkaline residues or stains. TCU Neutralizer is an outstanding urine pre-treatment. Pet urine comes out of the animal on the acid side but as urine deposits age the residue converts to alkaline salts, which are the source of odor. Pre-treatment of urine stains with TCU Neutralizer dissolves urine salts for easy removal and perfectly prepares the affected area for treatment with Bio-Modifier, Bio-Charge or other urine neutralizers. It also contains special odor suppressants that make the work area less offensive until deodorizers can be applied.

RTU pH: 2.8-3.5

Dilution Ratios:

Urine Pre-treatment: 1:4 to 1:16 with water depending upon severity. Saturate affected area, allow to dwell 5 to 15 minutes, agitate, rinse and extract with clear water. Extraction with a Water Claw is ideal. Spotter: RTU. For best results, allow 2 to 3 minutes dwell time.

	quart CS20	DQT \$11.50 (ea)
		\$10.35 (12)
\$r	nart Buy	\$9.20 (48)
	gallon CS20)GL \$26.75 (ea)
		\$24.08 (4)
\$r	nart Buy	\$21.40 (16)

PAINT, OIL AND GREASE REMOVERS



NEW Avenge Pro



Avenge Spotter has long been the standard for professionals to safely and effectively remove all types of spots, spills, and stains. Avenge Pro[™] moves to the next level with its unique synergistic action. Avenge Pro[™] will work alone on a wide variety of difficult stains, including protein stains like eggs, blood, grass stains, and tougher stains like ink, permanent marker, lipstick, shoe polish, grease, oil, tar and more. 12 oz. CS04A \$8.95 (ea)

RTU pH: 9.5 Dilution Ratio: RTU



P.I.G.

Paint, Ink, and Grease Remover (PIG) not only removes paint, oil, and grease better than POGs but it also takes care of tar, gum, cosmetics, transmission fluids, etc. PIG is truly superior on really difficult pigmented oil based stains like ink, nail polish, marker, enamel and spray paint.

RTU pH: N/A Dilution Ratio: RTU

\$mart Buy



\$13.66 (12) **\$mart Buy \$12.14 (48)** *gallon CS09GL* \$81.59 (ea) \$73.43 (4)

\$73.43 (4) \$65.27 (16)

pint CS09PT \$15.18 (ea)





\$8.06 (12) **\$mart Buy \$7.16 (48) \$31.46 (4) \$mart Buy \$27.96 (16)**

Lift-Ink[™] Carpet Spotter

Unlike other solvent based ink removing spotters that require tons of agitation and dirty up a ton of blotting towels, Lift-Ink Carpet Spotter is an emulsifying ink, dye, and marker remover. With most inks, you simply apply the solution, agitate lightly with your spotting spatula, allow to dwell for 2 to 3 minutes, and extract with water.



pint CS512PT \$13.77 (ea) \$12.39 (12) \$11.02 (48)

Prices subject to change without notice. Call or go online for current pricing.



BRIDGEPOINT

SYSTEMS

NEW All Solv Extreme

All Solv Extreme is a multi-purpose gelled solvent formulated for use on carpet and fabric, that is designed to remove ballpoint pen, stamp pad, duplicating, marking, writing, felt tip and colored art inks. It also works effectively on latex, enamel, spray, and other types of paints. It can also be used to remove shoe polish, nail polish, cosmetics and adhesives. It has been specially formulated to be in compliance with the latest emission regulations.

RTU pH: N/A Dilution Ratio: RTU

12 oz. CS01A \$13.45 (ea) \$12.78 (12) **\$mart Buy** \$12.11 (48)



Paint, Oil & Grease Remover

An advanced technology nonvolatile dry solvent spotter that rinses with water. Removes tough oil-based spots like grease, oil, tar, dried oil-based paint, lipstick and nail polish, some inks and adhesives. Easily rinses with water, less hazardous formula than other paint, oil and grease removers. For carpet and upholstery spotting.

PROCHEM.

pH N/A **Dilution Ratio: RTU**

> Lean International Contemporal Contempor \$18.29 (12)



HivdraMaster

SpotMaster PRO XP

SpotMaster Pro XP moves to the next step in epic performance in spot and stain removal for common food and beverage spills, antiseptics, protein stains, ink, lipstick, grease, oil, and tar. Special additives help prevent re-occurrence or wickback of spills.

pH: 8.0-9.0 **Dilution Ratio: RTU**

ID quart CS651QT \$12.94 (ea) \$11.65 (12)







PROCHEM





Sapphirescientific

Perky[®] Spotter Plus

Perky® Spotter has long been the standard for professionals to safely and effectively remove all types of spots, spills, and stains. Perky® Plus has added several unique features which make it work even better! Perky Plus lifts spots and stains from carpet and upholstery with little effort. With its unique syneraistic action, Perky® Plus will effectively treat and remove almost all common household spills and stains.

RTU pH 9.5 Dilution Ratio: RTU

quart CS514QT \$12.20 (ea) \$10.98 (12)

gallon CS514GL \$23.41 (ea) \$21.07 (4)

Solv Ink

Prochem's Solv Ink is the faster, better product for removing a wide variety of ink spots from many types of carpet, fabrics and hard surfaces. Its high-tech non-volatile solvent blend penetrates and removes most common inks. Its pleasant scent with no strong solvent odor makes it easier to use in homes and businesses.

pH N/A Dilution Ratio: RTU

> pint CS58PT \$17.72 (ea) \$15.95 (12)

O.G.C. Spotter

O.G.C. Oil, Grease, and Cosmetic Spotter is superior at removal of oil, grease, ink and cosmetics. O.G.C. Spotter is useful for removing a variety of oil soluble stains such as grease, lipstick, ink and shoe polish. O.G.C. contains a proprietary blend of organic solvents that quickly dissolve these difficult substances.

pH N/A Dilution Ratio: RTU

> quart CS227QT \$19.07 (ea) \$17.16 (12)

45

www.interlinksupply.com



All Solv Multi-Use Volatile **Drv Spotter**

When a stain doesn't respond to normal cleaning the first spotter you want to use is All Solv. Not only will All Solv knock out tough, stubborn oil, grease, tar and other oily combination stains, it is also effective on adhesive residues, crayon marks, ink, lipstick and nail polish. Because All Solv is a volatile dry solvent it will evaporate quickly and completely leaving absolutely no soil-attracting residue behind.

BRIDGEPOINT SYSTEMS

RTU pH: N/A **Dilution Ratio: N/A**

> 16 oz. aerosol CS06AE \$15.05 (ea) \$13.55 (12) \$mart Buy \$12.04 (48)



RTU pH: N/A

Dilution Ratio: RTU

BRIDGEPOINT SYSTEMS

Solvent Clean Multi-Purpose VDS

Solvent Clean is a volatile dry spotter that evaporates quickly and completely, leaving no soil attracting residue behind. It is one of the best and safest proprietary blends of solvents and is as volatile as anything currently available. It's the perfect first step on unknown stains because it won't set the stain or cause any other problems like bleeding, distortion or browning.

	quart CS	611QT \$17.09 (ea) \$15.38 (12)
\$ ma	art Buy	\$13.67 (48)
	gallon CS	11GL \$46.38 (ea) \$41.74 (4)
\$ma	art Buy	\$37.10 (16)

CITRUS SPOTTER/GUM REMOVERS



RTU pH: N/A

Dilution Ratios: Spotter: Full Strength Prespray Additive: 1-2 oz. per Gal. RTU Prespray



Citrus Solv

Citrus Solv is one of the best selling products in the industry! That's because of the way it instantly removes many difficult stains like chewing gum, tar, grease, wax, cosmetics, crayon, lipstick, shoe polish, inks, adhesives, glues and many other oil-based stains. The secret is that Citrus Solv is made from citrus solvents and is 100% active! That means no carriers or fillers, just the most powerful citrus solvent spotter on the market!

}	quart	CR08QT	\$21.40 (ea) \$19.26 (12)
\$	mart Bu	y \$	617.12 (48)
.	gallons	CR08GL	\$53.50 (ea) \$48.16 (4)

\$mart Buy \$42.80 (16)



RTU pH: N/A **Dilution Ratio: RTU**





NEW IMPROVED MORE GUM **DISSOLVING POWER!**

Gel Break Adhesive Remover

BRIDGEPOINT SYSTEMS

Gel Break is a citrus gel that is perfect for removing even ground in chewing gum as well as tar, grease, oils, wax, crayon and other oil-based spots. Won't soak into carpet to delaminate the backing! Simply apply to gum or other stains and allow a few minutes for Gel Break to work. Then use a Gum Getter and the gum will roll off the carpet! You won't believe how easily you can remove gum without creating carpet bubbles!

馬 pint	CS05PT \$15.66	(ea)
	\$14.09	(12)
Smart Buy	\$12.53 (48)

Visit our showroom or call in an order. See cover for information.





GROOM Solutions

NEW

Citrus Burst

New Lower Price!

Citrus Burst Booster is a multipurpose cleaning solution boosting agent as well as an extremely effective solvent spotter for use on carpet and upholstery, as well as other textiles and fabrics. Add Citrus Burst to your prespray, traffic lane cleaner, carpet extraction detergent, or tile and hard surface cleaning solution to boost cleaning power on tough jobs like oily and greasy soils.

RTU pH 7.0 - 7.5 Dilution Ratio: 1-2 oz. gallon

gallon CS510GL \$33.28 (ea) \$29.95 (4)

NEW All Solv Extreme

All Solv Extreme is a multi-purpose gelled solvent formulated for use on carpet and fabric that is designed to remove ballpoint pen, stamp pad, duplicating, marking, writing, felt tip and colored art inks. It also works effectively on latex, enamel, spray, and other types of paints. It can also be used to remove shoe polish, nail polish, cosmetics and adhesives. It has been specially formulated to be in compliance with the latest emission regulations.



RTU pH: N/A Dilution Ratio: RTU

 12 oz. CS01A \$13.45 (ea) \$12.78 (12)
 \$mart Buy
 \$12.11 (48)



SpotMaster Gel XP

The gelled solution sits on the spot rather than immediately absorbing down into the carpet like a typical solvent spotter does. This keeps the spotting action on the spot or stain where it belongs and reduces your chances of causing any delamination.

pH: 8.0-9.0 Dilution Ratio: RTU and the state of the sta



HydraMaster.



PROCHEM.

O.J. Orange Jel

OJ uses all natural citrus solvents to dissolve and break down specialty adhesives, gum, and other oil and grease based materials without the use of harsh or toxic chlorinated solvents.

- Turns to a gel on contact
- Pleasant orange fragrance
- Rinses out easily with normal hot water extraction
- pH N/A Dilution Ratio: RTU
 - quart CS54QT \$29.94 (ea)
 \$26.95 (12)



Citrus Gel™

pH 4.0-5.0 Dilution Ratio: RTU

quart CS52PT \$17.58 (ea) \$15.82 (12)



PROCHEM.

Citrus Pro

Prochem's Citrus Pro is a professional strength citrus-based cleaning additive. Add Citrus Pro to your pre-spray, extraction detergent, or tile cleaning solution to boost cleaning power for tough jobs. Gives your detergent more power to remove oily and greasy soil, asphalt track-in, food soil, and many other difficult soils on carpet, water-cleanable upholstery, and ceramic tile and grout. VOC compliant. Safe for stainresistant carpet.

pH N/A

Dilution Ratio: 1-2 oz. to gallon

gallon CC62GL \$55.95 (ea) \$50.36 (4)

HydraMaster

STEMS HIUPH:



T-Rust Rust Remover



T-Rust is a new generation rust remover that has been designed to be much safer than harsh acids as well as environmentally sound. Apply T-Rust directly to the rust and it starts to work in seconds and yet needs no neutralizing, just a clear water rinse!

T-Rust has a controlled pH and is non-corrosive and non-polluting. You don't have to worry that you're bringing a hazardous chemical into your customer's home. It is also effective for many mineral based soils such as metal stains, water stains and rings. Even removes mineral scale and hard water stains from many hard surfaces.

RTU pH: 4.5 Dilution Ratio: RTU

pint CS12PT \$12.85 (ea) \$11.57 (12) \$mart Buy \$10.28 (48) gallons CS12GL \$59.82 (ea) \$53.84 (4) \$47.86 (16) \$mart Buy



PROCHEM.

Rust Remover

Eliminates rust stains from carpets and upholstery fabrics. Unique timereleased formulation is safe to use. Its flexible squeeze bottle container allows you to apply Rust Remover directly onto the stain. Meets specifications for use on stain resistant carpets.

pH 0.8-1.5 RTU **Dilution Ratio: RTU**

> quart WCC10 \$18.96 (ea) \$17.06 (12)



pH 0.4.0 RTU **Dilution Ratio: RTU**

Rust & Tannin Spotter

Tackles the toughest stains from rust, coffee, and tea on fabrics. Rust & Tannin Spotter is useful for removing rust and tannin stains as well as water insoluble particulate matter. Its foaming action lifts water insoluble soils such as small rust particles. Rust Tannin Spotter contains an organic acid, a water soluble solvent and surfactant.

Sapphirescientific

quart CS225QT \$15.28 (ea) \$13.75 (12)

FILTRATION SOILING



Filter Free Filtration Soil Remover

BRIDGEPOINT SYSTEMS

Filter Free is a water-based d-limonene emulsion designed to remove filtration soil around heat registers, and along walls and doorways. Apply full strength, agitate, allow to dwell for five minutes and rinse. On very difficult filtration soils, rinse with high heat to accelerate the process.

Filter Free is also a great oil and grease spot remover. On top of it all, Filter Free has a wonderful orange smell and is in compliance with state VOC limits! Filter Free contains a proprietary hydrotope to overcome the Van der Waals force that hold very small combustion particles to the fiber.

RTU pH: 9.9 Dilution Ratio: RTU

馬 quart C	S27QT \$13.11 (ea)
	\$11.80 (12)
\$mart Buy	\$10.49 (48)

Prices subject to change without notice. Call or go online for current pricing.

Free





RTU pH: 4 - 4.5 Dilution Ratio: 1 Scoop/Qt.

Coffee Stain Remover

This powdered sodium metabisulfite stain remover is formulated to remove coffee stains - no matter how old and set in. Simply dilute with hot water and spray directly on the stain. Most stains begin to disappear within seconds! For really tough stains, repeat. It also works wonders on water marks and urine stains!







RTU pH 3.0 Dilution Ratio: Straight

PROCHEM.

gallon CS511GL \$11.22 (ea) \$10.10 (4)

Liquid Browning/Coffee

Liquid Browning/Coffee Free Brown-

ing Treatment and Coffee Stain

Remover is specially formulated to

problematic and common carpet

This solution works extremely ef-

fectively on removing or preventing

that may occur on carpet or uphol-

cellulosic and other types of browning

stery due to over-wetting, inappropri-

ate use of high pH alkaline chemicals,

improper drying, and cellulosic soiling.

effectively deal with two of the most


issues - browning and coffee stains.



Coffee and Tannin Spotter

Use Prochem's Coffee and Tannin Spotter on carpet and water-cleanable upholstery to remove coffee, tea, cola, and tannin. Also removes some ink and dye spots, berry stains, urine and alkaline stains. Easy to use, no mixing required and it rinses easily with water.

pH 3.5-4.5 RTU Dilution Ratio: RTU



RED STAIN REMOVERS



NEW Red Zone Ready

Red Zone Ready is a one step, highly effective, food and beverage stain removal process that is designed to alter the structure of stains by removing, bleaching, or making them invisible. It is ideal for use with any stain caused by spilled children's fruit drinks or sports drinks. This product is safe and effective on virtually any stain caused by a common household food or beverage spill. In addition, special additives allow the accelerating action to be activated right on the stain rather than in a spray bottle as with conventional two part Red Stain Removers. This product is for use with synthetic carpet or fabrics only. Not recommended for natural fabrics.

BRIDGEPOINT

SYSTEMS

RTU pH: 7 - 7.5 Dilution Ratio: RTU





RedZone Red Stain Remover

RedZone is a revolutionary product that totally removes inorganic dye stains from drinks such as Kool-Aid and other artificially colored food, drinks, medicine, Play-Doh, highlighter, etc. RedZone is a two-part system that doesn't require mixing prior to application or special sprayers. You simply apply Part A and then Part B, which is formulated with special dispersing agents that allow it to mix on the stain! This way you only use what you need and shelf life is dramatically extended compared to other products of this type.

BRIDGEPOINT SYSTEMS

RTU pH: Part A: 2, Part B: 2 Dilution Ratio: RTU



49



Red 1

Many Kool Aid and other synthetic food dye stains now disappear within minutes without the need for heat from an iron or steamer. Those stains that do require heat no longer need to sit for minutes at a time under a hot iron. A few seconds of steam heat is all that's required to go from a stained mess to mission accomplished. The new and improved Red 1 formulation not only works better and meets VOC compliance, it also has a new and improved fragrance. Red 1 removes synthetic food dyes such as Kool Aid, Gatorade and many others. Red 1 meets all the professional's needs. Free rinsing. No residue.

pH: RTU 6 Dilution Ratio: RTU



Red Break 1

HydraMaster

Red Break 1 is a revolutionary breakthrough in stain removal science. Utilizing reducing and polymer technology, Red Break 1 alters the structure of difficult stains by removing them or making them invisible. Red Break 1 is a one part system that requires no mixing and no waste of product.

pH: RTU 7.0-7.5 Dilution Ratio: RTU

quart CS68QT \$16.61 (ea) \$14.95 (12)



Red Rescue **PROCHEM**

quarts CS19QT \$14.95 (ea)

Formulated exclusively to remove red food coloring spots from carpet. Removes food coloring spots from children's drinks, carbonated beverages, wine and other sources. Meets specifications for use on stain-resistant carpet.

Dilution Ratio: Equal parts Part A and Part B

pH Mixture 5.5-6.0 Part A 3.0-3.5 Part B 12.0-12.5

set of 2 pint bottle CS50A \$30.92 (ea) \$27.83 (6)



Pro's Choice Red Relief

Red Relief is a revolutionary product that totally removes inorganic dye stains from drinks such as Kool-Aid and other artificially colored food, drinks, medicine, Play-Doh, highlighter, etc. Red Relief is a two-part catalyzed spotting agent that actually alters the stain color to simply make it disappear as if by magic!

RTU pH: 6.0 Dilution Ratio: RTU



set of 2 pints CS14A \$18.51 (ea) \$16.66 (6)

set of 2 quarts CS14B \$30.04 (ea) \$27.04 (6)






This sprayer is metered to automatically mix equal parts of Red Relief Solutions A and B. Sprayer only.

馬 AS93 \$17.85



Red Relief For Wool

RTU pH: 6.5 Dilution Ratios: RTU set of 3 pints CS14W \$25.50 (ea) \$22.95 (6)



Spotting Tools and Accessories

See our full line of spotting tools and accessories on pages 126-128.

www.interlinksupply.com



RTU pH: 5.5 Dilution Ratio: RTU






pH 5.5-6.2 RTU **Dilution Ratios: RTU** PROCHEM

StainZone Oxidizing Stain Remover

StainZone removes almost all impossible stains such as mustard, furniture stains, wood stains, tough urine stains, pigments, coffee, tea, shoe polish, vomit, and other organic dyes and materials. StainZone is a single product system and doesn't require mixing, special sprayers or anything else! StainZone works by removing, oxidizing or making these previously permanent stains invisible!

quarts CS28QT \$15.50 (ea) - h \$13.95 (12) \$12.56 (48) \$mart Buy



Convenient one-part system - no mixing of chemicals required. Quickly removes natural dye discolorations and other tough stains. One-Step Oxy Rescue rescues you from the toughest fruit juice, berry, coffee, tea, and other difficult stains. One part system for your convenience. Encapsulating detergent polymer aids cleaning and helps prevent resoiling.

> 馬 quart CS49QT \$15.96 \$14.36 (12)

Pro's Choice Stain Magic



RTU pH: N/A **Dilution Ratio: RTU**





pH 5.0-5.5 **Dilution Ratio: RTU**

Stain Magic is another revolutionary Pro's Choice product that removes stains caused by organic mate-

rial and organic dyes such as those from wood furniture, wine, urine, blood, vomit, mustard, coffee, tea and many more. Stain Magic is a two part catalyzed product that does not require heat. On coffee, tea and other tannin stains, Stain Magic is excellent because it works through oxidation rather than as a reducer. This allows it to not only remove the tannin component of the stain, but also breaks down the



Triplephase™

Designed to alter the structure of stains by removing, oxidizing, or making them invisible. Ideal for use with mustard, furniture stains, wood stains, shoe polish, urine contamination, coffee, vomit, pigments, and other staining materials you would not eat or drink. Triplephase's activated oxygen makes the stain invisible. Specially blended polymers protect the carpet from re-soiling and fight against the spill wicking back.

quart CS513QT \$15.25 (ea) \$13.73 (12)

Knock Out 1

Knock Out 1 is the next generation in one part oxidizing stain removers. Since it is a convenient, one part, ready to use product, there is no messy mixing or throwing away of mixed formula when you are done. It effectively removes most difficult stains caused by mustard, furniture stains, wood stain, stubborn urine stains, plant stains, vomit, shoe polish, spray paint, and even the last traces of inks and pigments can be treated with Knock Out 1.

quart CS69QT \$16.61 (ea)

\$14.95 (12)



RTU pH: 9.0 Dilution Ratio: RTU




Stain Magic Dual Chamber Sprayer

This sprayer is metered to automatically mix equal parts of Stain Magic Solutions A and B. Sprayer only.

AS94 \$16.50

www.interlinksupply.com



Stain Magic For Wool

RTU pH: 9.0 Dilution Ratio: RTU ■ set of 3 pints CS15W \$25.50 (ea) \$22.95 (6)

51



CLIENT RETENTION PROGRAM

"Our customers love it! it is a nice product and it does everything that you say it's going to do. Clients call all the time - they want to make sure they can get another bottle of spotter. I have looked at my computer data and I have 60% more repeat customers than I did three years ago before using the HomePro program." --Keith Aderhold, Clean enuf 4 mom

THE BEST BUSINESS IS REPEAT BUSINESS!

Nobody would argue that point, but how many of us actually have a formal customer retention program in place? Not to worry, with HomePro it's simple and easy!

WHY CUSTOMERS DON'T CALL YOU BACK

It's a sad fact of life that the majority of customers forget your company name almost immediately after you finish the job even when they loved your work! When it comes time for cleaning the following year they end up back in the Yellow Pages!

BUT THERE IS A BETTER WAY!

By selling or giving your customers a bottle of HomePro spotter with your name and phone number right on the label they will never forget you! Every time they have a small spot or spill to remove they will be reminded that YOU are their carpet cleaner!

BUILDS YOUR IMAGE AND YOUR BRAND

The HomePro label is a professional, four-color retail label with photos for a highly professional image! And your company name and phone number is front and center!

A BETTER SPOTTER

HomePro is simply a better product than other retail/giveaway spotters on the market. It will remove a wide range of carpet stains from blood to lipstick—just about anything!

HIGHLY TESTED AND APPROVED!

HomePro is independently tested for effectiveness and to verify that it never leaves a soil attracting residue! HomePro even has the CRI seal of approval!

NOW WITH MORE CHOICES





HomePro Spotter Customization Imprinted



HomePro Spotter Full Color Customization



HomePro Pet Spotter Plus Full Color Customization

Visit www.homeprospotter.com, call 1-800-948-1781 or visit us in our showroom



www.interlinksupply.com

Spot and Stain Procedures

There are 5 primary categories of stains. For more precise detail on specific stains refer to Bridgepoint.com, Interlinksupply.com, or the Bridgepoint Stain Guide for Smart Phones and tablets.



Synthetic Color & Dye Stains

Kool Aid^{*}, childrens red medicine, fruit punch, decaffeinated coffee, etc.

PROCEDURE

- 1. Apply Red Zone Ready to contaminated area apply enough to thoroughly wet the stained area but not enough to soak into the backing.
- 2. Apply a wet cotton towel (usually double thickness) over stain. Apply heated iron at lowest steam setting. Do a quick check for color removal every 20 - 30 seconds.
- 3. When the color is gone a yellow cast is usually left. Rinse thoroughly.
- 4. Mist Spot Stop and work in with the Whiz Groom.





Organic Stains & Natural Dyes

Urine, coffee, mold, wood, etc.

PROCEDURE

- 1. Apply Stain Zone to contaminated area.
- 2. Lightly agitate and allow to dwell until stain is gone.
- 3. If stain is gone then extract rinse, otherwise Stain Zone will self-neutralize with no re-soiling issues and continue to work until it dries.



Protein and Most Food Spills

Blood, egg, chocolate sauce, etc.

PROCEDURE

- 1. Remove excess contaminant.
- 2. Apply Avenge Pro and agitate. If stain is hard, allow Avenge Pro to dwell and soften the contaminant.
- 3. Rinse and repeat if necessary.
- 4. Mist Spot Stop and work in with Whiz Groom.

Note: Some food stains contain synthetic or organic dyes which may not be completely removed with the above procedure. If some stain remains, depending on the origin (synthetic or organic) follow the steps using Stain Zone (Category Two) or Red Zone Ready (Category One). Vacuum to get the stained area as dry as possible before proceeding.



Oil, Resin or Pigmented Based

Ink, grease, cosmetics, adhesives, etc.

PROCEDURE

Ink and Marker

- 1. Apply Avenge Pro directly to the stain, agitate and allow to dwell for 30 seconds.
- 2. Dry extract with vac tool and repeat.
- 3. Apply All Solv Extreme agitate Avenge Pro agitate.
- 4. Rinse and mist with Spot Stop.

Fingernail Polish




53


- 1. Apply Avenge Pro around the contaminated area to guard against aggressive wicking of All Solv Extreme and dissolved pigment from moving into the backing and surrounding fibers. Tests reveal that virtually all oil/resin/pigmented stains can be removed by putting the Avenge Pro on first and then the All Solv Extreme. Avenge Pro will not "set" stains.
- 2. Apply All Solv Extreme, lightly agitate and absorb colored pigment into a white towel. Repeat until most of the pigment is gone.
- 3. Apply Avenge Pro and agitate lightly.
- 4. Rinse and mist Spot Stop, working it in with the Whiz Groom.

Gum (chewing)

- 1. Poke holes in gum surface with Gum Getter.
- 2. Apply Gel Break to surface of gum and let dwell for 5 to 10 minutes.
- 3. Agitate and remove gum with the Gum Getter. Pick up the spent gum into a towel and repeat as necessary. Apply a small amount of Gel Break and agitate with towel to remove any remaining residue and thoroughly rinse with water.



4. Mist Spot Stop and work it in with the Whiz Groom.



Specialty Stains

Rust, yellowing, water stains, etc.

PROCEDURE

1. Apply T-Rust.

- 2. Lightly agitate and allow to dwell until stain disappears.
- 3. Rinse thoroughly.

Note: Some yellowing and water stains may respond well to treatment with Stain Zone.

Unknown Stains

• Apply Avenge Pro – agitate – If stain is releasing continue and then rinse.

If some stain remains

· Apply All Solv Extreme - agitate - If stain is releasing continue, apply Avenge Pro, rinse.

If some stain remains

 Apply Stain Zone or Red Zone Ready. Since the origin of the stain is unknown, testing will determine which to use.













BRIDGEPOIL SYSTEMS

RTU pH: 5.4 **Dilution Ratio: RTU**



PROCHEM

Urine Stain Remover With Hydrocide

Many times normal pet odor decontamination procedures remove the yellow staining that accompanies pet urine deposits. But when they don't, reach for Urine Stain Remover.

Simply spray the stain full strength and allow it to work for 3 to 8 hours and the stain will disappear! This is a product that will deliver truly amazing results, and there's no need to neutralize or rinse. Urine Stain Remover goes on at an acidic pH of 5.4 but self-neutralizes to a neutral pH of 7 as it dries.

gallon CS18GL \$25.45 (ea) \$22.91 (4) \$20.36 (16) \$mart Buy

Odor Rescue

Odor Rescue is a powerful odor and stain remover that chemically modifies and deactivates stain and odor causing soils using the power of oxygen. Removes tough odors from synthetic carpet and other colorfast, water-cleanable fabrics.

pH 10.3-10.6 RTU

Dilution Ratios: 4 oz./gallon

7.5 lb jar CC72C \$52.39 (ea) \$47.15 (4)



Sapphirescientific

RTU pH: 10.0-10.3 Dilution Ratio: 1 1/2 oz./Gal water

Oxcelerate

Attacks and removes even the toughest stains and odors. Oxcelerate uses an oxygen bleach formulation to power out residual odors and stains. Highly effective on pet urine, wine, algae and many other substances. Works where prior treatments have failed. Can also be used as part of Sapphire's Hard Surface Cleaning system.

■ 6.5 lb. jar CR221A \$39.19 (ea) \$35.27 (4)





RTU pH: 10 Dilution Ratio: 6 oz./Gal of hottest water possible





pH: RTU 10.0 Dilution Ratio: RTU to 1:6

PetZone with Hydrocide

PetZone is an awesome product that permanently removes pet odors AND stains-all in a single step! Stains are removed by the natural power of oxygen while the odor bonding and encapsulating power of Hydrocide permanently eliminates odors.

Odors are immediately eliminated without leaving strong, potentially offensive fragrances behind and the persistent yellow stains that often accompany pet urine contamination are also removed. PetZone has a powerful effervescing action that lets you and your customers know it's working. Won't cause resoiling.

馬 7 lb. jar CD19A \$43.66 (ea) \$39.29 (4) **\$mart Buy** \$34.93 (16)



USR with Multi-Phase

USR with Multi-Phase uses the effervescent cleansing, stain removal, and deodorizing power of activated oxygen synergistically combined with the encapsulating and bonding odor elimination power of Multi-Phase. When applied as directed the vivacious, bubbling mixture goes right to work eliminating even the most stubborn urine stains, while the odor is eliminated through the power of oxidation and Multi-Phase.

- · Chemically modifies and deactivates the stain, and eliminates odor without leaving strong fragrances behind
- Contains anti-resoiling properties
- · Use less product than with other powder oxidizers, making it more economical

6.5 lb jar CS650A \$39.00 (ea) \$35.10 (4)

www.interlinksupply.com



RTU pH: N/A

Dilution Ratio: After Spray: 1/2 to 8 oz./Gallon (Depending on odor severity)





De-Liminate Liquid Odor Destroyer


De-Liminate is a solvent-based, multi-purpose odor neutralizer based on a natural citrus solvent. This formula is made from the same chemicals they use in sewage treatment plants!

Solvents and emulsifiers give De-Liminate exceptional penetrating ability allowing it to get into places other compounds can't reach for unsurpassed odor destroying ability. De-Liminate is outstanding on odors from urine, water damage, smoke, sewage and many other severe odors. Can be applied by direct spray or ULV fogger.

gallon CD14GL \$68.13 (ea) \$61.32 (4) \$54.50 (16) Smart Buy

PRORESTORE

GROOM Solutions



Dilution Ratio: 3-8 oz./Gal water

NEW Pet Force

gallon CD77GL \$49.23 (ea) \$44.31 (4)



Pet Force combines the cleaning and deodorizing power of natural oxygen with the odor neutralization of a proprietary fragrance designed to work against urine. A light fragrance will remain for a few days while the carpet dries. In addition, the natural oxygen will effectively eliminate stains caused by the urine contamination.

RTU pH: 10 Dilution Ratios: 8 oz./Gallon water

T lb jar CD516A \$35.65 (ea) \$32.09 (4)



Last Resort

PRORESTORE

Last Resort is the worlds strongest odor counteractant. It is the product to use when other products fail. Last Resort destroys dead body odors, skunk odors, severe pet and smoke odors, etc.



quart CD88QT \$59.30 (ea) \$53.37 (12)



Space Spray **PRORESTORE**

Space Spray is an industrial strength solvent-based odor counteractant that eliminates odors caused by fire and smoke damage. The variety of fragrances offers many deodorization options in a wide variety of situations. Space Spray is also a superb pet odor counteractant and great for room freshening after carpet cleaning. Mist lightly onto affected area. For severe pet odors, inject into odor sources with hypodermic needle.

Cherry, gallon CD80GL \$96.74 (ea) \$87.07 (4) Cinnamon, gallon CD81GL \$93.11 (ea) \$83.80 (4) Citrus, gallon CD83GL \$98.20 (ea) \$88.38 (4) Mint, gallon CD85GL \$98.94 (ea) \$89.05 (4) Ledar, quart CD82QT \$30.18 (ea) \$27.16 (12)

RTU pH: 4-7

Prices subject to change without notice. Call or go online for current pricing.

Dilution Ratio: RTU

Not all products available at all locations.

55

TCU Neutralizer



Mild but effective acid side spotter used to neutralize alkaline residues or stains. TCU Neutralizer is an outstanding urine pre-treatment. Pet urine comes out of the animal on the acid side but as urine deposits age the residue converts to alkaline salts, which are the source of odor. Pre-treatment of urine stains with TCU Neutralizer dissolves urine salts for easy removal and perfectly prepares the affected area for treatment with Bio-Modifier, Bio-Charge or other urine neutralizers. It also contains special odor suppressants that make the work area less offensive until deodorizers can be applied.

RTU pH: 2.8-3.5

Dilution Ratios:

Urine Pre-treatment: 1:4 to 1:16 with water depending upon severity. Saturate affected area, allow to dwell 5 to 15 minutes, agitate, rinse and extract with clear water. Extraction with a Water Claw is ideal. Spotter: RTU. For best results, allow 2 to 3 minutes dwell time.

La	quart C	S20Q1	\$11.50 (ea)
			\$10.35 (12)
\$n	nart Buy) (\$9.20 (48)
	gallon C	S20GL	\$26.75 (ea) \$24.08 (4)
\$n	nart Buy	\$	21.40 (16)



Jivdra Master

RTU pH: 2.7-3.3

Dilution Ratio: RTU to 1:6

U-P-S Prespray

UPS is a special synergistic blend of acid neutralizers, detergents, odor counteractants, and decontamination deodorizers for use as a urine contamination neutralizer and as an acid detergent (tannin) spotting solution.

- Acid base solution attacks urine salts
- Unique formula removes gummy urine residue
- Specialized surfactants carry the active ingredients deep down
- Built in odor counteractants help eliminate the urine odor
 - gallon CD93GL \$26.39 (ea) \$23.75 (4)



Urinse Pre Spotter

Urinse is an effective and safe acidbased cleaning concentrate that removes acid salts from pet urine prior to odor removal with Un-Duz-It. Deodorizes and prepares surfaces for additional cleaning, deodorizing or sealing, and removes all stages of urine residue from both soft and hard surfaces.

RTU pH: 2.2 Dilution Ratio: 8-24 oz./Gal warm water

PRORESTORE

gallon CD64GL \$23.27 (ea) \$20.94 (4)



MultiPhase *MydraMaster*

MultiPhase[™] Odor Counteractant is a contact-deodorant, perfect for effective removal of dog or cat urine and a variety of tough organic and non-organic odors.

- Highly effective
- Popular pleasant fragrance
- Great at neutralizing urine odors
- Ultra concentrated
- Can be fogged, sprayed, injected or added to prespray

RTU pH: 5.0-5.5 Dilution Ratios: RTU to 32:1 sallon CD90GL \$26.67 (ea) **\$24.00 (4)**

■ 5 gallon pail CD90PL \$105.00 (ea)



RTU pH: 8 Dilution Ratio: RTU



Bio-Modifier Premium Odor Remover

Bio-Modifier is a ready-to-use, highly active solution with strong odor counteractants to immediately knock down and keep odors suppressed while bacterial enzymes go to work. Bio-Modifier contains the highest level of bacteria possible, producing multiple enzymes to digest odors at the source quickly and effectively. It will eliminate odors caused by urine, mold, mildew, organic rot, vomit, smoke, skunk, protein fire residue and more.

gallon CD01GL \$27.52 (ea) \$24.77 (4) \$22.02 (16)



RTU pH: 7 Dilution Ratio: 8 oz./Gal.



Bio-Charge Deodorizing Bio-Enzyme Additive

Bio-Charge is a highly concentrated bacteria/enzyme formulation designed to be added to Bridgepoint Premium Odor Counteractants to eliminate severe odors from urine. mold, mildew, organic rot, vomit, smoke, skunk and protein fire residue. Bio-Charge produces broadrange enzyme activity that breaks down the substances which cause odor and even consumes food sources for molds and mildews as well. This combination goes to work immediately! Bio-enzymes continue to work to remove all odors and digest residual stains, sugars and oils through the entire drying process.

gallon CD03GL \$49.95 (ea) \$44.96 (4) \$mart Buy
\$39.96 (16)



PRORESTORE

RTU pH: 10.4-10.7

Dilution Ratios: Heavy Odor: 3 Qts Un-Duz-It to 1 Qt Water Spot Cleaning: 1 Qt Un-Duz-It to 2 Qts Water



Un-Duz-It has been proven to be totally effective in correcting pet odor problems and in the removal of organic-related staining. It eliminates the source of organic odors naturally and contains performance enhancing ingredients which resist resoiling. For all water safe surfaces such as carpets, rugs, drapes, upholstery, mattresses, wood, plastic, clothing, vinyl, trash containers, tile, etc.

> gallon CD63GL \$37.35 (ea) **\$33.62 (4)**



RTU pH: 9.5 Dilution Ratio: 1 qt. per 3 qt. water

Sapphirescientific

Sapphirescentiec

Pet Odor and Stain Treatment

Pet Stain and Odor Treatment is specially formulated for follow-up treatment of urine contaminated soft surfaces such as carpeting and rugs, upholstery, draperies, bedding, mattresses and clothing. It uses enzymes that attack a variety of biological fluids including feces, vomit and urine.

gallon CS223GL \$36.74 (ea) \$33.07 (4)



Pet Odor and Stain Prespotter

Pet Odor and Stain Prespotter is specially formulated for the pre-treatment and initial decontamination of urine contaminated soft surfaces such as carpeting, rugs, upholstery, draperies, bedding, mattresses and clothing. Pet Stain and Odor Prespotter suppresses urine related odors and dislodges and liquefies urine deposits for removal. Prespotter contains a blend of mild organic acids that neutralize the alkaline urine components, selected surfactants to assist with dissolving urine residues and the signature fresh fragrance provides an immediate counteractant to unpleasant odors.

RTU pH: 3.0-4.0 Dilution Ratio: 8 oz./gallon gallon CS222GL \$21.22 (ea) \$19.10 (4)

57



RTU pH: 6.5

Dilution Ratios: Sprayer: 4-8 oz. /Gallon (Depending on odor severity) Prespray Additive: Up to eight ounces per gallon of RTU prespray



CROOK Solutions AROMACIDE DEODORIZER



RTU pH 7.0 - 7.5 Dilution Ratio: 1:4-8

Hydrocide Odor Neutralizer

Hydrocide is an amazing odor counteractant that immediately and permanently eliminates odors from pet and human urine, vomit, decayed organic matter, sour smells, feces, skunk, musty mildew odors, smoke and much more. Hydrocide contains an odor neutralizer that binds to and destroys odors-no matter what the source-in carpet, upholstery, mattresses and hard surfaces. Hydrocide contains no bacteria, enzymes, oxidizers or chemical desensitizers. And, Hydrocide contains a polymer that resists resoiling of treated areas.

.	quart CD13	QT \$21.51 (ea) \$19.36 (12)
\$n	nart Buy	\$17.21 (48)
	gallon CD13	GL \$77.95 (ea)
		\$70.16 (4)
\$n	nart Buy	\$62.36 (16)

Aromacide

Aromacide Deodorizer has been specially formulated to counteract and neutralize organic malodors through a multi-phased attack on organic odor producing materials. It works effectively on a wide variety of common and specialized odor problems, including airborne malodors, skunk musk, urine odors, smoke odors, bacterial and fungal odors, stale odors, vomit, and many other organic and protein odors. The multi-phase attack first physically bonds to the odor, surrounds it with any odor barrier, and then leaves a fresh fragrance in its place.

gallon CD504GL \$27.85 (ea) \$25.07 (4)





RTU pH: 6.5

Dilution Ratios: Sprayer: 4-8 oz. /Gallon (Depending on odor severity) Prespray Additive: Up to eight ounces per gallon of RTU prespray



Hydrocide Xtreme™

Hydrocide Xtreme[™] neutralizes odors by binding, bonding, encapsulating, and absorbing odors associated with humans, animals, food, chemical processes and smoke. Hydrocide Xtreme contains a fresh "green" fragrance to leave the treated environment with a refreshed, deodorized smell, It contains an odor neutralizer that binds to and absorbs odors no matter what the source. Hydrocide Xtreme effectively eliminates odors from pet urine, feces, vomit, skunk musk, pet or human body odors, and decaying protein and organic matter. It can be used to effectively treat odors on any water safe surface including carpet, draperies, upholstery, pet beds, mattresses, and more. It does a fabulous job of treating general odors in carpeting to help freshen up a total room.

	pint CD1	7PT \$18.85 (ea) \$16.97 (12)
\$m	nart Buy	\$15.08 (48)
	gallon CD1	7GL \$79.95 (ea)
\$m	nart Buy	\$71.96 (4) \$63.96 (16)



RTU pH: 5.0-5.5 Dilution Ratios: RTU to 32:1

MultiPhase

MultiPhase[™] Odor Counteractant is a contact-deodorant, perfect for effective removal of dog or cat urine and a variety of tough organic and non-organic odors.

- Highly effective
- Popular pleasant fragrance
- Great at neutralizing urine odors
- Ultra concentrated
- Can be fogged, sprayed, injected or added to prespray

gallon CD90GL \$26.67 (ea) \$24.00 (4)

5 gallon pail CD90PL \$105.00 (ea)

www.interlinksupply.com



lem





Using deodorizers as a standard part of your cleaning process is smart business. Why? The sense of smell is one of our most powerful senses and your customers know that if it smells clean, it is clean! That's why using Cherry or Lemon Deodorizer is a great way to add value to your services and increase customer satisfaction.

Cherry or Lemon Deodorizer is highly concentrated and fills rooms with a pleasant, clean fragrance-for only pennies per job! Deodorizing agents also go to work to eliminate the sources of common odors. These are safe deodorizers that contain no oxidizing or bleaching agents, which means that they can be mixed with virtually any cleaning compound. They can be used as an after spray or added to cleaning solutions. They're safe for carpet, water-safe upholstery, laundry and general space deodorizing.

Both Cherry and Lemon offer strong, pleasing fragrances. No matter which one you use, both smell clean!

Dilution Ratios: After Spray: 2-4 oz./Gallon (Increase depending

Cherry Scent, gallon CD10GL \$17.46 (ea) \$15.71 (4) \$mart Buy \$13.97 (16) Sweet Lemon Scent, gallon CD11GL \$17.46 (ea) \$15.71 (4) \$mart Buy \$13.97 (16)

馬 Fresh Lemon Scent, gallon CD12GL \$17.46 (ea) \$15.71 (4) \$13.97 (16) \$mart Buy



PROCHEM.

ler

Fluorosil[®] Odor Neutralizer

Truck Mount: 16-32 oz./ 5 gallon stock solution

Portables: 2-4 oz. per gallon of cleaning solution

RTU pH: 7

on odor severity)

Meets the requirements of stain resistant carpets. Its fresh clean fragrance neutralizes offensive smells created by microbial action. Compatible with all antistain carpets. Available in both floral and citrus.

- Floral, gallon CD45GL \$20.88 (ea) \$18.79 (4)
- 馬 Citrus, gallon CD47GL \$21.30 (ea) \$19.17 (4)

RTU pH: 7.0-8.0 Dilution Ratios: 1/2 to 2 oz. per gallon



Sapphirescientific

Signature EX

Signature EX is a blend of evaporative control solvents and essential oils carefully selected to generate a vapor barrier that traps malodors on surfaces. The essential oils counteract those malodors before they become noticeable.

gallon CD214GL \$98.19 (ea) \$88.37 (4)

RTU pH: 4.0-7.0 Dilution Ratios: RTU or 1 part to 2-3 parts alcohol.

> Prices subject to change without notice. Call or go online for current pricing.





More Deodorizers

See our full line of Deodorizers on pages 274-277.

59



Premium Odor Counteractants



Premium Odor Counteractants are fantastic cleaning deodorizers with wonderful, contemporary fragrances your customers will love for only pennies per job. But even more importantly, they contain true odor neutralizers that attack the sources of more challenging odors. When you're dealing with really tough odors like old dog and cat urine, rot, vomit or even skunk, you can super charge Premium Odor Counteractants with Bio-Charge! This adds a highly concentrated dose of bacterial enzyme odor digesters to the already potent odor neutralizers in any of our Premium Odor Counteractants.

Spice Air: This is our best seller! The exotic spice fragrance your customers will love. **Apple Air:** The crisp fragrance of apple that says "clean!" to your customers. **Spring Morning:** Takes the best nature has to offer to provide a truly exhilarating scent. **Meadow Fresh:** Like taking a breath in the mountains on a beautiful spring day! **Neutral Air:** This non-specific fragrance is designed to cancel out odors without leaving an identifiable fragrance behind.

7 (ea)	Apple Air, gallon CD16GL \$29.07 (ea)	Meadow Fresh, gallon CD07GL \$23.24 (ea)
16 (4)	\$26.16 (4)	\$20.92 (4)
5 (16)	\$23.26 (16)	\$18.59 (16)
Sprin	g Morning, gallon CD06GL \$23.24 (ea) \$20.92 (4) \$18.59 (16)	Neutral Air, gallon CD08GL \$23.24 (ea) \$20.92 (4) \$18.59 (16)

RTU pH: 7

Dilution Ratios: After Spray: ½ to 8 oz./Gal. Truckmounts: 12 oz./5 Gal. stock solution Portables: ½ to 1 oz./Gal RTU solution

Spice Air, gallon CD15GL \$29.07 (ea) \$26.16 (4) \$23.26 (16)

\$mart Buy

			ĺ
			1
ź	ļ	51	4
51	н	D	U0
	-	-	
111 1		1	

odor

Spring Fresh Duo® Deodorizer

Prochem's Duo Deodorizers are professional deodorizers for routine odor control as well as tough fire and flood restoration problems. Attacks odors at the source. They handle the tough problems with tough solutions. Not for use on stain resistant carpets. Available in both Spring Fresh (A225) and Floral (B125).

gallon CD46GL \$36.88 (ea)

PRORESTORE

RTU pH= 7.0-7.5

Dilution Ratio: Odor control: 1-8 oz. per gl. Restoration: 8-12 oz. per gl.

Milgo SR Carpet Deodorizer

Milgo SR is the best choice for deodorizing surfaces in living spaces. It can tackle tough odors like sewage or decay on a wide range of materials, including stain-resistant carpet, pad, subfloor, drywall, upholstery and more! Milgo SR can also deodorize fabrics when added to laundry in the washing machine. Milgo SR is a concentrated formula manufactured by Microban, and carries a fresh lemon scent.

RTU pH= 9.5-10 Dilution Ratio: 1-32 oz./Gal.

9-D-9 **PRORESTORE**

9-D-9 is a highly-concentrated general purpose smoke odor counteractant. Add to pressure sprayer solution and apply directly onto odor source. Can also be added to wall and fiber cleaning solutions.

RTU pH: 7.7 Dilution Ratio: 3-6 oz./Gal

sallon CD59GL \$84.22 (ea) **\$75.80 (4)**

h

gallon CD48GL \$37.26 (ea)

gallon CD89GL \$34.75 (ea)

Floral

\$33.53 (4)

\$31.28 (4)



Spring Fresh

\$33.19 (4)

D.



Bio-Modifier Premium Odor Remover



Bio-Modifier is a ready-to-use, highly active solution with strong odor counteractants to immediately knock down and keep odors suppressed while bacterial enzymes go to work. Bio-Modifier contains the highest level of bacteria possible, producing multiple enzymes to digest odors at the source quickly and effectively. It will eliminate odors caused by urine, mold, mildew, organic rot, vomit, smoke, skunk, protein fire residue and more.

RTU pH: 8 Dilution Ratio: RTU

馬 gallon	CD01GL \$27.52 (ea)
	\$24.77 (4)
\$mart Buy	\$22.02 (16)



Bio-Charge Premium Deodorizing Bio-Enzyme Additive

Bio-Charge is a highly concentrated bacteria/enzyme formulation designed to be added to Bridgepoint Premium Odor Counteractants to eliminate severe odors from urine, mold, mildew, organic rot, vomit, smoke, skunk and protein fire residue. Bio-Charge produces broad-range enzyme activity that breaks down the substances which cause odor and even consumes food sources for molds and mildews as well. This combination goes to work immediately! Bio-enzymes continue to work to remove all odors and digest residual stains, sugars and oils through the entire drying process.

RTU pH: 7 Dilution Ratio: 8 oz./Gal.



Malodor Modifier



BRIDGEPOINT

SYSTEMS



Malodor Modifier produces enzymes, (complex organic substances formed in the living cells of plants and animals), as catalysts for the decomposition of organic related odors and related staining. It eliminates the source of organic odors naturally. Malodor Modifier contains performance enhancing ingredients which increase the efficiency of the enzymes. It also helps initial odor knock down and provides immediate odor control. Unlike other enzyme producing deodorizers, Malodor Modifier also contains a special encapsulating and bonding deodorizing additive which enhances its effectiveness with any residual odor after initial treatment is accomplished.

RTU pH 7.0 Dilution Ratio: 1:2 gallon CD505GL \$19.25 (ea) \$17.33 (4)



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Terms and conditions:

- Applies to qualifying items most chemicals, accessories and parts
- Applies to 48 contiguous states, ground freight
- Independent locations may have a different freight policy
- Non-qualifying items will ship at regular freight rates



Deodorization and Odor Control Procedures 62

Bridgepoint Odor Control System

This guide addresses odor most commonly found in carpet cleaning situations. These include, but are not limited to, pet urine, blood and other bodily fluids, decaying food along with other protein and organic sources.

Level of Tolerance

Complete removal of some odors can require extensive restoration. In homes where pets will remain after cleaning, complete decontamination and odor removal may not be practical. On the other hand 100% odor removal may be the only satisfactory option for a home that is for sale.

Determine the client's level of tolerance and budget before deciding on a plan of action. Location and severity of the problem will also influence your choice of solution.

For our complete guide to Successful Urine Decontamination, Odor and Stain Removal email ScottW@Bridgepoint.com.

The Bridgepoint Odor Removal System features Bio-Modifier and Hydrocide, premium products that control odor and remove the source.

SUPERFICIAL – When animal odors are present but there is limited urine contamination - add Hydrocide at the rate of 4 to 8 ounces per gallon of prespray. Proceed to clean as usual. Hydrocide will absorb odors on contact. Odors deeper in the tufts will be reached as you groom your prespray into the carpet. You'll enjoy a more pleasant working environment and your customer will love the refreshing smell of clean with no residual fragrance.


LIGHT – Apply Bio-Modifier liberally to visible stains and other odor sources. Allow as much dwell time as practical. Effective dwell time can range from twenty minuets to a couple of hours. **Bio-Modifier** can be working while you set-up equipment, vacuum, move furniture or clean other areas. Clean the affected areas using Hydrocide in your prespray as described above.

MODERATE – Prespray any visible stains using T.C.U. Neutralizer. Allow 15 minutes dwell time.

The next step is optional. Time is balanced against improved results. Apply Bio-Modifier and allow it to work for 24 hours or longer to completely digest the entire odor source. This will leave a pleasant residual fragrance.







Extraction clean the carpet then saturate



SEVERE – For complete odor removal in a severely affected carpet, an extensive treat-

ment is required. Details are found in the Successful Urine Decontamination. Odor and Stain Removal Manual avail-

able at no charge by emailing your request to scottw@bridgepoint.com.

USING PETZONE

Oxidation using PetZone is a quick method to deal





with all three aspects of urine deposits - odor, stain and contamination. The release of oxygen triggers the breakdown of urine into basic components such as oxygen, nitrogen and carbon dioxide. PetZONE is mixed in a bucket

with hot water. This will produce a lot of foam. Pour the foam and liquid over the contaminated area until the carpet and pad are saturated. Allow 30 minutes and then extract with a Spot Lifter or Water Claw. Use ventilation and good air movement during the process.



Leather Cleaner

conditioning.

RTU pH: 6.6-6.8

Dilution Ratio: RTU

Effectively and gently cleans leather.

quart CL01QT \$20.16 (ea)

\$18.14 (12)

Mild cleaning agents, mild pH.

Cleans leather thoroughly before





HF HYDRO-FORCE RTU pH: 7.0 Dilution Batio: BTU

Professional Leather Cleaner

Hydro-Force Professional Leather Cleaner is specially formulated to deep clean even the most stubborn dirt, soil, and spills from protected and aniline leather. It meets or exceeds the performance standards of leading Italian leather cleaners with a more economical price. It is the perfect leather cleaner for your customer's fine upholstered leather furniture but can also be safely and effectively used on auto leather. leather jackets, luggage, handbags, and more.

quart CL200QT \$17.29 (ea) \$15.56 (4)



Strong Cleaner

A unique water-based cleaner for all protected, most aniline and some nubuck* leathers. Loaded with active ingredients and carried in a foam base for maximum cleaning without over-wetting. Strong Cleaner should be applied with foam on a sponge then excess soil wiped away with a cloth. *Some Nubuck leathers need to be cleaned with Nubuck Foam Cleaner.




- 250 ml CL070 \$9.06
- liter CL074 \$26.71
- 5 liters CL072 \$121.42



PA

Leather Vital

For revitalizing and softening old and stiff leathers. It penetrates deep to soften and nourish the leather. Use it before dyeing to improve dye acceptance and on areas to be repaired to make the leather more malleable. It also helps stop the squeaky, leather-on-leather noise.



THER CLEAP

PROCHEM.



Nubuck Foam Cleaner

This adaptation of the Strong Cleaner formula provides another option for you to clean color and moisture sensitive leathers. The foam limits the water absorbed into the leather. For extremely porous leathers, its use will reduce drying time, decreasing the amount of time you need for cleaning.

CL038 \$18.97

P = Protected Leather





Professional Leather Revitalizer

Hydro-Force Professional Leather Revitalizer protects leather from cracking and premature aging, by providing the essential oils and lubrication that it needs to remain soft and supple. Hydro-Force Professional Leather Revitalizer replenishes the natural moisture and oil that can removed from leather by time, light, direct sunlight, dry air, heat, soiling and improper cleaning agents. It penetrates easily into the pores of leather providing natural HYDRO-FORCE lubrication to keep the fibers from breaking and tearing under friction without leaving an oily residue.

> quart CL205QT \$19.33 (ea) \$17.40 (4)

*Ground shipping only.



Oleosa

Made for the special needs of oil pull-up leathers. Oleosa uses the same type of fat liquors used originally to give the leather its look and feel. It also has the same protection properties of Protection Cream and can remove scratch marks. Test on an inconspicuous area before using to be sure you're dealing with a standard oil pull-up leather. Reapply once or twice a year.



250 ml CL042 \$14.50
 liter CL040 \$51.11

P = Protected Leather

A = Aniline Leather Nubuck Leather



Leather Degreaser

Hair and skin leave oil on leather. Leather Degreaser dissolves these and other oils and transfers them to powder more absorbent than the leather. Areas with heavy build-up may require a second and third application. Use in a properly ventilated area and observe all safety precautions carefully.

L020 \$31.87



PROCHEM.

*Ground shipping only.



Leather Conditioner

Fine oils and conditioning agents keep leather soft and supple. Nourishes and rejuvenates, no greasy residue. Helps to condition and protect leather.

RTU pH: 5.2-5.6 RTU Dilution Ratio: RTU


> quart CL03QT \$20.16 (ea) \$18.14 (12)

Ink Lifter

Leather

MASTER[®]

An easy-to-use product for removing ink and lipstick from protected leathers. It works best when used with our system of Protection Cream on the leather first. It is designed for removal of recent (3–5 days) ink on leather. It will not remove permanent marker from leather. Non-toxic biodegradable product.





Hydro-Force Leather Kit

All the Hydro-Force Leather products you'll need to start cleaning leather. Products held in a four gallon container for easy to use, on the job transportation.

CONTAINS:

- Leather Cleaner (2 Qts.)
- Leather Revitalizer (Qt.)
- Leather Protector (Qt.)
- Leather Cleaning Guide
- Sponge (2)
- Microfiber Cloth 16 x 16 (3)
- Microfiber Cloth 8 x 8 (2)
- Foaming Sprayer Head (1)
- 4 Gallon Container with Lid

🗈 CL03H \$87.31

P A 0



CHEMICALS



Super Remover

Remove blue jean transfer, newspaper print and deep stains (like mustard) from protected leathers. If used carefully, it can remove ink. It works when nothing else will. Often customers think the color is coming off their leather when they're really seeing color that's been transferred onto it. That's where Super Remover really shines. May be diluted 1:4 with water.

250 ml CL076 \$17.35







HE HYDRO-FORCE

Professional Leather Protector

Hydro-Force Professional Leather Protector protects leather from staining, soiling, cracking and premature aging, by providing a protective guard to the surface of the leather as well as the essential oils and lubrication that it needs to remain soft and supple. A simple "Wipe-On, Wipe-Off" application penetrates easily into the fibers of leather providing a protective barrier between the leather and foreign spilled material such as oils, liquids, alcohol, normal dirt and soiling and much more. This barrier makes regular cleaning and maintenance much easier while keeping the leather looking like new.

quart CL210QT \$25.45 (ea) \$22.91 (4)



*Ground shipping only.

Soft Remover

This solvent-based cleaner works great for deep soiling and for removing residual oil to assist bonding of dye and pigment. Use carefully as the product can remove finish or color. Use only in well-ventilated areas.

> 250 ml CL064 \$9.65







Nubuck Eco Protector

This water-based product is for nubuck or highly sensitive leathers. It will provide oil-water-alcohol protection on Nubuck leathers. This product has several advantages over aerosol type protectors: solvent-free, non-flammable, lower cost, all-usable container, and consumer safe.

> CL022 \$42.24





P = Protected Leather



A = Aniline Leather



Leather Protection Cream

A water-based protector for all leather except nubuck. It provides excellent protection against oilwater-alcohol based stains as well as everyday soiling. Protection Cream prevents stains from absorbing into the leather and becoming difficult to remove. Protection Cream should be reapplied every six months on heavily used leather furniture after cleaning.

> 250 ml CL044 \$12.71 liter CL048 \$46.82 5 liters CL046 \$192.54

Leather Specialist Kit



All your most used Leather Master® products are in one heavy-duty toolbox. Includes a guart each of Strong Cleaner and Protection Cream. Also contains smaller bottles of the other leather products you'll need but don't use quite as much. This kit marks you as a leather professional. Includes Intro to Leather Cleaning DVD!





Consumer Kits

These kits are used to perform regular routine maintenance.

Nubuck Cleaning Kit CL036 \$18.30 Leather Protection & Cleaner Kit CL035 \$22.86





Leather

MASTER[®]1

Nubuck Cleaning Cloth

For easy cleaning of most soiling on nubuck leathers. Cloths will remove dark and shiny areas as well as return flat areas to the original look and feel. Soil transfers easily from the leather to the Nubuck Cloth. This amazing cloth even corrects flat or shiny areas on the leather caused by skin contact.

ALM01A \$4.03

Consumer Brochure & Postcard



Counteract your customer's false belief that leather does not need to be cleaned or that a leather kit is all they will ever need to maintain their leather. Announce your leather expertise to your customer base or mailing list. Customize the card to meet your specific needs.

Brochure (50 pk) LB05 \$14.50 Postcard LP10C \$.28

Sponges

Leather

MASTER'n

Soft Cloth

some spotters.

Used with Leather Master® Strong Cleaner to create foam for cleaning all leather types.

This lint-free cloth is used for apply-

ing all creams, finishes, colors and

AU29 \$.79



ALM02 \$.65

Leather

MASTER



Prices subject to change without notice. Call or go online for current pricing.

Leather Cleaning Procedures 67

LEATHER CLEANING SYSTEMS

Overview

A) Types of Leather

PROTECTED

Also known as Finished, Semi Aniline, Everyday, Pigmented and Painted, these Leathers combine the best aspects of a natural product and utilize tannery technology to create a product that is more uniform in appearance and color.

ANILINE

Also known as Natural, Pure, Naked and Unprotected, these are leathers that are colored with transparent dyestuff. This means you can see the actual surface grain markings. These leathers have very little or no protective treatments applied to them.

NUBUCK

Also known as Chaps, Distressed, Bomber and Suede, Nubuck is an Aniline leather that has been brushed, sanded or scratched to create a velvet or pile feel or look to the grain side of leather. Suede is the flesh side of the hide and is of lower quality.

B) How to identify leather on location

- 1. Evaluate the leather visually. Protected leathers will have a consistent coloration due to pigmentation, while Aniline and Nubuck will have a varied hue. Any leather with a nap will be Nubuck or suede.
- 2. Feel the leather. The softer the leather, the more likely it is Aniline or Nubuck. The stiffer the leather, the more likely it is Protected.
- 3. Go to an inconspicuous place and scratch the leather with your fingernail. Aniline and Nubuck will scratch readily and the scratch will be a lighter color. Protected leather has a finish made of polyurethane resins. The only way this leather will go lighter is by scraping off the finish and the pigments.
- 4. In an inconspicuous place, rub Hydro-Force Leather Cleaner into the leather. Aniline and Nubuck leather will darken as the cleaner is absorbed into the leather. The cleaner will not absorb into Protected leather.
- 5. This final test will determine the difference between Aniline and Nubuck. In an inconspicuous place, rub Hydro-Force Leather Protector on the leather and dry with a hair dryer. Aniline leather will dry clear with no difference in texture. Nubuck leather will dry darker with a slight change in texture. Hydro-Force Leather Protector mats down the nap of Nubuck causing the area to be darker.



Protected Leather Cleaning

- Approximately 80% of all leather furniture and almost all automobiles will be protected leather. Protected leather has a pigment coat applied over the surface and is sealed by a finish of polyurethane resins. In fact, as long as the finish is intact, you are cleaning the finish and not the leather itself.
- 2. Identify the leather as protected. A fingernail will not scratch the leather to a lighter color. Water does not darken protected leather because it does not soak into it. Color is consistent from panel to panel.
- 3. Pretest by cleaning a side of the cushion which does not show. Once you are assured it is a protected leather, then proceed.
- 4. Spray Hydro-Force Leather Cleaner onto microfiber cloth. Apply to leather panel and work microfiber cloth in a circular motion. Wipe up foam with terry cloth towel. Repeat as necessary. Position Air King to dry leather that has been cleaned.
- 5. Once leather is uniformly clean and dry to the touch, apply Hydro-Force Leather Protector with a soft cloth. Spread evenly across the leather and let dry naturally.

Aniline Leather Cleaning

- 1. An Aniline leather will have a varied hue, will be soft, will scratch readily with a fingernail, will darken when Hydro-Force Leather Cleaner is applied, and will dry clear after Hydro-Force Leather Protector has been applied and dried. Stains will often not be totally removed, and the lighter the color, the more they will show. Be sure to look for fading as that happens easily. Evaluate the dryness of the leather, as an extra step is often needed to restore the feel of the leather after cleaning.
- 2. Clean an inconspicuous panel of leather, usually the side of the cushion. Spray Hydro-Force Leather Cleaner onto a microfiber cloth. Rub onto the panel of leather in a circular motion. Look at your cloth to see if the color of the leather came off on the cloth. If no color is seen, then proceed with the cleaning (if transfer of color occurs, then more advanced training and procedures may be required). Wipe off dirt with a terry cloth towel and dry the panel with a hair dryer.
- 3. Continue cleaning from panel to the panel, drying each panel as you go with a hair dryer or Air King. After entire sofa is cleaned, inspect for areas that may need further attention, and re-treat.
- 4. Apply Hydro-Force Leather Protector after furniture is cleaned. Dry each panel with a hair dryer as you protect it.
- 5. For dry leather found in your pre-inspection, apply Hydro-Force Leather Revitalizer after leather is cleaned, protected and dry to the touch. Let it dry naturally overnight. Hydro-Force Leather Revitalizer will revitalize the feel and touch of the leather by returning the leather moisture back into the leather that has been lost over time.

ALKALINE CLEANERS



Stoneperfect High Powered Alkaline Stone, Tile & Grout Cleaner



Stoneperfect is a prespray to loosen and emulsify soils and stains on stone, tile and grout. Stoneperfect is powerful, yet sensitive enough for fine stone surfaces with its hard-hitting blend of builders, solvents and surfactants. It is also ideally suited for cleaning stone and tile that have been affected by fire and smoke damage.

RTU pH: 10.5-11.5 Dilution Ratios: Normal soiling: 1:8 Heavy soiling: 1:2



gallon CST01GL \$29.95 (ea) \$26.96 (4) \$23.96 (16)

Use Chart	
Stone	
Flagstone	R
Sandstone	R
Marble	R
Limestone	R
Travertine	R
Serpentine	R
Slate	R
Granite	А
Man-Made Tile	
Ceramic	R
Porcelain	R
Quarry	R
Saltillo	R
Grout	R

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

R

R

R R

R

R

R

А

R R

R

R

R

А

A X X X

A A

A

R R R

R

R

Use Chart

Flagstone

Sandstone

Limestone

Travertine

Serpentine

Man-Made Tile

Stone

Marble

Slate Granite

Ceramic

Porcelain

Use Chart

Flagstone

Sandstone

Limestone

Travertine

Serpentine

Man-Made Tile

Stone

Marble

Slate

Granite

Ceramic

Porcelain

Quarry

Saltillo

Grout

Quarry

Saltillo

Grout



HE HYDRO-FORCE Viper 11 Alkaline Stone and Tile Cleaner

Viper 11 is an alkaline pre-treatment cleaner for stone, man-made ceramic, porcelain and guarry tile. Amazing advances in surfactant technology help Viper 11 melt away grease, stains and soil - and do it without the addition of solvents or highly caustic builders. This new high-tech tile and grout cleaning solution was designed to surpass anything currently available! Ideal for use in deep cleaning for restaurants, kitchens, and areas of high traffic. Minimal residue improves bonding and performance of sealers. Also a great maintenance cleaner.

RTU pH: 11 Dilution Ratio: 32 ounces per gallon of water.

gallon CH43GL \$20.60 (ea) D. \$18.54 (4) \$16.48 (16)

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only



D CI FANFRS

Resuscitate Restorative Tile & Grout Cleaner

Spinergy Resuscitate is a professional strength, acidic formulation to remove hard water spots, grout haze, soap scum and efflorescence from tile, grout, granite, slate and sandstone. Use Resuscitate when other methods have failed. Resuscitate will readily remove a thin layer of soil embedded grout renewing the appearance of the surface.



R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

Prices subject to change without notice. Call or go online for current pricing.



Viper 2 Acid Cleaner

Viper 2 is an acid cleaner for man-made ceramic, porcelain and quarry tile. Use for floors or walls with mineral scale and soap scum residue or to remove embedded stains from grout. Amazing advances in high tech surfactant technology help Viper 2 cut grease on the acid side of the cleaning spectrum and do it without the addition of solvents. Viper 2 has a low-vapor formula designed to reduce irritation resulting from inhalation. Do not use on acid-sensitive surface materials like marble or limestone.

HT HYDRO-FORCE

RTU pH: 2 Dilution Ratio: 1:4 (32 ounces per gallon water) gallon CH42GL \$19.80 (ea) \$17.82 (4) \$15.84 (16)

se Chart	
tone	
lagstone	А
andstone	А
larble	Х
imestone	Х
ravertine	Х
erpentine	А
late	А
ranite	А
lan-Made Tile	
eramic	R
orcelain	R
luarry	R
altillo	R
rout	R

T S S G

NC PQ S

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

STAIN REMOVERS



Stain Absorb for Stone



Stain Absorb for Stone is a safe, effective and easy to use poultice capable of removing deep stains without discoloring stone. Stain Absorb is effective on oils such as salad dressing, cooking oil and petroleum oils as well as water-borne stains including coffee, tea, soft drinks and wine. Use on stone, grout, concrete and masonry.

RTU pH: 10 **Dilution Ratio: RTU**

\$mart Buy	\$16.60 (48)
	ST10QT \$20.75 (ea) \$18.68 (12)
auart CS	ST100T \$20 75 (aa)

Use Chart	
Stone	
Flagstone	R
Sandstone	R
Marble	R
Limestone	R
Travertine	R
Serpentine	R
Slate	R
Granite	А
Man-Made Tile	
Ceramic	Х
Porcelain	X
Quarry	R
Saltillo	R
Grout	R

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

RINSE AGENTS & MAINTENANCE CLEANERS



Vivid Stone & Tile Cleaner Neutral Rinse



The perfect solution for maintenance cleaning of stone or tile floors and countertops. Safe and effective on all stone surfaces, Vivid Stone and Tile Cleaner does not contain chelating agents which adversely effect the mineral content of many stone surfaces. Vivid can also be used as a final neutralizing rinse following restorative cleaning of stone, tile and grout.

RTU pH: 7.0-7.5 Dilution Ratios: 2-4 oz. per gallon

gallon CST03GL \$20.75 (ea) \$18.68 (4) \$mart Buy \$16.60 (16)

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

www.interlinksupply.com

	Use Chart	
ľ	Stone	
	Flagstone	R
	Sandstone	R
	Marble	R
	Limestone	R
	Travertine	R
	Serpentine	R
	Slate	R
	Granite	R
	Man-Made Tile	
	Ceramic	А
	Porcelain	A
	Quarry	A
	Saltillo	А
	Grout	R

CHEMICALS



Regenerate Multi-Purpose Cleaner, Refresher & Finish Revitalizer & Protector

Formulated specifically for cleaning stone surfaces, Regenerate does not contain harmful mineral dissolving ingredients contained in most floor cleaning products. Ideal for periodic cleaning and removing daily spills and messes while refreshing and regenerating the fine finish, and stain repellency of your stone.

рН: 8.0-8.5	🎩 gallon (CST04GL \$41.55 (ea)
Dilution Ratios: 1:2 to 1:4		\$37.40 (4)
	\$mart Buy	\$33.24 (16)

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

Viper 7

SFAI FRS



HE HYDRO-FORCE

Viper 7 is an excellent neutral cleaning agent used as a maintenance cleaner as well as to rinse and neutralize hard surfaces where alkaline or acid cleaners have been used first (such as Viper 11 or Viper 2). Viper 7 has excellent degreasing properties for a neutral cleaner, which makes it excellent for routine maintenance. Viper 7 will cut and suspend grease and soils and leave the floor sparkling clean while leaving minimal residue, improving bonding and performance of sealers.

RTU pH: 7 Dilution Ratio: 1 to 6 ounces per gallon of water

gallon CH45GL \$21.37 (ea) \$19.23 (4) \$17.10 (16)

Accelerated Tile and Grout **Cleaning Program**

Grout

Use Chart

Sandstone

Limestone Travertine

Serpentine

Man-Made Tile

Stone Flagstone

Marble

Slate

Granite

Ceramic

Porcelain Quarry Saltillo



BRIDGEPOINT

SYSTEMS

Learn everything you need to get into this lucrative business. Stone and tile identification, grout

RRRRRAR

X X A R R

composition, chemical preparations, cleaning and sealing, detail work and more. Both English and Spanish programs included.

> JS090 \$99.95




Duraprotect Impregnating Stone and Grout Sealer

Duraprotect is a highly effective solvent based stone and grout sealer that repels and resists both water based and oil based spills, stains and soil. Protects against staining and texturing changes that can be caused by many common household food and beverage spills. It is ideal for sealing and protecting stone when efflorescence is possible.



Use Chart	
Stone	
Flagstone	R
Sandstone	R
Marble	R
Limestone	R
Travertine	R
Serpentine	R
Slate	R
Granite	R
Man-Made Tile	
Ceramic	Х
Porcelain	Х
Quarry	А
Saltillo	R
Grout	R

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only



Want to add stone cleaning and polishing to your services? We can help.

See pages 129-134.



Solidrock Premium Stone & Grout Sealer



BRIDGEPOINT

SYSTEMS

The preferred impregnating sealer to protect stone, tile and grout without effecting slip resistance. Durable Solidrock makes cleaning easier. The latest bonding and protection technology provides maximum protection against most spills, spots and stains.

: 8.0	gallon CST20GL \$81.55 (ea)		
ution Ratio: RTU			\$73.40 (4)
	\$mart E	Buy	\$65.24 (16)

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

Use chart	
Stone	
Flagstone	R
Sandstone	R
Marble	R
Limestone	R
Travertine	R
Serpentine	R
Slate	А
Granite	R
Man-Made Tile	
Ceramic	Х
Porcelain	Х
Quarry	Х
Saltillo	А
Grout	R



Revive Stone Color Enhancer and Sealer

Revive is designed to reveal and highlight the brilliant colors hidden in stone. Revive is safe on any interior stone surface but is especially effective on slate, Saltillo tile, flamed or tumbled finishes and other textured or porous surfaces. The easy to use water based formula provides long-lasting protection against common household spills and soils.

pH: 4.0 Dilution Ratio: RTU gallon CST22GL \$86.95 (ea)
 \$78.26 (4)
 \$mart Buy
 \$69.56 (16)

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only





Premium Grout & Stone Sealer



Premium Grout & Stone sealer is a water-based penetrating sealer specially designed to seal porous stone, tile and grout. Treated surfaces repel and are protected against water and stains—without affecting slip resistance!

No other sealer can compare to the durability and performance of this premium product. Grout is actually strengthened when protected with Premium Stone & Grout Sealer! Effective on all grout and most absorbent and semi-absorbent stone and tile. Can be sprayed with a pump-up sprayer and worked in with a squeegee or applied with the Injectimate Grout Sealing Kit.

pH: 8.5 Dilution Ratio: RTU

quart CH06QT \$25.27 (ea) \$22.74 (12) \$20.22 (48)

gallon CH06GL \$88.67 (ea) \$79.80 (4) \$70.94 (16)

Use Chart	
Stone	
Flagstone	R
Sandstone	R
Marble	R
Limestone	R
Travertine	R
Serpentine	R
Slate	А
Granite	R
Man-Made Tile	
Ceramic	Х
Porcelain	Х
Quarry	Х
Saltillo	А
Grout	R

R=Recommended A=Acceptable X=Do Not Use O=Restoration Only

CHEMICALS

Prices subject to change without notice. Call or go online for current pricing. All products not available at every location.



HYDRO-FORCE

RTU pH= 8 Dilution Ratio: RTU

Viper Grout & Concrete Sealer

This grout and concrete sealer utilizes a unique new formula to achieve all the benefits of solvent-based grout sealers in a water-based product! It resists soils, stains, chemical degradation, biological growth and even efflorescence and offers excellent oil and water repellency and hold-out. And yet, grout sealer is vapor permeable so it lets water vapor out but doesn't let liquid water in! This is a very affordable product that is outstanding on grout and can also be used on any porous tile such as guarry or Saltillo. It provides exceptional protection at a price point you and your customers will love.

gallon CH05GL \$53.50 (ea) \$48.15 (4) \$42.80 (16)



Solvent Based Grout Sealer

This low-odor solvent-based sealer takes advantage of fluorochemical technology for oil, water and dry soil resistance just like fluorochemical carpet protectors. Solvent Grout Sealer dries in six hours and reaches full cure in 48.

HT HYDRO-FORCE

RTU pH= 8.5 Dilution Ratio: RTU Very affordable and easy to apply with the Grout Stick and can be used on any non-sealed cementitious surface (like grout). Will not change the texture or color of the existing grout when dry. Can be shipped WITHOUT hazardous freight charges!

> quart CH04QT \$24.69 (ea) \$22.22 (12) \$19.75 (48)

Visit our showroom or call in an order. See cover for information.



pH: 8.0-8.5 Dilution Ratio: RTU



RTU pH: 2.0-3.0 Dilution Ratio: 1:4-8




pH: 10.5-11.0

Dilution Ratio: 1:8-32

HydraSeal

HydraSeal Premium Stone, Concrete, and Grout Water Based Sealer preserves and protects the investment in fine floors and surfaces by providing advanced penetrating bonded protection at the molecular level. This bonded protection penetrates deep into porous surfaces and protects against water and oil based spills and stains, chemical degradation, biological growth, and efflorescence, while preserving the natural look of the surface, and not effecting slip resistance.

gallon CST94GL \$71.50 (ea) \$64.35 (4)



HydraMaster.

HydraVitalize is used to renew and restore stone, tile and grout that has not responded effectively to other types of cleaning, or that has been exposed to a build-up of hard water spots and deposits, grout haze, soap scum, pet urine deposits, rust, and efflorescence. The acid cleaning action revitalizes and renews the appearance of ceramic, porcelain and quarry tile, as well as grout, granite, slate and sandstone.

gallon CST92GL \$29.94 (ea) \$26.95 (4)

HydraStone

HydraStone Heavy Duty Stone, Tile and Grout Cleaning solution is specially formulated for the heavy duty cleaning of natural stone floors and surfaces, as well as tile and grout floors and walls. Unlike most hard surface cleaners that contain water conditioning agents and harsh solvents that can actually etch and damage a fine stone surface, HydraStone was specifically made to safely and effectively clean stone and tile surfaces.

gallon CST91GL \$25.94 (ea)

\$23.35 (4)

TILE, GROUT, AND HARD-SURFACE CLEANING SYSTEM

A) PRE-SPRAY

For extra-heavy soil and grease, use Viper Venom.

For extra-aggressive acid-side cleaning, use Viper Renew.

For common soil or greasy surfaces, use Viper 11.

For hard-water scale and soap scum, use Viper 2.

IMPORTANT: Dilute according to directions. Carefully read and follow all instructions on bottle.

B) PRESSURE RINSE

Clean and rinse with the **SX-15** and **Viper 7** neutral rinse. **Viper 7** dilutes at one ounce per gallon through portables or one quart per five gallon container for truckmounts.

C) EDGING

Use the **Gekko stand-up tool** and various attachments for edging and direct blasting of grout. Use the **SX-7** for countertops or vertical surfaces.

D) DRY AND SEAL

Use Hydro-Force Premium Stone & Grout Sealer or Hydro-Force Grout Sealer, or restore stained and discolored grout with dyes added to Clear Grout Sealer.

STONE CLEANING SYSTEM

We have recently seen a huge growth in stone flooring and countertops, and the need for stone maintenance begins almost immediately after installation. The Spinergy Stone Care Solutions line of products and chemicals can make you the go-to specialist for all of your customer's stone care needs. Whether it is their granite counter tops or marble bathroom floor, you can easily and efficiently clean, polish, and seal all stone surfaces with these products.



Download or ask us for a copy of the Spinergy Stone Care Solutions comprehensive catalog and cleaning guide. This step-by-step manual shows you how to identify specific stone surfaces and how to care for them. This easy to follow guide will have you cleaning and polishing stone surface with little investment and without having to use messy honing powders.




Stone, tile and grout chemicals. See pages 66-70 and 72-77.



SX-15, See page 132.



SX-7 hand tool, See page 134.



Catalog LB28 Free

Download the Spinergy Catalog at InterlinkSupply.com.

ALKALINE CLEANERS



RTU pH: 12 Dilution Ratio: 1:1 to 1:32



Viper Venom — The Industry's Best Selling Tile & Grout Cleaner!

Viper Venom is a high alkaline cleaner that is loaded with surfactants, solvents and builders that allow it to blast easily through years of built up, oil, filth and stains. The first choice of tile and grout professionals, you can count on Viper Venom when "clean" is the only option! Viper Venom is also very economical because you dilute it according to the situation. Mix at 32 to 1 for light cleaning, all the way to 1 to 1 for extreme situations that require extra bite.

gallon CR22GL \$22.15 (ea) \$19.94 (4) \$17.72 (16)

5 gallon pail CR22PL \$93.73



RTU pH: 11 Dilution Ratio: 32 ounces per gallon of water.



Viper 11 Alkaline Stone and Tile Cleaner

Viper 11 is an alkaline pre-treatment cleaner for stone, man-made ceramic, porcelain and quarry tile. Amazing advances in surfactant technology help Viper 11 melt away grease, stains and soil - and do it without the addition of solvents or highly caustic builders. This new high-tech tile and grout cleaning solution was designed to surpass anything currently available! Ideal for use in deep cleaning for restaurants, kitchens, and areas of high traffic. Minimal residue improves bonding and performance of sealers. Also a great maintenance cleaner.

gallon CH43GL \$20.60 (ea) \$18.54 (4) \$16.48 (16)



RTU pH: 12.0-12.2 Dilution Ratio: 2-4 ounces per gallon



Viper Peroxiblast[™] Powder

Viper Peroxiblast Powder is a synergistic product breakthrough that cleans and degreases the grungiest concrete, tile and grout floors, fixtures, and walls with a concentrated balance of surfactants and alkaline builders that are oxygen activated. This high performance, heavy-duty concrete, tile and grout cleaner and degreaser safely replaces mineral spirits and chlorinated solvent-based heavy-duty concrete degreaser products. Peroxiblast Powder penetrates concrete surfaces on contact to soften, lift, and remove a wide range of oils, soils, fats and greases. Can be safely and effectively used with virtually any hard surface floor cleaning brush or mop system.

6.5 lb. jar CH48A \$54.95 (ea) \$49.46 (4) \$43.96 (16)



PROCHEM.

Professional Tile & Grout Cleaner

Cleans ceramic tile, grout and other hard surfaces using the highpressure Prochem Hard Surface Cleaning System. Can be used on residential or commercial floors and hard surfaces, indoors and outdoors. Penetrates grout to loosen soil. Cleans grout which normal grout cleaning systems can't. No strong acids or etching.

pH 11.4-11.9 RTU

Dilution Ratio: 16-32 oz. per gallon



CHEMICALS



\$41.35 (4)

\$23.25 (4)



HydraBoost CT JiydraMaster

HydraBoost CT is a powdered high powered concrete, tile and grout cleaner/degreaser. Its powerful formula works with virtually any high powered hard surface cleaning wands such as the RX-20 with hard floor attachments, brush agitation system, automatic floor scrubber, or even a mop and bucket cleaning system.

- Effectively dissolves and emulsifies even the grimiest soils
- Effervescent solutions penetrates every crack, crevice and pore
- Ideal for heavily soiled restaurant kitchen tile floors
- Effective for surfaces exposed to high levels of grease and oil contamination

pH: RTU 11.0-12-0 Dilution Ratio: 1:32-64

Q.C.T. Quarry and Ceramic Tile Cleaner



6.5 lb jar CST93A \$45.94 (ea)

gallon CH90GL \$25.83 (ea)

Q.C.T. with OxyBreak[™] is a synergistic combination of specialty surfactants, hydrogen peroxide, and D-Limonene that quickly cleans and brightens the grimiest concrete, quarry tile, and ceramic tile and grout floors, fixtures, and walls.

Lightens and brightens grout lines without leaving water marks or residue

- Self neutralizes
- · Hydrogen peroxide's brightening power, but stabilized to avoid peroxides problems
- OxyBreak activates and boosts the power of Q.C.T.'s citrus solvents

pH: RTU 2.0-3.0 Dilution Ratio: 1:2-4





0.C.T. | OxyBreak

CLEAN

Cleans and brightens even the grungiest concrete, tile or grout, floor, fixture or wall!

HE HYDRO-FORCE



Concrete, Tile and Grout Cleaner and Brightener

- Cleans and brightens without the need for neutralization (no harsh acids)
- Effervescent solution gets into virtually every crevice, crack and pore
- A proprietary mixture of surfactants and safer solvents is activated by a stabilized oxygenated solution for maximum molecular cleaning and action brightening

RTU pH: 2.0-3.0 Dilution Ratio: 1:4-1:2

gallon CH41GL \$23.87 (ea) \$21.48 (4) **\$19.10 (16)**



RTU pH: 1 Dilution Ratio: 1:1



Viper Renew

The Last Resort On Stone, Tile And Grout!

When all other cleaners have failed, choose Viper Renew to remove soils and stubborn stains on stone, grout and tile! Containing special organic salts, Viper Renew is twice as effective as phosphoric acid at dissolving mineral deposits — and without the unpleasant fumes. It removes a very thin layer of grout or stone, taking with it all the hard water deposits, soap scum, efflorescence and staining. (Avoid contact with metals!)

gallon CH49GL \$39.28 (ea) \$35.35 (4) \$31.42 (16)



RTU pH: 2 Dilution Ratio: 1:4 (32 ounces per gallon of water).



Viper 2 Acid Cleaner

Viper 2 is an acid cleaner for manmade ceramic, porcelain and quarry tile. Use for floors or walls with mineral scale and soap scum residue or to remove embedded stains from grout. Amazing advances in high tech surfactant technology help Viper 2 cut grease on the acid side of the cleaning spectrum and do it without the addition of solvents. Viper 2 has a low-vapor formula designed to reduce irritation resulting from inhalation. Do not use on acid-sensitive surface materials like marble or limestone.

> gallon CH42GL \$19.80 (ea) \$17.82 (4) \$15.84 (16)



PROCHEM.

Restoration Tile & Grout Cleaner

For soil embedded in porous grout, salt and mineral buildup, hard water buildup, effluorescence. Restoration Grout Cleaner removes these soils with a special formula that is stronger than traditional acids, yet safer to handle. Use on ceramic tile and grout.

pH Less than 1.0 RTU Dilution Ratio: 8-32 oz. per gallon

> gallon CR52GL \$38.64 (ea) \$34.78 (4)



Concrete, Tile and Grout Brightener

Acid-based formulation brightens for that just-installed look. This product cleans and brightens tile and grout that has become discolored over time. A low pH, low odor, and low foaming cleaner, Concrete, Tile and Grout Brightener effectively removes hard water scale and rust stains from hard surfaces and brightens them for a like-new look. Great for use on pools, tub and shower enclosures - anywhere hard surfaces need thorough cleaning and brightening.

pH 0.35 concentrate

Dilution Ratio: 32-64 oz./gallon

gallon CH217GL \$33.33 (ea) \$30.00 (4)

RINSE AGENTS AND MAINTENANCE CLEANERS



Green Balance Hard Surface Cleaner



Sapphirescentrac

This heavy duty cleaner can be used on almost all types of hard surface floors - tile, grout, VCT, concrete, vinyl, linoleum, laminate, wood, and more. It is also perfect for almost any horizontal surface you need cleaned, from the dirtiest shower stall to appliances and walls.

Its synergistic combination of environmentally preferred cleaning agents dissolves, emulsifies and removes the simplest soiling and soap scum all the way to heavy build-ups of greasy, oil based soils.

RTU pH: 7.0-7.5 Dilution Ratios: Normal soiling 4 oz/gal. Heavy soiling 6 oz./gal.



CHEMICALS





Viper 7 is an excellent neutral cleaning agent used as a maintenance cleaner as well as to rinse and neutralize hard surfaces where alkaline or acid cleaners have been used first (such as Viper 11 or Viper 2). Viper 7 has excellent degreasing properties for a neutral cleaner, which makes it excellent for routine maintenance. Viper 7 will cut and suspend grease and soils and leave the floor sparkling clean while leaving minimal residue, improving bonding and performance of sealers.

RTU pH: 7 Dilution Ratio: 1 to 6 ounces per gallon of water

gallon CH45GL \$21.37 (ea) \$19.23 (4) **\$17.10 (16)**



pH 7.0-7.5 RTU

Dilution Ratios: Mop or floor scrubber: 2-4 oz. per gallon Truckmount: 32 oz per gallon

PROCHEM.

SFALFRS

Tile & Grout Rinse

Viper 7

Tile and Grout Rinse is a professional strength cleaning rinse for pressure cleaning ceramic tile and grout. Use with Professional Tile and Grout Cleaner or Restoration Grout Cleaner for the most effective 2-step tile and grout cleaning. Tile and Grout Rinse effectively removes alkaline or acidic residues from the cleaning step, and completes the cleaning process during tile extraction. Prepares floors for the application of grout sealer.

sallon Call for pricing



pH 7.0-9.0 RTU Dilution Ratio: 1 to 4 ounces per gallon of water

Sapphirescentre

Neutral Floor Cleaner

Cleans and restores hard surfaces. Provides an excellent no-rinse for all hard surfaces. A neutral pH formulation makes this product perfect for regular cleaning. Neutral Floor Cleaner can be used on coated materials such as vinyl or floor tiles, and is also safe for use on natural stone. Keep the "in-between clean" with Neutral Floor Cleaner!

gallon CH216GL \$22.10 (ea) \$19.89 (4)



Premium Grout & Stone Sealer



Premium Grout & Stone Sealer is a water-based penetrating sealer specially designed to seal porous stone, tile and grout. Treated surfaces repel and are protected against water and stains—without affect-ing slip resistance!

No other sealer can compare to the durability and performance of this premium product. Grout is actually strengthened when protected with Premium Stone & Grout Sealer! Effective on all grout and most absorbent and semi-absorbent stone and tile. Can be sprayed with a pump-up sprayer and worked in with a squeegee or applied with the Injectimate Grout Sealing Kit.

RTU pH: 8 Dilution Ratio: RTU quart CH06QT \$25.27 (ea) \$22.74 (12) **\$20.22 (48)** gallon CH06GL \$88.67 (ea) \$79.80 (4) **\$70.94 (16)**

www.interlinksupply.com



RTU pH= 8 Dilution Ratio: RTU

HF HYDRO-FORCE

Viper Grout & Concrete Sealer

This grout and concrete sealer utilizes a unique formula to achieve all the benefits of solvent-based grout sealers in a water-based product! It resists soils, stains, chemical degradation, biological growth and even efflorescence and offers excellent oil and water repellency and hold-out. This grout sealer is vapor permeable so it lets water vapor out but doesn't let liquid water in! It provides exceptional protection at a price point you and your customers will love.

> gallon CH05GL \$53.50 (ea) \$48.15 (4) **\$42.80 (16)**



RTU ph - 11.0 Dilution Ratio: RTU

Viper Concrete & Stone Densifier

Viper Concrete and Stone Densifier is ideal for use on softer stones, existing aggregate and concrete of any age. It fills in pores and capillaries in concrete for a smoother surface and to increase surface density to achieve a higher gloss when polishing. Using Viper Concrete and Stone Densifier on concrete before polishing will speed up the results and enhance the resulting shine on the floor. It will also decrease the amount of sealer needed to seal the floor.

> gallon CH50GL \$49.95 (ea) \$44.96 (4) **\$39.96 (16)**



Business-Building Postcards and Brochures

Let your carpet cleaning customers know about the tile and grout cleaning services you offer. Take advantage of our highly affordable and customizable 4-color postcards and brochures! Simply go to www. bridgepoint.com to customize yours.

Postcard LP36 \$0.28
 Brochure LB115 \$0.29



RTU pH= 8.5 Dilution Ratio: N/A

HF HYDRO-FORCE



pH 7.9-8.4 RTU

Dilution Ratio: RTU



pH 6.0-9.0 RTU Dilution Ratio: RTU



Solvent Based Grout Sealer

This low-odor solvent-based sealer takes advantage of fluorochemical technology for oil, water and dry soil resistance just like fluorochemical carpet protectors. Solvent Grout Sealer dries in six hours and reaches full cure in 48. Very affordable and easy to apply with the Grout Stick and can be used on any non-sealed cementitious surface (like grout). Will not change the texture or color of the existing grout when dry.

> quart CH04QT \$24.69 (ea) \$22.22 (12) \$19.75 (48)

Water Based Tile and Grout Sealer

Provides long-lasting protection for grout lines, and for porous stone and tile. Penetrates deep into the surface to repel everyday dirt and grease, as well as food spills and stains. The latest fluoropolymer ingredients effectively seal the surface, making routine cleaning and maintenance easier. Water-based formula allows for fast convenient application.

gallon Call for pricing

Penetrating Tile and Grout Sealer

Seals and protects hard surfaces from soiling and staining. This product provides long-lasting protection to hard surfaces. Applied to newlycleaned surfaces, Penetrating Tile and Grout Sealer absorbs into the material, creating a barrier to stains and soiling. Water will bead up on treated surfaces, and oil based soils will be easier to remove. Makes makes regular cleaning easier, too.

gallon CH218GL \$88.89 (ea) \$80.00 (4)

www.interlinksupply.com

Concrete, Tile and Grout Procedures

79

CONCRETE, TILE AND GROUT CLEANING SYSTEM

Cleaning and Brightening Concrete Floors

 For normal soiling, mix 32 ounces (1 quart) of Viper Peroxibright CTG with gallon of warm or hot water (1:4) into a professional sprayer. For heavy soiling, mix two quarts (64 ounces) of Viper Peroxibright CTG with a gallon of warm or hot water (1:2) into a professional sprayer.



2. Apply mixed solution with sprayer evenly and liberally across surface to be cleaned. You can use a pump-up sprayer or a battery powered

sprayer like the **Flexi-Pro**. If preferred, you can apply mixed solution with a damp mop, sponge, or other appropriate professional equipment.

- 3. For best results, agitate and extract cleaning solution using warm or hot water and a rotary agitation surface cleaner such as a Hydro-Force SX-15 or SX-7. For tight spaces or especially sensitive surfaces, use the Hydro-Force Gekko Hard Surface Extraction Tool, or simply mop to rinse with clean warm or hot water.
- 4. When area has been rinsed thoroughly. Allow floor to dry. Accelerate drying with air mover like the **Hydro-Force Air King** or **OmniPro OmniDry Air Mover**.

Cleaning and Degreasing Concrete Floors

Viper Peroxiblast Powder is a high performance, alkaline, heavy-duty concrete, tile and grout cleaner and degreaser that safely replaces mineral spirits and chlorinated solventbased heavy-duty concrete degreaser products. Viper Peroxiblast Powder penetrates concrete surfaces on contact to soften, lift, and remove a wide range of oils, soils, and greases.



1. For normal soiling, mix 2 ounces of Viper

Peroxiblast Powder with one gallon of warm or hot water into a professional sprayer. For extreme soiling, mix 3-4 ounces of powder with a gallon of warm of hot water into a professional sprayer. For application through a **Hydro-Force Inline Injection Sprayer**, mix 12 oz. of powder and fill container with water. Use 4:1 dilution.

2. Apply mixed solution with sprayer evenly and liberally across surface to be cleaned. If preferred, you can apply mixed solution with a damp mop, sponge, or other appropriate professional equipment.

- 3. Allow for 5 -10 minutes of dwell time. For concrete, if stains have been deeply absorbed, allow 15 minutes of dwell time so the solution has time to reach into the concrete pores and crevices and the oxygen activated effervescent solution can dissolve the soiling and lighten discoloration.
- 4. For best results, agitate and extract cleaning solution using warm or hot water and a rotary agitation surface cleaner such as a Hydro-Force SX-15 or SX-7. For tight spaces or especially sensitive surfaces, use the Hydro-Force Gekko Hard Surface Extraction Tool, or simply mop to rinse with clean warm or hot water.
- 5. When area has been rinsed thoroughly, allow floor to dry. Accelerate drying with air mover like the **Hydro-Force Air King** or OmniPro OmniDry Air Mover.

Densifying a Concrete Floor

Concrete is by nature a porous material, with pores formed by water evaporation during curing. These pores interfere with surface uniformity, and make the slab more susceptible to staining from spilled liquids. Viper Concrete and Stone Densifier fills in pores and capillaries in concrete for a smoother surface and increases surface density so you can achieve a higher gloss.

Directions

Pretesting:

Floor temperature should be above 50 degrees F and below 100 degrees F for several hours before and after application. If applied outside, it should not rain for several hours after application. Spray section with water to determine if absorbency is consistent. Wax or urethane or other topical coatings need to be thoroughly stripped before application.

Cleaning:

Surface needs to be structurally intact and thoroughly cleaned before application. Do not use pine or d'limonene-based cleaners without additional rinsing. Application can start as soon as surfaces are dry.

Application:

Apply enough diluted solution to wet the surface without forming puddles. Spread evenly with soft synthetic brush. Surface should look dry in 5 to 10 minutes. Any areas that dry prematurely should be sprayed again. Allow treated surfaces to dry. After drying, remove any powdered residue using a stiff brush before continuing. At this point the floor can be polished and/or sealed. Polishing time will be reduced and less surface will absorb less sealer. Adjust procedures and/or applications appropriately.

Wood Floor Care



80

CHEMICALS

RTU pH: 8 Dilution Ratio: 32 oz./Gal.

NEW Wood Fresh Hardwood Cleaner

Wood Fresh Hardwood Cleaner is designed to be used as a neutralizing rinse in an extraction machine designed for wood following the use of Heavy Duty Hardwood Cleaner in the extraction cleaning system. This cleaner is also used in our abrasion cleaning system with the rotary floor machine and maroon pad to remove the surface soil and embedded dirt. It will also remove scuff marks and other imperfections.

gallon CW025GL \$21.75 (ea) \$19.58 (4) \$17.40 (16)



HF HYDRO-FORCE

NEW Heavy Duty Hardwood Cleaner

Heavy Duty Hardwood Cleaner is designed to only be used with the extraction cleaning system in an extraction machine designed for wood. It is an aggressive cleaner that should not be used as a prespray.

RTU pH: 11

Dilution Ratio: 32 oz./Gal.

gallon CW026GL \$24.95 (ea) \$22.46 (4) \$19.96 (16)



DVD - Hardwood Floors -Cleaning and Preservation

It's easy to become proficient and successful using the Hydro-Force Hardwood Floor Cleaning and Preservation System. It only takes 15 minutes to watch the DVD which will take you through a step by step process. Once you have the basics, and get the equipment and products, you are ready to go to work.

LA17



NEW Hardwood Preservation Finish Satin or Gloss

Hardwood Preservation Finish (Gloss or Satin) is designed to be used as a preservation finish over an existing urethane finish over a hardwood floor. It is a low solid blend of urethane and acrylic so that it can be easily applied over a urethane finish after a thorough cleaning and a properly prepared base finish. The base finish can be prepared by the extraction or abrasive cleaning method. This preservation finish serves as the wear coat and protects the original finish of the floor.

Satin, gallon CW033GL \$52.95 (ea) \$47.66 (4) \$42.36 (16)

RTU pH: 7.8 Dilution Ratio: RTU

Gloss, gallon CW032GL \$52.95 (ea) \$47.66 (4) \$42.36 (16)

HARDWOOD FLOOR Equipment and Accessories

See page 136 for hardwood floor equipment and accessories.



www.interlinksupply.com



Wood Product Brochure

An attractive well-done brochure explaining the complete Hydro-Force Wood Cleaning System to your customer. Not customizable. Sold in packets of 50.

> LB73 \$.29 (ea) \$.28 (250)

CHEMICALS

81

HARDWOOD FLOOR CLEANING AND PRESERVATION SYSTEM Hardwood floors are gaining in popularity. Millions of square feet are installed each year. In many homes, carpet is out and hardwood is in. Professional cleaners may now take advantage of a simple, safe, cleaning and preservation system designed to prolong the life and restore the shine to hardwood. Increased income, higher profit and satisfied customers will be the result for the profes-

Before You Begin

sional who embraces this system.

It's easy to become proficient and successful using the Hydro-Force Hardwood Floor Cleaning and Preservation System. It only takes 15 minutes to watch the DVD which will take you through a step by step process. Once you have the basics, and get the equipment and products, you are ready to go to work.

1. Clean & Prep

- · Vacuum or dust mop the floor to remove all soil. Do not use a treated dust mop.
- Mix one part Heavy Duty Hardwood Cleaner with 4 parts warm water in the cleaning machine.
- With the solution pumping, the brush rotating and the vacuum turned on, begin moving the machine forward at a moderate speed. Reverse on the same line at the same speed. Continue into the next area with the same procedure. Wipe up any remaining solution with an absorbent flat mop.
- Mix one part Wood Fresh[™] Hardwood Cleaner with 4 parts warm water in the cleaning machine.
- Proceed to clean and neutralize the complete floor in the same manner as explained above.

Helpful Hints

- Traffic: Allow one hour dry time before allowing stocking feet onto the finish. Allow 24 hours before shoe traffic and replacing furniture. Allow 48 hours before replacing rugs. Remember that this is a great time to take oriental rugs off site to clean them, returning them within a week. We suggest you offer your customer shoe covers to wear over their shoes for the next couple of davs.
- · Pregualify: The pre-inspection and pregualification step is essential for the success of each job. The system emphasizes the importance


of preserving the original finish, so hopefully the customer will never have to go through the messy process of sanding and recoating their hardwood. This system does not make damaged or heavily scratched floors look like new. That does not mean the customer will not be thrilled with the results. but to give that thrill to the customer, realistic expectations need to be established. We suggest you under promise and then over perform.

• Important Step: The cleaning and preparation steps are important. The two cleaners both clean and treat the

2. Apply Preservation Finish


- With customer approval, choose Gloss or Satin Finish.
- The finish may be applied with a flat mop using either a clean cotton terry cloth cover or a microfiber cover. 30 minutes prior to applying the finish, the container should be gently rocked to mix the ingredients.
- Start in the furthest area from your exit. Apply a small amount of finish in a 4 or 5 foot area, spreading it thinly and uniformly as you work your way back toward the exit door.
- If a second coat is desired, allow one hour before applying.

ATINE



LOSS Fin

· Cleaning Only: Hardwood floors are generally dirty - much dirtier than most customers realize. This gives the professional an option for cleaning only. Using the two part cleaning system with a quality machine will make a big difference in the look of a soiled floor. If cleaning is performed without the preservation finished being applied, avoid shoe traffic for two hours following the cleaning.







82 Disinfectants/Biocides



Benefect

RTU pH: 5-6 Dilution Ratio: RTU (Covers 1,000-1,200 Sq. Ft./Gallon)

Benefect Broad Spectrum Disinfectant

EPA Registered Restoration Disinfectant

Now there's a restoration grade, broad spectrum disinfectant for all categories of water damage, and even mold remediation and trauma scene clean-up that has earned the highest safety rating from the EPA (a category IV safety profile for ALL 6 routes of exposure)! You can use Benefect with total confidence around your customers, your technicians, children, pets, the elderly and even people with chemical sensitivities!

> gallon CD02GL \$39.99 (ea) \$37.95 (4)

> pail CD02PL \$179.96 (ea)
> drum CD02DR \$1649.99 (ea)



Sporicidin® Disinfectant Solution

Sporicidin Disinfectant Solution can be used with complete confidence in the most challenging restoration situations such as mold remediation, sewage decontamination and trauma scene clean-up. Sporicidin is EPA-registered to clean, disinfect and deodorize in one step and provides continual residual antimicrobial protection for up to six months!

 Image: Sporicidin
 Image: Sporicidin

 Image: Sporicidin
 Image: Sporicididin

Benefect[®] DECON 30----



New Light Scent!

Kills Over 99.99% of Bacteria in 30 Seconds!

ALL Botanical Disinfectant Cleaner A New Cleaner Disinfectant Specifically Formulated For Restoration. The ability to kill bacteria with only 30 seconds dwell time makes Decon 30 the best solution to real-world needs of restoration professionals. From porous walls and wood framing to concrete, contents & carpets, new Decon 30 effectively eliminates odors produced by odor-causing bacteria, fungi & other odorcausing organisms. Also a food contact sanitizer with no rinse or wipe required.

A One-Step, Ready-to-Use, Hospital Disinfectant Cleaner. Decon 30 kills gram positive and gram negative microorganisms; Salmonella, Staph, Pseudomonas, E coli. plus Flu, H1N1, Rhinovirus (Common Cold).

Applications: Ideal for decontamination, preventing cross-contamination, cleaning, disinfecting and deodorizing in water damage applications. Effectively eliminates odors produced by odor-causing bacteria, fungi & other organisms on concrete, wood framing & studding, trim & subfloors.



Disinfectants/Biocides



Microban Disinfectant Spray Plus

microhan

When you have to be sure-choose Microban! Microban Disinfectant Spray Plus is a water-based, bactericide, fungicide, deodorant, antimicrobial all in one unique formulation. It kills gram negative bacteria found in sewage backups, toilet overflows and other gray and black water situations, so no matter what type of water damage you can be sure! Microban Disinfectant Spray Plus' powerful antimicrobial action kills allergy and disease-causing germs, bacteria, fungi, mold, and mildew and is E.P.A. registered for both spraying and fogging. Disinfectant Spray Plus is recognized by major insurance companies.

PRORESTORE

gallon CD62GL \$43.12 (ea)

83

\$38.81 (4)

CHEMICALS



RTU pH = 3.5 Dilut.= RTU

BotaniClean kill-claims include:

- Tuberculosis
- MRSA
- H1N1
- HIV

NEW

 Gram positive and gram negative microorganisms



With new BotaniClean less is more!

No PPE required

RTU pH = 7

Dilut.= RTU

- Unique formulation
- Mild, pleasant fragrance without harsh fumes
- EPA Category IV rating, which means no warning or danger labels
- · Economical lower cost to produce is passed on to you!
- No additional rinsing or wiping required when disinfecting and deodorizina
- For use on food contact surfaces when used as directed
- Biodegradeable detergent
- Ready-to-use convenience
 - gallon CD601GL \$33.14 (ea) \$29.83 (4)



NEW Benefect Botanical Decon 30



From pipes bursting to dishwashers leaking, many water loss jobs happen in the kitchen. Being a Food Surface Contact Sanitizer means restorers can decontaminate sensitive kitchen surfaces without rinsing, wiping or leaving behind synthetic chemical residue.

RTU pH = N/ADilut.= RTU



crohar

PRORESTORE

RTU pH = 12.4

Dilut.= 2 oz./gal.

Microban Germicidal Cleaner

Microban Germicidal Cleaner is an E.P.A. registered disinfectant, fungicide, virucide, sanitizer, mildewstat, deodorizer and heavy duty cleaner. Microban Germicidal Cleaner is effective against molds, mildews, fungi, bacteria and viruses (including HIV-1, AIDS, MRSA, Herpes Simplex Types I and II) and inhibits the growth of mold and mildew. Microban Germicidal Cleaner is appropriate for residential and commercial uses, and can combat strong odors associated with bacteria, mold and mildew, as well as odors from urine and vomit. The highly-concentrated formula can be used to sanitize most surfaces (it sanitizes nonporous surfaces at 0.5 ounce per gallon).

gallon CD65GL \$34.16 (ea) \$30.74 (4)

gallon CD33GL \$33.67 (ea) \$31.99 (4)

www.interlinksupply.com

Anti-Allergen



84

RTU pH: 10 Dilution Ratio: 12 oz./Gal.



RTU pH: 9.2 Dilution Ratios: Portables: 2 oz./5 Gal. Truckmounts: 1 Qt./5 Gal. Water



RTU pH: 6.5 **Dilution Ratio: RTU**



Anti-Allergen Hypo-Allergenic Prespray

Anti-Allergen Prespray is a water based, hypo-allergenic carpet and upholstery pre-spray derived from renewable plant source surfactants. It is environmentally safe and California CARB compliant and does not contain solvents, perfumes, phosphates or any other hazardous materials.

gallon CG52GL \$35.49 (ea) \$31.94 (4)

Anti-Allergen Hypo-Allergenic All Fiber Rinse

Anti-Allergen All Fiber Rinse removes soils and any detergent residues, even from prior cleanings. Unlike many green cleaners, All Fiber Rinse is alkaline and therefore has the cleaning ability to fracture the allergen proteins off of fibers so they can be removed.

gallon CG56GL \$22.58 (ea) \$20.32 (4)

Allergy Relief Treatment

Allergy Relief Treatment is a waterbased, hypo-allergenic solution that contains a powerful active ingredient derived from naturally occurring extracts found in certain fruit seeds and plants that instantly denatures allergens so they're no longer "recognized" by the body's immune system.

gallon CG58GL \$59.19 (ea) \$53.27 (4)

After-Care Instruction Sheet

This informative brochure tells your customers how to care for their carpet and upholstery immediately following your anti-allergen cleaning, as well as lists some of the benefits of the hypo-allergenic products used in your operation.

100 pack LB121 \$24.00



RTU pH: 2.6 Dilution Ratio: Ready To Use



RTU pH: 9 Dilution Ratio: 12 oz./Gal.



Allergy Relief Laundry Treatment

Allergy sufferers can now treat their bedding during the rinse cycle to inactivate allergens found in sheets, pillowcases, etc. Allergy Relief Laundry Treatment inactivates these allergens, rendering them incapable of triggering allergic reactions.

> gallon CG59GL \$18.09 (ea) \$16.28 (4)

Anti-Allergen Deodorizer

Anti-Allergen Deodorizer is an outstanding deodorizer for mattresses or other odor problems on carpet and upholstery for people with allergies, chemical sensitivities or environmental illnesses.

> 馬 gallon CG50GL \$41.17 (ea) \$37.05 (4)



Asthma and Allergy Relief **Brochures**

This brochure educates your customers on allergens and Masterblend's Responsible Care system of cleaning and treatment. This is a great brochure for your clients that suffer from allergies. It comes in two sizes - tri-fold brochure and full-size booklet.

> Tri-Fold LB122 \$.25 Full Size LB123 \$.60



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.



Green Cleaning/Environmental

CHEMICALS

ARPET CLEANING





RTU pH: 8

Dilution Ratios: 1:32 Normal Soiling: 4oz./Gal. 1:21 Extreme Soiling: 6 oz./Gal. Hydro-Force Sprayer: Mix 1:1 and use yellow tip.

Green Balance Carpet Prespray

This prespray uses advanced surfactant technology instead of solvents to rapidly dissolve tough oil-based soils. Unlike many other green cleaners, Green Balance utilizes a mildly alkaline formula that delivers significantly better cleaning than acid side cleaners.

Green Balance Prespray has been formulated based upon information supplied by the leading green certification program for environmentally preferred cleaning products. Highly concentrated for economic use at 32 to 1 for normal soiling conditions. Safe for wool and all synthetic carpets.

gallon CC11GL \$32.59 (ea) \$29.33 (4) \$mart Buy \$26.07 (16)




Green Balance Carpet Extraction Rinse Designed to work in conjunction

with Green Balance Prespray, Green Balance Extraction Rinse is a mildly alkaline formula designed to deliver additional cleaning power often missing from acid side "green" cleaners.

In addition, Green Balance Extraction Rinse also incorporates advanced polymer technology to prevent rapid resoiling and keep carpets clean longer. Formulated based upon the information supplied by the leading green certification program for environmentally preferred cleaning products.







RTU pH: 2.5 - 3

Dilution Ratios: Portables: 2 oz./5 Gal. Truckmounts: 1 Qt./5 Gal. Water

Green Balance Neutralizing Rinse

Green Balance Neutralizing Rinse is ideal as an extraction rinse or postcleaning topical spray. This acid rinse leaves carpet fibers absolutely their cleanest, free from both soil and detergent residue. Then, stateof-the art polymer technology insures that carpet won't resoil due to detergent residues. It stabilizes dyes, prevents browning and yellowing, pH neutralizes the carpet, and leaves a soft luxurious feel. Formulated based upon the information supplied by the U.S. EPA DFE program and other green programs for environmentally preferred cleaning products.

gallon CR03GL \$22.95 (ea) \$20.66 (4) \$mart Buy \$18.36 (16)

HARD SURFACE



Dilution Ratios: Normal soiling

4 oz/gal. Heavy soiling 6 oz./

Surface Cleaner This heavy duty cleaner can be used

Green Balance Hard

on almost all types of hard surface floors - tile, grout, VCT, concrete, vinyl, linoleum, laminate, wood, and more. It is also perfect for almost any horizontal surface you need cleaned, from the dirtiest shower stall to appliances and walls.

Its synergistic combination of environmentally preferred cleaning agents dissolves, emulsifies and removes the simplest soiling and soap scum all the way to heavy build-ups of greasy, oil based soils.





RTU pH: 8-8.5

Dilution Ratios: 1:64 Portables: 2 oz./5 Gal.

Truckmounts: 1 Qt./5 Gal. Water

The Carpet and Rug Institute (CRI) Seal of Approval

The CRI Seal of Approval program identifies effective carpet cleaning solutions that clean carpet right the first time and protect a facility's carpet investment. Look for the blue and green CRI Seal of Approval.

RTU pH: 7.0-7.5

aal.

86 Green Cleaning/Environmental







Dilution Ratio: 1:32

Encapuclean Green DS

- DS is for Double Strength Highly economical at a 1:32 Dilution
- It's Green with the huge bonus of being an amazingly effect cleaner
- Initially used in an encapsulation system, now gaining ground as an overall preconditioner

Encapuclean Green DS employs an exclusive, proprietary non-hygroscopic polymer that allows for even faster drying times. Encapuclean Green DS contains no alcohol or solvents to try and speed up drying. Its exclusive formula does not need them. Encapuclean Green DS works effectively and is compatible with your favorite method of agitation cylindrical, rotary brush, Cimex®, oscillating and orbital, and bonnet.

gallon CC15GL \$39.95 (ea) \$35.96 (4) \$31.96 (16) \$mart Buy

ET PROTECT EncapuGuard GREEN

- · Excellant protector at a low cost per sq. ft.
- Prevents soil and stain wick back - particularly effective on low pile commercial carpet
- Can be used through an extractor
- Every truck should have a gallon to use when the customer complains of stains reappearing

EncapuGuard GREEN employs the use of soil resistance, stain protection, wicking prevention, and residue neutralizing technology. EncapuGuard GREEN replenishes the soil resistance and stain protection that came with your customer's new carpet. It enhances "cleanability" and spot and stain removal with exclusive encapsulating polymer protection.

 gallon C	R13GL	\$26.80	(ea)
		\$24.1	2 (4)
\$ mart Buy	\$	21.44	(16)

AXIOM Clean Extraction

Use as an extraction detergent

for hot-water extraction cleaning

of wool and synthetic carpet and

use with Axiom Clean Pre-Spray.

water-cleanable upholstery. For ef-

fective 2-step cleaning combination,

• Top cleaning performance, for residential and commercial

Liquid, easy to use and dilute

Economical 1:320 dilution rate

Detergent



PROCHEM

AXIOM Clean Prespray

Use as a cleaning pre-treatment for wool and synthetic carpet and water-cleanable upholstery, using hot-water extraction. For effective 2-Step cleaning combination, use Axiom Clean Pre-Spray with Axiom Clean Extraction Detergent or Axiom Clean Free Rinse.

· Removes Oily and Greasy Soils from Traffic Lane and Spots

pH: 8.0-8.8 ready to use

Dilution Pump Sprayer: 4 oz. per gallon Power Injection Sprayer: 1-1/2 to 2-1/2 guarts per 5 quarts

gallon CC74GL \$35.31 (ea) \$31.78 (4)



BRIDGEPOINT

SYSTEMS

Dilution Ratios: 1:8 Pump or

Electric Sprayer: 16 oz./Gallon.

Hydro-Force Sprayer: Use full

strength with yellow tip

RTU pH: 3.5

Dilution Ratios: Portables: 2 oz. per 5 gallons Truckmounts: 1 qt. per 5 gallons

pH in dilution is 7.5-8

gallon CC75GL \$44.56 (ea) \$40.10 (4)

PROCHEM

Green Cleaning/Environmental

CHEMICALS

87

SPOT & STAIN REMOVAL





pH in dilution is 7.5-8.0 Dilution Ratio: RTU



PROCHEM

pH in dilution is 4.8-5.2 **Dilution Ratios:** Portables: 2 oz. per gallon Truckmounts: 1 qt. per 5 gallons

Perky Spotter®

An effective non-toxic, ecologically safe all purpose cleaner for spot and stain removal on carpeting, upholstery, and clothing. Perky Spotter® is an odorless, water-based chemical that is safe to use around children and pets. Approved for all stain resistant carpets. Available in five sizes: 8 oz., wipes, 32 oz., 32 oz. Trigger Spray, and 1-gallon.

> 8 oz. CS40E \$2.84 (ea) \$2.56(24)

quart CS40QT \$11.21 (ea) \$10.09 (12)

32 oz. Spray CS40S \$11.73 (ea) \$10.56 (12)

> gallon CS40GL \$20.87 (ea) \$18.78 (4)

AXIOM Clean Free Rinse

Use as an extraction rinse for wool and synthetic carpet and watercleanable upholstery, using hot water extraction methods. For effective 2-Step cleaning, use with Axiom Clean Pre-Spray.

- · Formulated to meet or exceed major environmental green program guidelines
- Biodegradable, phosphate-free and voc compliant

gallon CC76GL \$22.91 (ea) \$20.62 (4)

NCAPUSULATION/ TERIM MAINTENANCE



PROCHEM

pH in dilution is 7.0-8.0 **Dilution Ratios:** 1-4 oz. per gallon



PROCHEM

pH in dilution is 7.0-8.0 Dilution Ratios: 1-32 oz./gal. depending on use

AXIOM Clean Foam Shampoo

Use for rotary, bonnet and foam extraction of wool and synthetic carpet and water-cleanable upholstery. Prochem's Axiom Clean Foam Shampoo is fully biodegradable, phosphate-free and VOC compliant.


- Powerful Professional Foam Shampoo for Residential and Commercial Carpet and Upholstery
- Mild pH is Safe for all Carpet ٠ including Wool and Stain-**Resistant Nylon**
- Polymer Technology Leaves No Sticky Residues to Attract Soil

Call for price.

AXIOM Clean Multi-Surface Cleaner Use for cleaning floors, walls, appliances, countertops, sinks, automotive, driveways, garages, and other hard surfaces. Proven hard-surface cleaning performance, verified in independent laboratory testing

Heavy-duty formula removes the toughest oily and greasy soils

Non-flammable product removes • grease and oil safely






AXIOM Clean Deodorizer **PROCHEM**

Use to remove unpleasant organic odors from nylon and olefin carpet and most water-cleanable upholstery. Use in combination with the Axiom Clean 2-step system for complete carpet maintenance.

- Removes Organic Odors from Carpet and Upholstery
- · Formulated to Meet or Exceed Major Environmental Green Program Guidelines
- Mild pH is Safe for Stain-Resistant Carpet ٠

pH in dilution is 7.5-8.5 Dilution Ratios: 32 oz. per gallon



RUG CLEANER

Wool Perfect

- Extremely Concentrated Dilutions from 1-16 to 1-32
- Balanced blend of various types of cleaning agents to work on diverse soils found in wool rugs
- Versatile works like typical prespray and has enough lubrication to work like shampoo in pit or bath washing applications
- "Wool Safe" Approved
- Refined new superior chemical technology not available five years ago
- gallon CW15GL \$41.95 (ea) \$37.76 (4) \$33.56 (16) \$mart Buy

Natural Fiber Cleaner

Cleans natural fibers thoroughly and safely and leaves a silky hand feel. Natural Fiber Cleaner is one of the most important advances in upholstery care in years. Specifically designed to prevent the bleeding or browning that often occurs with natural fibers like cotton. Natural Fiber Cleaner greatly reduces the chance of damaging fabrics and leaves them soft and dye-stable. In most situations only a clean water rinse is required. This saves time and material costs.

gallon CC206GL \$36.90 (ea) \$33.21 (4)



RTU pH - 9 Dilution Ratio: 1 oz./Gallon

Sacohirescientific



RTU pH: 7.8-8.2 Dilution Ratio: 4 oz./gallon

Area Rug Cleaner and Deodorizer

In-plant cleaner for area rugs. This highly effective area rug cleaner and deodorizer tackles the toughest soiling and odor problems in area rugs. Can also reverse water staining. Safe for use on wool and other natural fibers. May also be used on upholstery. Follow with a neutralizing rinse. Recommended for in-plant use only.

gallon CC207GL \$85.13 (ea) \$76.62 (4)

PROCHEM

Fine Fabric Prespray

Concentrated Prespray made especially for the wool and cotton fabrics found in the upholstery industry. Approved by the WoolSafe organization as safe on wool fabrics. A blended product of solvents and detergents designed to out-perform other products in the fabric industry.

gallon CU79GL \$34.37 (ea) \$30.93 (4)

RUG SHAMPOC



Fabric Shampoo


BRIDGEPOINT SYSTEMS

Fabric Shampoo is a truly "built" product loaded with surfactants to deliver a rich foam when used in rotary shampoo applications or a thick dry foam when performing upholstery shampoo foam or wool cleaning. Slightly acidic, Fabric Shampoo is safe for use on synthetics and wool and won't promote resoiling.

RTU pH: 6.5 Dilution Ratio: 4-6 oz./Gallon

gallon CU61GL \$25.45 (ea) \$22.91 (4) \$20.36 (16) \$mart Buy







RTU pH - 3.0-4.0 Dilution Ratio: 4-12 oz./Gallon



NEUTRALIZING AND CLEANING RINSE



RTU pH - 3.0-3.5 Dilution Ratio: 1:320



Wool Zone

- Unique uses a proprietary acidic rinse agent that has been used to scour raw wool in the early stages of wool processing
- Limits Residue proprietary rinse agent helps remove more soil than acids alone. The anionic hydrotope also hardens remaining residue making it more brittle and easier to vacuum away
- Limited Wetting uses an anionic hydrotope to provide enough wetting to follow the prespray into the carpet to perform the rinse function effectively
- Protects your Equipment contains two special corrosion inhibitors to protect your equipment

gallon CW16GL \$29.95 (ea) \$26.95 (4) \$23.96 (16)



Dye-Loc

BRIDGEPOINT

This unique, patented formula prevents both color bleeding and color crocking in multi-colored upholstery. Use as a pre or post spray at 3 oz./ Gallon.

.	quart CF	R14QT \$26.99 (ea) \$24.29 (12)
\$n	nart Buy	\$21.59 (48)
	gallon Cl	R14GL \$81.07 (ea)
		\$72.96 (4)
\$n	nart Buy	\$64.86 (16)

RTU pH: 5.5 Dilution Ratio: 1:320



PROCHEM

Fine Fabric Cotton Detergent

Powdered detergent built with moderated bleaches for the most effective cleaning of all white cotton fabrics. Excellent for extraction and low moisture cleaning of white fabrics.

pH 5.0-7.0 RTU Dilution Ratios: 4 oz. per gallon

6.5 lb. jar Call for pricing



Dilution Ratio: 1:4 - 1:6

SYSTEMS

BRIDGEPOINT

Wool Medic – Dye **Stabilizer - Urine Rinse**

- Sets Dyes Proper balance of acid needed to set most dyes prior to cleaning. Use Dye-Loc for extreme bleeders
- Assist Flushing of Urine special surfactant, solvents and rinse additive combines with acid to help neutralize urine salts, break down lipids and assist the flushing of the rug with the Water Claw, Flash Extractor or immersion techniques

gallon CW17GL \$29.95 (ea) \$26.96 (4) \$mart Buy \$23.96 (16)



RTU pH: 2 Dilution Ratio: 1:1 - 1:4

Sapphirescientific

Dye Stabilizer and Rinse

Prevents dye loss and migration and rinses thoroughly. Dye Stabilizer and Rinse prevents fugitive dyes from redepositing. Can help correct dye migration from previous cleaning attempts. Especially useful on area rugs. Use as a rinse extraction after cleaning.

- Much lower odor compared to acetic acid formulations
- Protects neighboring fibers from dye migration
 - gallon CC208GL \$19.96 (ea) \$17.96 (4)

\$mart Buy





RTU pH: 7 Dilution Ratio: 1:32 - 1:42





Dilution Ratio: 1:16



Oxybuff Cotton Shampoo -Fringe Cleaner

- Easy to Mix powder blend of Boost All, Buff All and Fabric Shampoo. No longer any need to mix up three ingredients in a special recipe. Measure out 3 to 4 ounces with gallon of hot water in bucket
- Easy to Apply Apply foam to fringe with soft brush. Some areas may need extra agitation with a hard brush
- Efficient with System Apply to fringes of several rugs at a time. After sufficient dwell time, extract rugs and fringes at same time with Wool Zone

 8 lb. jar CU62A \$66.24 (ea) \$59.62 (4)
 \$52.99 (16)

Hydrocide for Wool – Odor Neutralizer

- Starts with Hydrocide Base Formula – modified with additional ingredients to enhance penetration into the foundation of wool rugs, especially those with a depressed warp, and to neutralize any sticky residue remaining from the odor elimination process
- Final Step spray on flushed areas to remove any final odors. Can reapply if necessary
 - gallon CW18GL \$81.95 (ea)
 \$73.76 (4)
 \$mart Buy
 \$65.56 (16)

Maxim Advanced for Wool – Stain Resistance



pH: 8.0-8.5 Dilution Ratio: 1:16-24



pH in dilution is 3-3.5 Dilution Ratio: 1:320

WoolMaster

CleanMaster is pleased to provide you with a preconditioner/prespray specifically formulated to safely and effectively clean Oriental Rugs, Wool Rugs, Carpet, and Fabric; natural and cotton fiber rugs and fabric; and other investment textiles. WoolMaster combines specialized encapsulation surfactants, detergents, and conditioning agents to specifically target the soils that rugs and fabrics are commonly exposed to.

. I.	gallon	CU84GL	\$37.94 (ea)
			\$34.15 (4)

Rinse Out

HiydraMaster

RinseOut is a specially formulated neutralizing, detergent free acid rinse for the final step in the safe and effective cleaning of Oriental Rugs, Natural Fabric Upholstery, Investment Textiles, and Carpeting. RinseOut is also effective at fabric and textile treatment to prevent or correct cellulosic or chemical browning, yellowing, and to stabilize dyes and colors.

- Contains corrosion inhibitors to protect your equipment
- Ultra-Concentrated makes up to 320 gallons

gallon CR91GL \$19.56 (ea) \$17.60 (4)



- Starts with Maxim Advanced Base Formula modified with additional ingredients to assist penetration into fiber and add additional stain resistance for wool
- Protects Investment Most rugs are not investments in the true sense of the word, even in good condition. No rug is an investment if it has a stain that cannot be removed. A protector followed by professional spotting generally means no stain, even where the rug will continue to be used. For certain rugs, stain prevention also preserves its investment value

RTU pH: 5.0-5.2 Dilution Ratio: 1:2

 gallon CP10GL \$56.05 (ea)

 \$50.45 (4)

 \$mart Buy

 \$44.84 (16)

www.interlinksupply.com

CHEMICALS

ORIENTAL RUGS CLEANING SYSTEMS

NOTE: Oriental rugs should be cleaned with caution. Testing for bleeding, discoloration and distortion should be performed before cleaning begins. Silk oriental rugs need special care beyond even the most valuable wool rugs. Due to the fact that silk rugs are prone to severe fiber distortion, they should be treated like specialty velvet furniture. This would include solvent dry cleaning if practical. If wet cleaning is used, they should be cleaned with upholstery tools, cleaning agents and techniques for natural fibers.

PRE-VACUUMING

Thoroughly pre-vacuum both sides of the rug.

PRESPRAY

Pump or Electric Sprayer: Add 4 oz. Zone Perfect and 1 oz. Citrus Solv to each gallon of hot water.

Hydro-Force: Add 45 oz. Zone Perfect and 1 cup Citrus Solv to 5 qt. container.

EXTRACT

Portable: To each gallon hot water add 2-4 oz. of End Zone. **Truckmount:** To 5 gallons water add 19 oz. End Zone.

NEUTRALIZE

Mist lightly after extraction with solution of 8 ounces of Fab-Set per gallon of water.

CLEAN FRINGES

For best results - To each gallon hot water add 1 oz. Boost All (add first and stir), 2 oz. Buff-All, and 4 oz. Fabric Shampoo. Scrub onto fringes, allow ten minutes dwell. Rinse with Fab-Set solution.

PROTECT

Protect with Maxim Advanced, 1 part solution to 2 parts water, or Maxim Advanced for Upholstery at full strength.

QUICK DRY

Use air movers, dehumidifiers and ventilation to speed dry.

For potential bleeders or browners:

PRETREAT

Add 3 oz. of Dye-Loc to each gallon of hot water. Apply with pump or electric sprayer. Allow 3-5 minutes for Dye-Loc to be absorbed into face yarns.

PRESPRAY

Pump or Electric Sprayer: Add 1 quart Fabric Prespray and 2 oz. Citrus Solv to each gallon hot water.

EXTRACT

Portable: To each gallon hot water add 3 oz. Dye-Loc. **Truckmount:** To 5 gallons water add 1 to 2 quarts Dye-Loc.

Make \$1-3 Per Square Foot Cleaning Area Rugs

Almost every home or office building you enter has wood, tile or stone flooring somewhere on the premises. This means most of these floors also have area rugs. This provides a tremendous income opportunity for the "on-location" cleaner for cleaning and protection of these rugs. This service brings about an average charge of \$1.00 - \$3.00 per square foot depending on fiber type and construction, and can usually be done on location. As you move into "investment grade" or heirloom rugs, which can be valued in the tens of thousands of dollars, there are "In Plant" procedures available. These require special training and typically a significant investment to get involved. However, this is a very profitable service that many times brings in fees of \$3.00 to \$7.00 per square foot or more.



For in-plant or on location, always precondition with Wool Perfect. Extremely Concentrated - Dilutions from 1 - 16 to 1 - 32. works like typical prespray and has enough lubrication to work like shampoo in pit or bath washing applications.



Submerge the Brush Pro in up to 2" of water when cleaning oriental rugs to ensure that you get maximum agitation. The Brush Pro (see page 177) allows you to get your rugs twice as clean in half the time. Extract or flush with Wool Zone.



Protect your customer's investment from stains and soil by applying Maxim for Wool. For certain rugs, stain prevention also preserves its investment value.



Make sure you finish up by using the Handi Brush and Oxybuff to brighten up dingy fringes. This will make a world of difference. (Handi Brush AB34.)

92 Anti-Microbial Coatings/Mold Prevention




FIBERLOCK

Aftershock White

AfterShock is an EPA-registered antimicrobial coating designed to kill residual mold and mildew remaining after precleaning contaminated surfaces. AfterShock also inhibits the future growth and spread of mold and mildew on the cured film surface in residential and institutional buildings. This extremely durable, easy to apply, 100% acrylic sealant offers the ultimate in durability in combination with excellent fungicidal characteristics to address mold growth from water damage.

Dilution Ratio: RTU





Unsoot #1 & Unsoot #2

Unsoot #1 Encapsulant is used to refinish duct work and ceiling plenums after fires, smoke damage and oil burner puff backs. Unsoot #2 is a coating to protect against microbial growth for 2 years.

#1 RTU pH: 6 #2 RTU pH: 6.9

Dilution Ratios: 1:5 parts water (both)

Unsoot #1, gallon CD57GL \$47.14 (ea)
 \$42.43 (4)
 Unsoot #2, gallon CD97GL \$77.36 (ea)
 \$69.62 (4)





Sporicidin® Enzyme Mold Cleaner

Sporicidin® Enzymatic Cleaner is a blend of enzymes which effectively cleans both natural and synthetic fibers that have been soiled with organic and inorganic debris. This highly effective, low-foaming cleaner and stain remover has a neutral pH, is biodegradable, non-flammable and non-toxic. It is ideal for precleaning areas contaminated with mold and mildew.

pH: 7.5 Dilution Ratio: 2 oz./gallon

quart CD39M \$34.15 (ea) **\$32.44 (4)**



SURFACE

PRORESTORE

Sporicidin® Mold and Mildew Stain Remover

Sporicidin® Mold & Mildew Stain Remover is an excellent product for removing unsightly stains left by microbiological life, such as mold, mildew, moss, bacteria, and algae stains. Mold and Mildew Stain Remover series is a biodegradable, environmentally friendly and water-based stain remover that has been developed for mold remediation and flood damage restoration projects. Easy to use - spray it onto the stained area, let penetrate and dry, then remove any remaining excess by rinsing, brushing or wiping away - it's that simple! Suitable for use on commercial and residential stain cleaning and removal projects and recommended for most construction materials.

gallon CD37GL \$48.67 (ea)
 \$46.24 (4)
 pail CD37PL \$228.95 (ea)

Anti-Microbial, Coatings and Mold Prevention

See our full line of Anti-Microbial Coatings and Mold Prevention. See pages 262-270.

Anti-Microbial Coatings/Mold Prevention

CHEMICALS



NEW Concrobium-Pro Stain Remover

Concrobium-Pro Mold Stain Remover can be used in homes, hospitals, schools, commercial and industrial buildings... anywhere mold stain removal is required. It's ideal for post mold remediation clean-up as well as cleaning and maintenance on wood, aluminum, concrete, grout and other building materials.

RTU pH: N/A Dilution Ratio: RTU

585 gram jars CR352A \$78.94 (ea)



() concrobium

NEW Concrobium-Pro Mold Control

Concrobium-Pro Mold Control is a professional-grade, EPA-registered solution that eliminates mold and prevents it from coming back. Concrobium-Pro Mold Control contains zero toxic chemicals such as bleach or ammonia, and is Green-Spec listed.

RTU pH: 11.1-11.5 Dilution Ratio: RTU

> Not for California gallon CR350GL \$33.67 (ea) **\$31.99 (4)**

馬 🛛 pail CR350PL \$149.99 (ea)

For use in California gallon CR350GL-CAL \$33.67 (ea) **\$31.99 (4)**



Concrobium Broad Spectrum Disinfectant (Concrobium

Concrobium Broad Spectrum Disinfectant represents the next generation of plant-based disinfection for professional restoration contractors. The unique, proprietary solution is botanically-derived and offers significant advantages over existing botanical solutions on the market. Unlike other products, Concrobium Broad Spectrum Disinfectant provides superior cleaning so users don't have to resort to two separate products for disinfection and cleaning.

RTU pH: 5.5-8.5 Dilution Ratio: RTU

gallon CR351GL \$27.99 (ea) \$26.59 (4)

HARD SURFACE CLEANERS/DEGREASERS



GROOM SO

NEW Glass Cleaner Professional Strength

Glass Cleaner from Groom Solutions uses "Green" ingredients to create the world's best glass cleaner. The water used is cleaned, filtered and purified to remove all minerals that could cause streaking. This Glass Cleaner can be used in fire restoration situations for removing soot, fingerprints, etc. on glass, stainless steel, and other non-porous fine hard surfaces.

RTU pH: 9 Dilution Ratio: RTU to 1:1

gallon CR517GL \$11.22 (ea) \$10.10 (4)





Dilution Ratio: 1:4-64

Hydra-Solv

HydraSolv is a high powered cleaning and degreasing agent specifically formulated for ceramic, porcelain, and quarry tile floors and their grout lines. It is used as a prespray/pretreatment on tile and grout to loosen, break down, dissolve, and emulsify even the grimiest of soils. It can be used on residential or commercial tile floors and other hard surfaces, indoors and outdoors.

sallon CR901GL \$22.94 (ea) \$20.65 (4)

www.interlinksupply.com

4 Hard Surface Cleaners/Degreasers



Benefect[®] Atomic Degreaser



Atomic Degreaser is a next generation heavy duty cleaner and degreaser that utilizes an optimized dynamic chemistry to deliver superior penetration of soils, rapid wetting and dispersion of particulates with little or no agitation—making it ideal for the heaviest grease, smoke damaged contents and surfaces. Made from botanical ingredients, it is safe to use around children, pets and the chemically sensitive. Atomic contains no solvents, VOCs, petrochemicals, dyes, fragrances, phosphates, alkyl/nonyl phenols or other hazardous ingredients and will not contribute to indoor air pollution.

RTU pH: 10.9-11

Dilution Ratios: Contents and Light Soot: 2-4 oz./Gal. Heavy & Slimy Soot or Grease: 16 oz./Gallon. (Increase depending upon severity)

gallon CD09GL \$39.99 (ea) \$37.95 (4)



Hard Power Restoration Cleaner



A powerful wall and hard-surface cleaner designed specifically for dealing with difficult restoration soils. It penetrates the worst soil, grease and soot on almost any surface such as walls, counters, floors, painted surfaces, metal, concrete, tile, sealed or unsealed wood and more!

Compare Hard Power to whatever restoration cleaner you're using now and you'll be amazed at the difference! A highly versatile chemical, you can even use it as a traffic lane prespray on commercial carpets or in restoration situations. Hard Power is nonflammable, non-corrosive, has no intoxicating fumes and is now less foamy.

RTU pH: 9.5 Dilution Ratio: 1:16 (Adjust according to difficulty) gallon CC31GL \$23.06 (ea) \$20.75 (4) \$mart Buy 55 gl. Drum CC31DR \$805.79 (ea)



Citrus Solv



Citrus Solv is one of the best selling products in the industry! That's because of the way it instantly removes many difficult stains like chewing gum, tar, grease, wax, cosmetics, crayon, lipstick, shoe polish, inks, adhesives, glues and many other oil-based stains. The secret is that Citrus Solv is made from citrus solvents and is 100% active! That means no carriers or fillers, just the most powerful citrus solvent spotter on the market! Not only is Citrus Solv a spotter that you will use (and love!) every day, it is also a phenomenal booster that is added to pre-sprays at just 1 to 2 oz. per diluted gallon to cut through the worst greasy, oily soils and avoid re-spraying or over scrubbing and over wetting traffic lanes. Citrus Solv also leaves a wonderful orange scent behind.

RTU pH: N/A

Dilution Ratios: Spotter: Full Strength Prespray Additive: 1-2 oz. per Gal. RTU Prespray quart CR08QT \$21.40 (ea) \$19.26 (12)
 \$mart Buy
 \$17.12 (48)
 gallon CR08GL \$53.50 (ea) \$48.16 (4)
 \$mart Buy
 \$42.80 (16)

55 gl. Drum CR08DR \$2235.44 (ea)

Prices subject to change without notice. Call or go online for current pricing.

Hard Surface Cleaners/Degreasers

95



RTU pH: N/A **Dilution Ratio:** 1-2 oz. per gallon



\$mart Buy

is water miscible.

Pine Boost

Same performance as Citrus Solv

· Just one ounce per gallon to your

Pine Boost is a natural pine organic

solvent degreaser concentrate. It is

biodegradable, safe to the environ-

ment, contains no chlorinated sol-

vents, no alkalies, and is 100% free from caustics and acids. Pine Boost

gallon CR07GL \$42.45 (ea)

\$38.21 (4)

\$33.96 (16)

RTU pre-spray for amazing results

but more economical



RTU pH: 12.3 Dilution Ratio: 16 oz./Gal

PRORESTORE

Degrease-All

Degrease-All is a specially-formulated ammoniated degreasing solvent tough enough to remove heavy smoke residues, but gentle enough to be used as a traffic lane cleaner or upholstery pre-spray. Degrease-All removes smoke residues, grease, and other difficult soils from painted surfaces, metal, concrete, tile, sealed or unsealed wood, hard floors and wet cleanable fabrics. Degrease-All is nonflammable and has no intoxicating fumes.

gallon CR90GL \$27.13 (ea) \$24.42 (4)

5 gallon pail WCS59 \$123.54




PRORESTORE



PRORESTORE



RTU pH= 12.0 - 12.4 Dilution Ratio: 4-32 oz./Gal PROCHEM





Ultrapac[®] Renovate

Prochem's Ultrapac[®] Renovate is a highly concentrated, powerful cleaner that removes tough, deeply embedded greasy soils and smoke residue. Use on painted or unpainted surfaces, drywall, metals, and other water-cleanable surfaces. Contains no solvents which can damage some sensitive surfaces. Rinses easily without streaking.

RTU pH: 10.0-11.0

Dilution Ratio: 1-6 oz./Gal

gallon CR32GL \$49.48 \$44.53 (4)

Unsmoke Degrease-All E Clean valuable electronic equip-

ment. Degrease-All E is a highly concentrated cleaner and degreaser specially formulated to clean electronic equipment. Highly effective at removing smoke damage and fire related residues. Degrease-All E rinses clean and leaves surfaces residue-free.

HAZMAT or OBM-D Item

All-Surface Cleaner

Provides quick, effective cleaning

of hard surfaces. Ideal for cleaning

all surfaces damaged by smoke, grease, grime and more, All-Surface Cleaner rinses easily and completely

leaving surfaces bright and clean

and prepared for sealing and paint-

ing. It's biodegradable, phosphate-

CD60A 8 lb. jar \$36.10

free formula delivers maximum

Wide Range Cleaner

Wide Range Cleaner is a heavy-

duty alkaline cleaner for heavy,

cleaner for everything from light

greasy soils on a wide range of hard

surfaces. Use as a general-purpose

routine cleaning to the heaviest fire

restoration and industrial cleanup.

performance and is easy to use.

gallon CR97GL \$32.56



www.interlinksupply.com

PROCHEM.

96 Smoke and Fire Damage



9-D-9 **PRORESTORE**

9-D-9 is a highly-concentrated general purpose smoke odor counteractant. Add to pressure sprayer solution and apply directly onto odor source. Can also be added to wall and fiber cleaning solutions.

RTU pH: 7.7 Dilution Ratios: 3-6 oz./Gal

mailon CD59GL \$84.22 (ea) \$75.80 (4)



Thermo-55 **PRORESTORE**

Thermo-55 is a highly-concentrated, solvent-based, heat-activated odor counteractant specially formulated for application via thermal or ultra low volume fogging apparatus. Thermo-55 is V.O.C. compliant. Sold in gallons.



 Cherry, gallon CD60GLA \$71.17 (ea) \$64.05 (4)
 Neutral, gallon CD60GLB \$71.17 (ea) \$64.05 (4)
 Citrus, gallon CD60GLD \$71.17 (ea) \$64.05 (4)

Kentucky Bluegrass, gallon CD60GLE \$71.17 (ea) **\$64.05 (4)**



Crystal Odor Counteractant

C.O.C. is an exclusive combination of chemical odor neutralizers and natural absorbents formulated into a long-lasting dry deodorizer. C.O.C.'s odor counteractant vapor is effective against odors caused by urine, sewage, smoke, decay, putrefaction, etc.

 6 oz. Tins, professional grade CD85A \$9.53 (ea)
 \$8.58 (12)
 Gallon, commercial grade CD85B \$42.32 (ea)
 \$38.09 (4)



VAPORTEK

Heavy Duty Stand Alone Cartridge

Place this unit in an air duct or in front of a carpet dryer and allow the air flow to carry the vapors to a large area. It contains an odor-neutralizing industrial membrane capable of treating areas up to 20,000 cubic feet. Rotating end caps can be adjusted to give exactly the right output. When treatment is complete, rotate end caps closed to conserve for later use.

3X Industrial - 270 hours usage AR46 \$80.00
 S.O.S. (Smoke Odor Solutions) AR46S \$80.00
 Cartridge Stand/Stabilizer AR46A \$11.00



Odor Control Equipment. See pages 228-231.





Smoke and Fire Damage Odor Solutions

See our full line of Smoke and Fire Damage Odor Solutions. See pages 228-231 and 260-262.

CHEMICALS

Smoke and Fire Damage Procedures

Fire and Smoke Odor Cleaning and Deodorization

The following guidelines are suggestions only. Proper training and experience will be most helpful in deciding the proper procedures and chemicals for use in fire and smoke situations. Please contact your local Interlink Distributor for a schedule of training schools and seminars that are coming to your area. Proper testing and care must be taken before using any of the following suggestions and products on any surfaces.

Types Of Fires:

Protein Fires -	These would include stove-top grease fires, burned and charred meat, or most fires where living tissue or hair proteins are involved.
Wood and Paper Fires -	These would include attic fires, fireplace puff-backs, most trash can fires and general home fires where mostly the wood structure is involved.
Synthetic Fires -	These include fires that involve mainly carpeting and upholstered furnishings, electrical fires, and fires where plastic materials have been burnt. Note: Many home fires will be a combination of wood and synthetic types.

Protein Fires STEP 1 - INITIAL ODOR SUPPRESSION AND KNOCK-DOWN

A. Treat all vertical surfaces with a dilution of **9-D-9**. Direct-spray this treatment onto the surface. Note: Only apply to those surfaces which are compatible with water. If only light smoke odor is noticed and little soot is visible, this step may be excluded.

Formula: To each gallon of warm water, add 8 oz. 9-D-9.

- B. Treat horizontal surfaces by liberally spreading **Unsmoke Crystal Odor Counteractant**. Note: Rather than applying directly to furniture or finished wood and plastic surfaces, put the **Odor Crystals** on paper plates and put on or near the surfaces.
- C. Thermal Fog the interior air space with Unsmoke Citrus Thermal Fog.

STEP 2 - CLEANING AND ODOR NEUTRALIZATION

CARPET: Dry vacuum, Pre-spray, Extract. *Formulas:*

- **Pre-spray** Pump or Electric Sprayers. To each gallon of hot water add: 6 oz. **Bridgepoint Traffic Slam**
- 2 oz. **Bridgepoint De-Liminate** (adds cleaning and deodorization power) *Hydro-Force Sprayer* Add to 5-quart container:

1 qt. Bridgepoint Traffic Slam

12 oz. **Bridgepoint De-liminate** Fill with water.

Wood and Paper Fires STEP 1 - INITIAL ODOR SUPPRESSION AND KNOCK-DOWN

A. Treat all vertical surfaces with a dilution of **9-D-9**. Direct spray this treatment onto the surface.

Note: Only apply to those surfaces which are compatible with water. If only light smoke odor is noticed and little soot is visible, this step may be excluded.

Formula: To each gallon of warm water, add 8 oz. 9-D-9.

B. Treat horizontal surfaces by liberally spreading Unsmoke Crystal Odor Counteractant. Note: Rather than applying directly to furniture or finished wood and plastic surfaces, put the Odor Crystals on paper plates and put on or near the surfaces.

C. Thermal fog the interior air space with Unsmoke Cherry Thermal Fog. STEP 2 - CLEANING AND ODOR NEUTRALIZATION CARPET: Dry vacuum, Pre-spray, Extract.

Formulas:

Pre-spray - Pump or Electric Sprayers. To each gallon of hot water add: 6 oz. Bridgepoint Traffic Slam 2 oz. 9-D-9

Hydro-Force Sprayer - Add to 5-quart container:

- 1.5 qts. Bridgepoint Traffic Slam
- 12 oz. **9-D-9**
- Fill with water.

- Extract: Portable To each gallon hot water add:
 - 1/2 oz. Bridgepoint Point Blue extraction powder
 - 1 oz. Bridgepoint Spice Air.
 - Truckmount To each 5 gallon chemical container add:
 - 3 cups Bridgepoint Point Blue
 - 2 cups Bridgepoint Spice Air
 - Fill with water.

UPHOLSTERY: Blow off loose soot, Dry Vacuum, Pre-Condition, Extract.

Formulas: Testing and experience will dictate the proper formula for the degree of soil and type of upholstery you are dealing with. To deodorize protein smoke odors on upholstery, substitute **De-Liminate** for **Citrus Solv** in the preconditioning formulas. When extracting, add **Bridgepoint Spice Air or Apple Air** to the extraction formula.

WALLS AND OTHER WET CLEANABLE SURFACES: If walls are only lightly smoked and re-painting may not be necessary, use of a Dry Chemical Sponge first may be required. After the use of the dry sponge, spray the cleaning solution from the bottom up using the AS22A, or AS18 sprayer. Use a clean, folded terry towel and wipe the wall clean.

Formula: To each gallon of hot water add:

2 cups Bridgepoint Hard Power

2 oz. Bridgepoint De-Liminate-For extra boost, add 1 oz Bridgepoint Point Blue Note: For exceptionally difficult odors add Last Resort to the above formula at 1-2 ounces of Last Resort per gallon of solution.

Synthetic Fires

Use the same steps, methods and formulas as with wood and paper fires, EXCEPT use **Bridgepoint Kentucky Blue Grass** Thermal Fog.

Extract: Portable - To each gallon hot water add:

1/2 oz. Bridgepoint Point Blue extraction powder 1 oz. 9-D-9

Truckmount - To each 5 gallon chemical container add:

- 3 cups Bridgepoint Point Blue
- 2 cups 9-D-9
- Fill with water.

UPHOLSTERY: Blow off loose soot, Dry Vacuum, Pre-Condition, Extract.

Formulas: Testing and experience will dictate the proper formula for the degree of soil and type of upholstery you are dealing with. To deodorize wood and paper on upholstery,

use 9-D-9 in the pre-conditioning and extraction formulas.

WALLS AND OTHER WET CLEANABLE SURFACES: If walls are only lightly smoked and re-painting may not be necessary, use of a Dry Chemical Sponge first may be required. After the use of the dry sponge spray the cleaning solution from the bottom up using the AS22A or AS18 sprayer. Use a clean, folded terry towel and wipe the wall clean. *Formula:* To each gallon of hot water add:

2 cups Bridgepoint Hard Power

2 oz. **Bridgepoint De-Liminate**-For extra boost, add 1 oz **Bridgepoint Point Blue** Note: For exceptionally difficult odors add Heavy Duty Deodorizing Additive to the above formula at 1-2 ounces of Heavy-Duty Deodorizing Additive per gallon of solution.

97



U.S. PRODUCTS

Evolution Truckmount and **Portable Wands**

- 2" vacuum tube
- Only weighs 8.8 lbs
- 16" wide head with custom glide
- 6 high pressure spray jets
- Rated to 1,000 PSI

Evolution wands remove twice as much residual water from carpets than conventional wands for much faster drying times. Also available in a portable version and has a 1.5" aluminum tube, 12" wide head, 2 jets, a replaceable Delrin® acetal glide, is rated to 1000 PSI and weighs 6.5 lbs.

> 2" Truckmount Wand AW98 \$1050.60 1.5" Portable Wand AW97 \$674.65





Stryker Cleaning and **Extraction Wand**

- 2" vacuum tube
- Stainless steel extraction tube for rugged service
- Rotomolded 14" head
- Purge valve for easy
- cleaning • Ergonomic and classic S-
- shape wand • High pressure injector and two-way extraction

The Stryker Cleaning and Extraction Wand simultaneously provides deep, rapid penetration of solution and thorough extraction. Constructed of high-grade stainless steel teamed with an innovative rotomolded handle and a unique extraction head, the Stryker brings true singlepass cleaning to carpet cleaning.

AW13 \$959.00





NEW

NEW Titanium Wand

- Titanium construction
- S-bend 2" tubing
- 5 stainless steel jets
- Stainless steel Soft Touch Valve
- 15" head
- VeeJets include strainer and check valve
- Rated at 1,500 PSI
- 5 80015 stainless steel jets
- Includes a Teflon glide

Weighing in at less than 9 lbs, this 2" heavy-duty truckmount wand powers through the toughest jobs. The 5 stainless steel jets provide a wider coverage than most wands and the Teflon glide reduces friction, and more importantly, your back fatigue.

A unique feature of this wand is the ability to adjust the depth of the jets. The jets can be moved closer to the carpet to reduce heat loss, or moved back for a wider coverage.

AW79 \$999.69



Carpet Wand

- Stainless steel construction
- 2 jets
 - Rated to 500 PSI
 - 1.5" vacuum tubing

The AW29 Carpet Wand is our most popular wand and is synonymous with great quality. This all stainless steel wand works at high or low pressures, as well as high temperatures, making it perfect for use with either a portable extractor or truckmount. Longer tube length gives the wand a longer and more comfortable stroke. A fantastic wand at an amazing price.

AW29 \$269.00



NEW Hydro-Glide Wand Glide

www.interlinksupply.com

TOOLS & ACCESSORIES



STOOL

& ACCESSORIES







PROCHEM

• 2" vacuum tube

- Made out of super lightweight titanium
- Lighter than stainless steel
- 13.5" head
- 6 jets
- Rated to 1,200 PSI

This wide-stroke, titanium wand shortens job time while easing physical strain. This lightweight wonder features an insulated grip handle on the S-bend, making it easier to control for smooth, even suction across a wider path and thorough cleaning throughout.

AW05 \$1337.63

High-Pressure Quad Jet Wand

- 2" vacuum tube
- Stainless steel
- 11" head
- 4 jets
- Rated to 1,200 PSI

This premium heavy-duty "S" wand fits 2" hose and has an 11" head. The head is cast into a single piece of stainless steel, which means no overlapping joints, welds, or potential sharp edges. The 4 jets sit 1.5" away from the carpet for increased pressure and heat.

2" S-Bend Quad Jet Carpet Wand

This ideal truckmount wand handles 1,200 PSI, has a low profile head and an "S" bend for ease of use. This all stainless steel wand features a 1.75" wand tube for great balance and airflow with a 2" wand connection so it's lightweight at just 8.5 lbs. Its 4-jet design with 95015 V-jets gets the heat and impact close to the carpet. Made for maximum recovery, this wand features a 12" wide head and splash guard. A Soft Touch valve eliminates hand fatigue.

AW57 \$479.05

HF HYDRO-FORCE

NEW Drag Wand

- 2" vacuum tube
- Stainless steel
- 20" head
- 5 85015 brass strainer jets
- Brass Soft Touch Valve
- 56 lbs
- Rated to 1,200 PSI

The Hydro-Force T20 Drag Wand is the perfect tool for when speed isn't just nice, but essential for profitability. Built for commercial cleaners, the T20 is small enough to be used with a portable, but large enough to make use of a truckmount's power.

AW01 \$1,399.00

Gum Blaster Wand

Remove gum fast - this wand removes dozens of pieces of gum in just a few minutes! Equipped with a 1,000-PSI valve, this stainless steel tool is designed to work with a truckmount that can produce 300-400 PSI and at least 170 degrees at the wand. The higher the heat the guicker and better the gum is removed. The Gum Blaster Wand is a full length stand up wand.

AW08 \$299.00



High Pressure - High Heat!

Visit our showroom or call in an order. See cover for information.



www.interlinksupply.com

AW24 \$647.97



- Low Coefficient of friction for smooth gliding on carpet.
- Tight fitting construction to help minimize vacuum loss.
- Unique saw-tooth construction provides more surface area for better air flow and cleans more aggressively than standard hole patterns.



NEW Hydro-Glide Wand Glide

Save your back, shoulders and wrists from an early retirement. If you've got a "super" truckmount, you know that the suction created can make pushing a carpet wand incredibly tiring. Even a regular portable can create enough vacuum to wear your body out at the end of a long day. Our new Hydro-Glide allows your wand to glide effortlessly across the carpet and increases technician productivity.

Hydro-Glides are available in two materials: Delrin® and Teflon®. Which one should you pick? Delrin lasts longer than Teflon since it's a very hard material; however, Teflon has a very low coefficient of friction and will glide over carpet easier. It is also "self-healing" which means that it doesn't develop sharp edges like the Delrin glides when it gets scratched.

Stay tuned! More glide options available soon.

Delrin Glide, (fits AW29) AW529D \$69.99 Teflon Glide, (fits AW29) AW529T \$89.99

Edging Crevice Tool

No matter how effective your equipment, there's always some area that your wand can't reach, like corners or along baseboards. Really impress your customers with your attention to detail and save your back at the same time with this revolutionary tool. You can do all your edging and detail work from a standing position. And, there's also a combination heat sleeve with vacuum relief valve for suction control. Handles up to 500 PSI.

AW80A \$263.99

Prochem Long Stair Tool

Cast-constructed of high-grade stainless steel, this dual-jet tool is one of the best quality, easy-to-use stair tools on the market. It uses a 2" cuff (the same as most wands — so there is no need for changing "mid-stream"). You'll never know how good it can be until you get one.

AW39 \$356.12



Long Handle Swivel Head Stair Tool

This single jet, 32" all stainless steel tool with 9 ¾" swivel head, cleans stair treads and risers without contortions or struggle! Details include heat-resistant black vinyl grip, padded assist handle and curve before trigger for increased comfort. Expands from 1¼" to 1½" to accept vacuum hose and can be used with portables and truck mounts up to 500 PSI.

AW20S \$349.38 AW20 (Economy Model without Swivel) \$205.90



PROCHEM.

Long Handle Stair Tool

Great for stairs or getting under beds or desks, this 40" all stainless steel tool operates at 15 degrees from floor level and has a 9¾" wide head with dual jets. Details include the 800 PSI forged brass valve, a padded assist handle and heat-resistant black vinyl grip.

AW48 \$404.22



Short Handle Stair Tool

This all stainless steel, heavy-duty, 6" wide stair tool is the perfect tool for cleaning stairs or getting certain durable upholstery done quickly. Details include a high-pressure 2' whip and a stainless steel visiflo jet that's easily removable for cleaning.

🇈 AW47 \$220.15

Hydro-Kinetic[™] Upholstery Tool

The Hydro-Kinetic Upholstery Tool remains the industry standard for high volume cleaning. Its unique design produces a highvelocity shearing action to efficiently remove soil from the fabric. It is unsurpassed in cleaning ability and fast drying times. Conventional upholstery cleaning tools have been passed by the cleaning power of modern equipment because of a fear of overwetting. The Hydro-Kinetic allows you to use a higher solution pressure and a more effective vacuum pressure to achieve maximum cleaning without the fear of over-wetting. This tool allows the full kinetic force of the cleaning solution to pass over the fabric, not through it, to eliminate over-wetting.

Visit www.hydroforce.com to see a video of this revolutionary tool in action.



➡ AW58 \$459.95



The unique design of the Hydro-Kinetic tool allows your cleaning solution to pass through the fabric, but not into the couch cushion; maximizing cleaning, and minimizing over-wetting.



HydraMaster DM2 DriMaster Upholstery Tool

- Increased solution flow by over 50%
- Enlarged the cleaning head by 20%
- Equalized solution flow
- · Combined flow control & on-off valve
- Improved swivel and cuff assembly

The most popular upholstery tool in the industry has been made even better than ever! This tool has no trigger, no valve, no

jet and never loses heat or needs a second drying pass! There's no overspray and no overwetting and fabrics are left 50% dryer than with conventional tools.




DM2 DriMaster AW84 \$530.45 Optional Grip PHY061-144 \$78.10



Sapphire Upholstery Pro Upholstery Tool

Now you can effectively clean a wide range of fabrics and soiling conditions with just one tool. Precision flow control allows for easy, on-the-fly adjustments. And, the unique continuous flow design allows you to extract in both directions for the best clean possible. The Upholstery Pro is also the most comfortable cleaning tool available today. Equipped with a trigger lock to reduce hand fatigue, the cleaning head is correctly angled and carefully balanced to reduce wrist, arm and back fatigue. The housing is constructed of lightweight, but extremely durable, nylon for a long service life.





www.interlinksupply.com

HyDry[™] Deluxe Upholstery Cleaning Tool

Dramatically reduce upholstery cleaning problems by controlling the amount of moisture that reaches fabric with the internal spray jet and vacuum relief slide of this tool. The HyDry Deluxe uses more water but leaves upholstery dryer! Can be used with portables and truckmounts from 30 to 500 PSI and heat up to 220°. Includes a stainless steel fan pattern spray jet, a 6' vacuum hose and Hide-a-Hose cuff that keeps the high-pressure solution line out of your way.



HYDRO-FORCE

Original Hydry Upholstery Tool

The original HyDry tool has all the features of the deluxe model without the Hide-a-Hose cuff and 6' vacuum hose. Instead, the original HyDry comes with a 12' external, highpressure solution hose. The key to this tool is the internal spray jet combined with the vacuum relief slide. Suitable for solvent cleaning machines, portables and truckmounts from 30 to 500 PSI.


HyDry 3.5"	AW50A	\$193.35
HyDry 4.5"	AW51A	\$203.75



Prochem Truckmount Upholstery Tool



Made from stainless steel casting, this tool has all the features expected in a truly professional truckmount upholstery tool. Features include; vacuum relief port, low profile can clean in tight places, 10' vacuum and internal solution hose, adjustable solution bypass keeps hot water at the tool, teejet for direct and even spray pattern, and fits 2" hose or 1.5" with adapter.





"Easy Reach" Upholstery/Stair Tool

4" wide stainless upholstery tool designed to reach and clean where others miss. Great for detailing cars as well as normal upholstery and stair cleaning. Can be used with pressures up to 400 PSI and comes with Soft Touch valve for fatigue free operation!

AW45 \$95.85



Internal Jet Crevice Tool

The internal Jet Crevice Tool is made of all stainless steel, including the nuts and bolts, and is rated to 500 PSI. This tool is great for detail work in cars, on upholstery and in hard-to-reach carpeted areas.

👞 AW49 \$154.62



Upholstery/Stair Tool


Low pressure stainless steel tool with valve functioning to 120 PSI. 4.5" wide head, fully enclosed to eliminate splash and overspray.

🗈 AW30 \$97.89



Crevice Tool

This 14" metal crevice tool is perfect for detail vacuum work. Gets behind radiators and into other tight spots to remove dry soils. Fits a 1 $\frac{1}{2}$ " hose cuff.





Gekko Tile and Grout Tool

This extremely versatile tool works with any truckmount or high-pressure portable extractor to provide outstanding results on tile and grout cleaning jobs. It concentrates all the water pressure through an amazing new spray jet that creates extreme force for cleaning severely soiled grout. The tool works with pressures from 100 to 2,000 PSI and is primarily used as a detail tool for corners and edges when an SX-7 or SX-15 tile cleaning tool is too large. Great for focused pressure on tough grout lines.

Purchase the stainless steel wand and Gekko heads individually or start with the wand and the original 5 1/2" head. There are four additional heads (below) that may be purchased separately for your specific needs.

> Gekko Wand with 5 1/2" Head AR54 \$339.00 Gekko Wand (no head) AR54A \$221.00



Head

For uneven surfaces where brush agitation is needed. 4 spray jets.



Squeegee Head

Gekko 14"

Gekko 14" Brush

For smoother surfaces or where water removal

AR54H \$229.00

Spare Brush AR54B \$19.01

is required. 4 spray jets. 馬 14" Squeegee Head AR54E \$229.00 14" Brush Head

Spare Squeegee AX10B \$9.99



Gekko 5 1/2" **Original Head**

Perfect for edging, tight spots or where extra cleaning power is required. Single highimpact jet.

AR54D \$139.00



Gekko Edge, Corner, and Coving Tool

Cleans corners, edges and coving with one easy stroke.

AR54C \$199.95



SX7 Head


Use this head to create a stand up SX7 for tight areas or the most challenging cleaning situations. Spin bar with 2 jets.

AR54G \$399.00



Gekko Hand Tool

This hand tool is ideal for blasting dirt, stains and build up from grout lines as well as for cleaning countertops, around toilets, shower stalls or any tight or hard to reach area. Use at pressures up to 2,600 PSI.





Wet Vacuum Tool

Remove water from hard floors. This heavy duty, S-wand featuring, stainless steel pick-up head fitted with neoprene rubber blades, creates a firm seal even on irregular floor surfaces to remove water and leave flooring practically dry. Fits 11/2" hose cuff.



Wet Vacuum Tool AX10 \$132.95



Hand Vac Tool

This polished aluminum tool is for vacuuming only and fits a 1 $\frac{1}{2}$ " hose cuff. Ideal for detail vacuuming or use with a spray gun to clean stairs, around toilets or other tight areas as well as dry vacuuming upholstery or mattresses. 5 $\frac{1}{2}$ " wide.

🗛 AW74 \$12.95



Drapery Vacuum Tool

This 6" drapery tool is perfect for cleaning those dusty curtains. This all stainless steel tool has a grill covering the vacuum opening which prevents fabrics from being sucked into the vacuum chamber.

馬 AW60 \$114.73

PRESSURE WASHING



Pressure Wash Gun Assembly

This ergonomically designed gun is a great tool for all your pressure washing needs. Rated for use up to 1500 PSI this gun is also insulated for use with hot solutions. Comes with a 24" insulated straight extension and a 1506 stainless steel V-jet and a ¼" male quick connect.


AS60 \$88.90



Power Jet Pressure Wash Assembly

This amazing pressure washing tool automatically increases the impact of your pressure by 50%! Its oscillating nozzle delivers a 15-degree round spray pattern that's 50% more powerful than conventional flat spray results. The assembly is rated at 2,500 PSI and 202 degrees. Includes a 24" insulated extension.

🗈 AS58 \$149.00



Oxygenated Filth Blaster

Viper Peroxiblast[™] Powder

Viper Peroxiblast Powder is a synergistic breakthrough product that cleans and degreases the grungiest concrete, tile and grout floors, fixtures, and walls with a concentrated balance of surfactants and alkaline builders that are oxygen activated. This heavy-duty concrete cleaner and degreaser safely replaces mineral spirits and chlorinated solvent-based heavyduty concrete degreaser products.

 7.5 lb. jar CH48A \$54.95 (ea)
 \$49.46 (4)

 нурго-гогсе
 \$43.96 (16)



FlashXtractor Flood Tool FLASHXtractor

Remove up to 35% more water than competitive tools!

The FlashXtractor has a base plate design that is engineered to maximize air flow and still maintain lift. This design allows the FlashXtractor to remove 35% more water than competitive products from both the carpet and pad. The injection molded base is comprised of a high-tech polymer that is strong enough to withstand a GMC Extended Cab truck driving over it. The telescoping handle has seven different height positions so it is comfortable for users of all heights and the flexible handle allows the operator to get under stairs and other hard-to-reach locations.

The FlashXtractor is the perfect solution for the fast and effective removal of urine from carpet. A house full of dogs is no longer a thing to be feared with the FlashXtractor in your arsenal. The FlashXtractor comes with a 2 Year Comprehensive Warranty.



\$297.00

Made in the USA









Water Claw Flood Tools

The original, and most popular, water extraction tool on the market. Water Claw is built to last and features an adjustable handle to accommodate different heights, non-slip friction strips to ensure a safe footing and an aerodynamic base plate that removes water at an astonishing rate.

The Water Claw is available in three sizes to fit any type of job. The smaller unit is perfect for the removal of urine and other stains, while the large version is a must for quick water removal on flood jobs.

(A) Small (8" x 14") AC015 \$330.00 (B) Medium (10" x 17") AC016 \$412.00 馬 Carry Bag AC015A \$26.67 Carry Bag AC016A \$31.12 (C) Large (12" x 21") AC018 \$495.00 Carry Bag AC018A \$35.56



FlashSpotter Spotting **Extraction Tool**

- Extremely durable
- · No moving parts
- · Powerful suction allows you to remove more water
- · Easily disassembled for cleaning
- Amazing on pet stains and odors

The FlashSpotter will help you effectively extract the spilled solution from the carpet, backing, and the pad. The FlashSpotter is ideal for dealing with pet urine, large liquid spills, soap residues, food spills and more.

AC004 \$119.95



Water Claw Spot Lifter -**One-Step Spot Removal Tool**

The Water Claw Spot Lifter offers results never before seen for the complete removal of spills and odors in carpet, car-

pet backing and the pad. Ideal for pet urine (or on large spills of any kind such as soda pop, soap residues, food spills, etc.), simply use large volumes of your favorite pet odor treatment and then completely flush out the chemical along with the contaminant from the carpet and the pad, without disengaging the carpet! The Water Claw Sub-Surface Spot Lifter extracts water out of both carpet and pad in one easy step. E.

AC012 \$139.95

06 Wand Accessories



Soft Touch Valve

The "soft opening" control valve makes these valves the most ergonomic choice for technicians that want to be as comfortable as possible when working long hours. The Soft Touch Valve reduces the stress on an operator's wrists, hands and fingers because of its "soft opening" that doesn't require a vise-like grip to hold open. This innovative feature makes the valve easy to "throttle" even at 1,000 PSI without the valve slamming shut like cheaper valves. The brass valve is rated at 1,200 PSI, while the stainless steel valve is rated at 1,500 PSI. The 30° offset is an ideal angle for your solution lines and the stainless steel ball and Teflon seat make a long-lasting seal and are self-cleaning and self-centering III. Brass, 1200 PSI AW791 \$28.66 every time.



Stainless, 1500 PSI AW792 \$48.90 Adapter for Prochem AW793 \$8.20 Repair Kit for AW791 and AW792 AW794 \$11.34



Soft Touch Upholstery Tool Valve

Forged Brass Offset Detail Valve

This valve body is made from forged brass and the handle is stainless steel. It has the "soft opening" feature and has been tested at pressures over 1,000 psi. The valve has an inlet and outlet of 1/8" FNPT. This valve comes with a bracket and retrofits wands and other tools with 11/2" tubes. The seal for this valve is Teflon and can be repaired easily.

Water Temp	Rated PSI	Weight
240° F	1,000	.5 lbs.

Soft Touch Valve AW795 \$29.23 Repair Kit for AW795 AW796 \$11.74



Wand Handle

Universal wand handle fits 11/2" or 2" wands. Provides a comfortable firm grip and is adjustable for operator comfort.

> 1.5" Handle AW67 \$31.13 2" Handle AW68 \$35.12

Visit our showroom or call in an order. See cover for information.



The FlashSpotter and Pet Zone Are The Perfect Pet Spotting Team!

Pet Zone immediately eliminates odors without leaving strong, potentially offensive fragrances behind and the persistent yellow stains that often accompany pet urine contamination are also removed, and the superior suction power of the FlashSpotter guarantees you will leave the carpet and pad dry.



7 lb. jar CD19A \$43.66

Injection Sprayers 107

Hydro-Force Injection Sprayers

The best-selling and most trusted injection sprayers in the world.



Hydro-Force Revolution®

Change dilutions with the turn of a knob.

With the Revolution Injection Sprayer you simply dial a large, easy-to-read knob that sets the dilution rate from ratios of 1:4 to 1:64. This allows you to use the Revolution Sprayer for any chemical in your van: presprays, deodorizers, protectors, etc. Adjust the dilution ratio on the fly to put extra cleaning power to that nasty carpet in front of the couch. 50-1,000 PSI

n Da

Hydro-Force Pro

Side fill and ergonomic grip makes this perfect for busy professionals.

Hydro-Force revolutionized the carpet cleaning industry with this injection sprayer! If your inventory of chemicals doesn't require frequent changes in dilution ratio, this is the injection sprayer for you. Pros will love the new container with side-fill port, ergonomic grip and wand holder. 50-1,000 PSI

Hydro-Force Plus


All you need at an incredible price.

HYDRO-FORCE

The most durable gun and wand extension available, plus incredible dilution accuracy makes this a great value. 50-1,000 PSI

🔈 AS08P \$129.00

The Hydro-Force and Revolution Injection Sprayers connect to your solution pressure line and automatically draw concentrate from the 5-quart container to achieve the desired dilution ratio. Time is money! Apply presprays, deodorizers, tile and grout cleaning solutions, sanitizers, protectors and dyes faster and more effectively.



AS08R \$195.00



AS08 \$159.00

Hydro-Force Container

- Roto-Molded Container new heavy duty container (5 year life)
- Snap-in Wand Holder keeps your wand in place and makes it easy for transport
- 3 Side Fill nothing to move or adjust when filling
- Ergonomic Handle recessed handle makes it comfortable and easy to hold for long periods

www.interlinksupply.com

08 Injection Sprayers





Hydro-Force Injection Sprayer Metering Tips

Dilute chemicals automatically at any of eight standard dilution ratios with these interchangeable tips.

NA0816A \$24.99 Low Pressure (old version) NA0816B \$17.44



Cone Jet, Full Pattern

This is a precision, non-adjustable cone jet that will interchange with the fan pattern jet on the Hydro-Force Injection Sprayer. It sprays in a full cone pattern, not just around the edges. Great for dye work.

NA0827B \$10.13



Floor-Mounted Hydro-Force Holder


This aluminum holder for the Hydro-Force injection sprayer can be floor mounted anywhere in your van. Keeps sprayers out of the way and makes the best use out of available space in your van. (Bottle not included.)

AC192 \$59.99



Single Pump-Up Sprayer Holder

Ensure that there is always a safe place in your van for your pump-up sprayer! This holder is made with strong, lightweight, no rust aluminum, and it will protect your pump up sprayer from damage and keep it upright. (Sprayer not included.)



www.interlinksupply.com

Injection Sprayer Containers

NEW 5 Quart Container

- Fill using side port
- Keep wands off the ground
- Ergonomic handle
- 👞 (A) 5 qt. Sprayer Bottle w/ Cap and Tether AS68A \$22.95
- 5 qt. Sprayer Bottle w/o Cap and Tether AS68 \$20.95
- 馬 (B) 5 qt. Sprayer Bottle Cap AS68L \$2.25
- 👞 (C) 5 qt. Sprayer Bottle Tether AS69A \$0.87
- L) 5 qt. Sprayer Bottle AS65 \$16.00
- 📖 🛛 7 qt. Sprayer Bottle AS66 \$28.79
- 🟬 (E) 5 qt. Sprayer Bottle AS30 \$4.40



Bottle Labels

Don't accidentally mix reactive chemicals together. Keep track of what chemical is in your sprayer jugs with these self-adhesive labels.

👞 LM93 \$.39



Hydro-Force Brass Extensions

This extension is longer than the standard 18" Hydro-Force sprayer wand and gets the spray closer to the floor. This makes carpet dyeing more comfortable and reduces overspray on a variety of spray applications.

NA0824 18" Brass Extension (Stnd.) NA0824B 24" Brass Extension




Wall-Mounted Hydro-Force Holder

This aluminum holder for the Hydro-Force injection sprayer won't rust and can be wall mounted anywhere in your van. It keeps sprayers out of the way and makes the best use out of available space in your van.

🛋 AC191 \$51.34

\$41.62

\$18.86



Keep your pump-up sprayers upright and undamaged with these strong and lightweight, no rust aluminum holders. Holds two pump-up sprayers (sprayers not included). A gasket kit (AC196A) is available to get a better fit for smaller sprayers.

Sprayer Holder	AC196	\$73.99
 Gasket Kit	AC196A	\$4.95



109 Pump-Up Sprayers



A) TCBS 3 Gallon Heavy Duty Sprayer

The Country's Best Sprayer!

This is the ideal carpet cleaner's sprayer. Built for daily use with Viton® seals throughout, this sprayer can easily handle solvents as well as water-based chemicals. Features include brass trigger, 18" brass extension wand, fan pattern V-jet (for consistent and controllable coverage), 36" chemical and solvent resistant hose and a combo pressure gauge/relief valve for proper PSI during both application and discharge.

➡ AS16A \$78.99

B) 3 Gallon Commercial Sprayer

This chemical resistant 3-gallon sprayer is excellent for everyday use for professional carpet cleaners. Ideal for pre-spray, protector, deodorizer, acid rinses and all waterbased solutions (not for use with solvents). Comes with an 18" poly extension wand with a fan pattern spray jet and a wide funnel top so you can fill it without spilling.



3 Gallon Sprayer AS14 \$41.99 (SM) Spray Jet NA1411B \$5.86 (MD) Spray Jet NA1411 \$6.79 (LG) Spray Jet NA1411C \$6.79

C) TWBS 3-Gallon Pump Up Sprayer

The World's Best Sprayers!

Ideal for large volume spraying, this 3 gallon sprayer has a high volume easy pump and comes with a brass valve and 18" brass extension as well as a heavy-duty, chemical resistant hose. All TWBS (The World's Best Sprayer) Sprayers come equipped with Viton[®] seals, brass fan pattern jets, have a combo pressure gauge/ relief valve and have a wide mouth for easy filling.

> AS204 \$87.68 D.

D) TWBS 2-Gallon Pump Up Sprayer

The World's Best Sprayers!

This 2 gallon sprayer has a high volume easy pump and comes with a brass valve and 18" brass extension as well as a heavy-duty, chemical resistant hose. All TWBS (The World's Best Sprayer) Sprayers come equipped with Viton® seals, brass fan pattern jets, have a combo pressure gauge/ relief valve and have a wide mouth for easy filling without spills.

AS202 \$79.73

E) TWBS 1-Gallon Pump Up Sprayer

The World's Best Sprayers!

This 1 gallon sprayer with 10' industrial duty flex hose has a comfortable and durable spray gun and spray tip with a no-drip spray screen. All TWBS (The World's Best Sprayer) Sprayers come equipped with Viton[®] seals, brass fan pattern jets, have a combo pressure gauge/relief valve and have a wide mouth for easy filling without spills.

Use for:

- Upholstery presprays
- Wall washing
- Application of disinfectant

AS18 \$96.67



Pump Sprayer Parts Breakdowns

See pages 305-308.

110 Pump-Up Sprayers

UNDERSTANDING **Chemical Dilution** and Cost

The cost of chemical should not be based on sticker price, but the Ready To Use (RTU) price.

Cost per gallon of RTU equals Price per gallon of concentrate divided by how many gallons of RTU it makes.

EXAMPLE: If a gallon of Traffic Slam concentrate costs \$26.80, and the directions say to add 4 ounces per gallon of water, this means that the dilution ratio (see the chart) is 1 to 32. In other words, you would add one gallon of Traffic Slam to 32 gallons of water to make 33 gallons of RTU solution.

One gallon of Traffic Slam =\$26.80	
\$26.80	= \$0.81/RTU gallon.
33 gallons	– \$0.81/1110 galloff.

Dilution Ratio Chart

1	to	1	=	128 oz.	Per gallon of water
1	to	2	=	64 oz.	Per gallon of water
1	to	3	=	43 oz.	Per gallon of water
1	to	4	=	32 oz.	Per gallon of water
1	to	5	=	26 oz.	Per gallon of water
1	to	6	=	21 oz.	Per gallon of water
1	to	7	=	18 oz.	Per gallon of water
1	to	8	=	16 oz.	Per gallon of water
1	to	9	=	14 oz.	Per gallon of water
1	to	10	=	13 oz.	Per gallon of water
1	to	15	=	8.5 oz.	Per gallon of water
1	to	20	=	6.5 oz.	Per gallon of water
1	to	25	=	5 oz.	Per gallon of water
1	to	32	=	4 oz.	Per gallon of water
1	to	40	=	3 oz.	Per gallon of water
1	to	50	=	2.5 oz.	Per gallon of water
1	to	60	=	2 oz.	Per gallon of water
1	to	80	=	1.8 oz.	Per gallon of water
1	to	100	=	1.3 oz.	Per gallon of water
1	to	128	=	1 oz.	Per gallon of water





Stainless Steel Solvent Sprayer

Viton and nylon fitted throughout, this is an ideal sprayer for solvent-based protectors, deodorizers, upholstery presprays, dry cleaning and drapery cleaning solutions, and any water-based chemical. This 2 gallon top-of-the-line sprayer features stainless steel construction, a high-quality metal gun-jet and a 10' indestructible, flexible pressure hose.

AS22A \$199.95

Stainless Steel PRO 2-Gallon Sprayer

This sprayer can handle all water and solvent based chemicals making it perfect for carpet cleaners. Built for comfort and guality, details include a tough gun-jet, 36" indestructible flexible hose, brass plunger assembly, 18" brass extension, Viton O-ring and fitting and a top-grade stainless steel tank.

> AS23 \$156.99

Stainless Steel Standard Sprayer

The perfect size, weight, balance, and price for the professional. One of the best buys for a topgrade 2 gallon stainless sprayer. Details include 18" brass extension, brass plunger assembly, brass fan pattern jet, zinc trigger assembly and a top-grade stainless steel tank. Not for solvents.

AS21 \$120.37




48 Oz. Hand Sprayer

This pump-up hand sprayer with adjustable cone spray pattern is great for use on small jobs or for after spray of deodorizers, spraying walls, furniture, etc. Features chemical resistant nitrile gaskets and is great for all water-based solutions. No solvents.

> AS01 \$17.80

2-Qt. Pump Sprayer



Designed for heavy duty continuous spraying, this
sprayer is perfect for water and solvent-based
chemicals. Details include durable polyethylene
construction with Viton [®] seals throughout, comfort-
able grip and thumb trigger, easy-fill wide mouth
and a cone spray jet.

2-Qt. Sprayer	AS05	\$26.99
(SM) Spray Jet	NA1411B	\$5.86
(MD) Spray Jet	NA1411	\$6.79
(LG) Spray Jet	NA1411C	\$6.79

111 Trigger Sprayers



	Spraymaster	Trigger Sprayer	Anti-Back-Off	2-Way Sprayer	Red Relief Stain Magic	32 oz. Bottle
Part #	AS04	AS06	AS24	AS28	AS93/AS94	AS29
Size	32 oz.	32 oz.	32 oz.	32 oz.	32 oz.	32 oz.
Chemical Resistant	yes	yes	yes	yes	yes	yes
Solvents	yes	no	no	yes	no	no
2-Way Spray	no	no	no	yes	no	no
Dual Chamber	no	no	no	no	yes	no
Price	\$6.79	\$2.80	\$2.84	\$9.59	\$17.85/\$16.50	\$1.89

Trigger Sprayer (AS06) Components Trigger Head AS06A 32 oz. Bottle AS29A

\$1.34 \$1.89

Trigger Sprayer (AS24) Components AS24A Trigger Head 32 oz. Bottle AS29A

\$1.35 \$1.89

Sprayer (AS28) Components AS28A Trigger Head \$7.89 32 oz. Bottle AS29 \$1.89



Cordless Sprayers

	Flexipro Cordless Sprayer	Cordless Multi-Sprayer	
Part #	AS75 🔜	AS78 📖	
PSI	50	50	
Charger	Car and Wall Charger	Car charger only	
Battery	12 V 8 Amps	12 V 9 Amps	
Hose	15 ft. coil hose	10 ft. coil hose	
Container Size	2.9 gallons	2 gallons	
Sprayer	Stainless steel extension and pro model spray gun	Stainless steel extension and trigger valve	
Quick Change Upholstery Jet	Yes	No	
Wheeled	Yes	No	
Spray Time	Up to 60 gallons	Up to 30 gallons	
Translucent Bottle	Yes	Yes	
Size	14" X 11.5" X 24" high (includes wheels)	14" x 6" x 22" High	
Price	\$525.00	\$520.00	

Wired, 120 volt version AS76 \$469.00 Nired, 115 volt version AS77 \$415.00

112 Brushes, Groomers and Bonnets



A) Perky Groomer[®] B) Perky Brush[®]

Once your customers see how great their carpets look after you use the Grandi Groom or Grandi Brush they'll want one of their own! These tools have a 12" head, so it is a slightly smaller version of the Grandi Groom or Grandi Brush and it's priced so you can sell it to your customers and make a nice profit, too!

> Perky Groomer AB22 \$14.59 Rerky Brush AB21 \$18.99

C) Grandi Groom

This versatile tool is great for loosening embedded dirt before you pre-vacuum, agitating pre-spray into traffic lanes as well as for final grooming after applying carpet protectors to insure even coverage. Also, use for final finishing after cleaning to leave a beautiful footprint and tool mark free carpet to really impress your customers.

Grandi Groom AB24 \$22.05
 Head Only AB24H \$15.75
 Handle Only AB26H \$9.13

D) Grandi Brush®

The Grandi Brush is just like the Grandi Groom except that it features nylon brush bristles for greater penetration of presprays on lower profile commercial and multi-loop carpets. Also great for finishing on Oriental and other fine rugs where the Grandi Groom may be too aggressive.

> Grandi Brush AB28 \$31.99 Head Only AB30 \$21.05 Handle Only AB26H \$9.13

Grandi Groom/Brush Combo

Now you can have a Grandi Groom and Grandi Brush on the same handle in order to have the proper agitation/ grooming tool for every single job! Buy the combo or choose the conversion kit that comes with a Grandi Brush and adapter to attach the brush head to a Grandi Groomer.


Combo Grandi Groomer/Brush AB19 \$38.99 Conversion Kit (w/brush) AB32 \$25.99



E) Whizgroom®

The Whiz Groom is a great spotting tool with a spatula/scraper on one end and a brush on the other. Also great for removing pet hair, lint and debris prior to cleaning in hard to reach areas in cars or furniture.

F) Handi Groom[®] G) Handi Brush[®]



The Handi Groom and the Handi Brush are great tools to have for those tasks that need personal attention. The Handi Groom removes embedded pet hair, lint and debris from stairs, rugs, durable upholstery and auto carpeting and seats. The Handi Brush removes pet hair and dirt from finer fabrics as well as agitating during the cleaning process.


馬 Handi Groom AB20 \$9.99

馬 🛛 Handi Brush AB34 \$8.29




Nap Brush With Handle

The best option for grooming smooth plush carpet. This brush will set the nap after cleaning and may also be used to agitate traffic areas on commercial-type carpets.



Brushes, Groomers and Bonnets 113



Spotting Brush

For tamping during spot removal, these professional spotting tools feature the short, extra stiff nylon bristles you need to drive spotting chemicals into stained areas.

- Standard AB10 \$9.78
- Economy AB85 \$7.89



Large Horsehair Brush

Thousands of bristle ends stay in contact with the upholstery, even when the brush is wet. This is the best overall brush for upholstery agitation!

AB06 \$31.19

Regular Horsehair Brush

Pre-condition your upholstery without harming the fabric. For comfort and economy, this is the brush.



Hand-Fit Horsehair Brush

The horsehair bristles on this brush are securely held in place with stainless steel staples, and the block is solid polypropylene. Thousands of bristles stay firm, even when wet, giving complete agitation.

■ AB09 \$7.99



Velvet Carding Brush

A must for all upholstery cleaners. With over 2,000 strands of cadmium plated steel wire this brush will groom and set the nap of fine velvets with no worry of texture change or damage.

🔈 AB04 \$24.97



Brass Velvet Brush

Different than other velvet brushes, this velvet brush with brass wires is perfect for finishing and fluffing fine velvets after cleaning and is also great for removing pet hair.

馬 AB02 \$12.99



Utility Scrub Brush

White nylon bristles are held in a molded, chemical-resistant block that will not crack, deteriorate, or wear out. Upswept handle eliminates skinned knuckles.

馬 AB14 \$10.38



Hand Fit Scrub Brush

Designed to be used on a wide range of carpet and durable upholstery fibers. DuPont nylon bristles and plastic block.

■ AB12 \$8.99



Premium Grout Brush

This new premium grout brush has stiffer bristles in a tapered configuration that allows you to brush hard into the smallest crevices with greater control and speed. It's more aggressive than our AB36 brush. The nine inch brush block fits on a threaded handle.

■ Grout Brush AB35 \$9.75 Metal Handle AB18M \$9.09 Metal Handle AB35A \$18.99



Grout Brush

The unique pivoting head of this grout brush allows the stiff crimped, acid resistant nylon bristles to glide along grout lines, in corners and up walls. The brush is bevel-cut to get into grout lines. A lock-down handle socket securely attaches to a variety of handles.

> Grout Brush AB36 \$20.42 Wood Handle AB18H \$6.59

Corner and Edge Brush

No more scrubbing tight spots on your hands and knees — this triangular shaped brush with side-mounted bristles is designed to both easily and effectively clean those hard to reach areas.

AB40 \$71.99

114 Brushes, Groomers and Bonnets



Full Carpet Bonnets

These heavy-duty full bonnets provide the aggressive cleaning and full absorption of 100% cotton. Great in bonnet cleaning systems or for drying carpet as a final step.

17" Bonnet AC85 \$45.99
 21" Bonnet AC86 \$48.99



Speedtrek Carpet Bonnets

Low profile, highly absorbent bonnets feature scrubbing strips of polypropylene designed to draw up moisture and soil, cleaning the dirtiest of carpets. Can be repeatedly laundered.

17" Bonnet AC87 \$29.44
 21" Bonnet AC89 \$34.99



Microfiber Carpet Bonnets

Multi-purpose for use on carpet and hard surfaces (like hardwood floors) for mild abrasion and superior absorption. Positively charged Microfibers are split into 17 strands for amazing soil-pulling power.

17.5" Bonnet AC88 \$17.99
 19.5" Bonnet AC92 \$26.47



Hand Bonnet

Ideal for shampoo cleaning of upholstery fabrics, stairs and along walls. Bonnet with hand hole for maximum control provides absorption while two strips deliver necessary agitation.

🗈 AC93 \$21.42

BUCKETS, CONTAINERS AND ACCESSORIES



Containers

馬 A) Spotting Bottle 4 oz.	AU40	\$1.59	馬 G) 5 qt. Sprayer Bottle w/o cap	AS68	\$20.95
B) Spotting Bottle 16 oz.	AS03	\$1.99	H) 5 qt. Sprayer Bottle with cap	AS68A	\$22.95
馬 C) Spotting Bottle 32 oz.	AS06B	\$1.99	馬 I) 7 qt. Sprayer Bottle	AS66	\$28.79
馬 D) Gallon Jug w/ Lid	AX105	\$2.99	馬 J) 5 GI. Headpack Square	AX101	\$12.29
馬 E) Wide Mouth Gallon w/ Lid	AX103	\$3.25	馬 K) Lid for 5 Gallon Pail	AX102A	\$3.66
馬 F) 5 Qt. Container w lid	AS30	\$4.40	馬 L) 5 Gallon Bucket w/o Lid	AX100	\$9.37
5 Qt. w/ Lid (not pictured)	AS65	\$16.00	馬 M) Spigot for Headpack	AX101A	\$5.02

Buckets, Containers and Accessories 115

Stor-Ease Bottle

Why carry heavy gallons into the job when you can carry quarts? With squirt cap for easy pour and a wide mouth for easy fill, carry only the cleaning agents you need. And, because you can easily mark what's in each quart you'll meet DOT and OSHA requirements.



馬 AS07 \$2.51

Drum/Pail Pump

Tired of lifting and spilling contents of pails or using a siphon on a drum? Replace those old methods with these unique double action pumps. They deliver the chemical at low pressure in high volume. Both pumps are compatible with acid or alkaline cleaning chemicals with solvents. Do not use with strong solvents.

> Pail Pump AX161 \$49.95 Drum Pump AX162 \$69.95

Carry-All Trays

These handy caddies are great for your spotting kit or for a wide variety of quarts, trigger sprayers and smaller bottles and accessories. Strong poly construction will last for years.

8"x19"x13.5" AU10 \$19.56
 5.35"x16"x11" AU10B \$17.29
 White 6"x16"x11" AU11 \$10.99



Measuring Cups

Eliminate the "glug" method of measuring and stop wasting chemicals! Each cup is calibrated for exact measuring.



2 oz.	AX19	\$0.39
4 oz.	AX18	\$1.39
8 oz.	AX24	\$1.69
16 oz.	AX25	\$3.39

Bottle Proportioners

Measure out your chemicals quickly and easily with just one squeeze of the bottle! Operation is simple and efficient. Simply adjust the regulator to desired level, squeeze chemical into chamber, open your lid and pour out pre-measured chemical.

🔜 3)

4)

Proportioner, Quart AX190 \$5.99
 Proportioner, Gallon AX191 \$6.99

Buckets

Calibrated for exact measurements, both the 10 qt. and 14 qt. buckets are the perfect size for mixing upholstery formulas, wall washing solution or any other cleaning tasks. Each features a comfort grip handle and easy pour spout.



■ 10 QT. AU86 \$9.69 14 QT. AU88 \$16.99

Busy Pockets

Now, carry all your miscellaneous tools, accessories and chemicals at once. Made of PVC reinforced polyester with heavy duty stitching, Busy Pockets fit around a 4-gallon square or 5-gallon round pail and is loaded with pockets, including a large Velcro pocket closure for valuables.

Tools, chemicals, accessories, and bucket sold separately.

➡ AX106A \$22.95



Visit our showroom or call in an order. See cover for information.

116 Customer Service



Door Jam

Eliminate the issues with open doors by using a Door Jam. A pillowy pad blocks the door opening and still lets you run in your hoses. When finished, the Door Jam easily rolls up into a compact bag for storage. Use the Door Jam and create another major positive Moment of Truth for your customers! Now fits doors 6.5'-9.0'!

馬 AD04 \$114.45

Lawn Pik™ NO MORE BURNT LAWNS

Look no further than your customer's burnt lawn if you're wondering why you're not getting referrals or repeat jobs. Contractors that take the time to protect their customer's property are the ones that will be in business for years to come.

- Solid, one-piece construction
- Elevates hoses to prevent burnt lawns and keeps your hoses free of mud
- Can be used to keep hoses out of flower beds Comes in packs of five.
 - 👞 AX193 \$37.05





NEW Hoser ™

Don't drag dirty vacuum hoses into your customer's homes! Quickly and easily clean your vacuum hoses whenever needed with the Hoser. Just attach to your truckmount vacuum and solution lines and run your hoses though the Hoser as you reel it in. Works with 1½" and 2" hoses.

馬 AH111 \$159.00



Door Jamb Saver

Protect your customer's doorjambs from hoses and quick connects with ease. Snaps around doorjamb without need of adhesives and provides a professional image of caring for your customer's home. Will also work on some types of banister posts. Packaged in pairs.

Door Jamb Saver, 6" x 18" AC17 \$17.95
 Door Jamb Saver, 8" x 18" AC17W \$19.95



Corner Guard

Protect your customer's paint or wall coverings when pulling hoses. Corner Guards are made from lightweight, unbreakable, non-marking plastic and prevent hose damage while you work. A set of three is enough for most jobs. Use available rubber feet for use in hard floor areas.

White Corner Guard AC18 \$10.35
 Orange Corner Guard AC181 \$10.85
 Rubber Feet, Set of 4 AC18F \$2.19

Lamb's Wool Duster

Natural lamb's wool dusters are excellent for removal of light smoke, dust and soil from walls and nearly all surfaces. When soiled, simply wash, dry and reuse. Telescopic handle included for hard to reach light fixtures, ceilings, etc. Pole telescopes from 30"-45".

AX07 \$12.39

Shoe Covers

Shoe covers create a powerful impression on the customer that you care about their property. Also protects footwear and allows technicians to leave the work area without tracking soot, soil and filth throughout the rest of the structure. One size fits all.

 Heavy Duty White (pair) AX98 \$0.39 ea. 50 pair, \$0.35 ea.
 Blue (pack of 50) AX98B \$12.13, \$0.24 ea. Case (10 packs of 50 pair \$10.99pk), \$0.22 ea.





Furniture Moving/Floor Protection 117



Premium Blue Styro Blocks

Blue Blocks are the very best, especially for the heaviest furniture. These 2" \times 2" \times 1" blocks have the highest compressive strength available and will never crush. They snap off clean with no mess too! Sold in a case of 1008 blocks.

> AC45 \$33.99 (ea) \$30.99 (8)



Ultra Strong Foam Blocks

These ultra-strong, high-density pure white Styrofoam blocks are what you need to have on hand to protect furniture from moisture and yourself from liability. Ready to snap off, these blocks will never leave a mess. Blocks are 2" x 2" x 1" and sold in a case of 1,008 blocks.

AC44 \$30.19 (ea)

\$25.66 (8)



AX150 \$48.59

Florguard

When moving major appliances, Florguards protect your vinyl or hardwood floor covering from sharp edges or even the weight of the appliance. A heavy refrigerator can leave indentations in some floors – but not with Florguards. Strong and durable for use time and again. Sold in a set of (2) 35" pieces and (2) 30" pieces. 35" piece and 30" piece connect to make 65" section. 4" wide.



Lift Buddy

A fantastic tool for a one-man crew when putting blocks underneath heavy couches. Simply slide your Lift Buddy under the edge of the couch and push down on the handle. The couch end lifts effortlessly and allows you to slide your blocks under the couch's legs without any strain!

AC112 \$56.23



Carpet Skidders

Designed for use on carpeted areas, and available in three different sizes (3.5", 4" and 8") to work with practically all legged furniture, these carpet skidders allow you to move heavy furniture almost effortlessly, even with one person. Simply place one skidder under each leg and slide the piece out of the way.

Carpet Skidders 3.5" AC1000 \$6.99
 Carpet Skidders 4" AC15 \$19.50
 Carpet Skidders 8" AC16 \$33.50



Forearm Forklift

Make moving heavy furniture easy, reduce costly damage and prevent back injuries. Made of super-strength webbing, this leverage tool can support up to 600 lbs. (per pair) and encourages proper lifting techniques that make carrying heavy, awkward items easy.

Forearm Forklift (2 pack) AX116 \$19.99
 Extensions (3.5 ft.) AX116A \$10.68



EZ Moves Furniture Slides

EZ Moves allows one person to easily move furniture and more! Fantastic for one-man crews or to save the backs of all your techs. Simply tilt the piece to be moved, slide the EZ Move underneath and easily push heavy objects out of the way! Choose standard EZ Moves Pro for most items with legs. EZ Moves 4' Slides are great for items without individual legs and there's also EZ Moves Hard Surface Pro, a felt bottom version for heavy moving on hard floors.

EZ Moves Pro, Set of 4 11.5"x6.75" AC028 \$28.95
 EZ Moves 4" Sliders, Set of 2 AC023 \$28.49
 EZ Moves Hard Surface, Pkg of 4 AC027 \$18.45
 www.interlinksupply.com



118 Furniture Moving/Floor Protection






Sticky Tabs

Keep your tabs attached to the furniture with Sticky Tabs! Sticky Tabs are easy-to-apply, sturdy, 3" x 3½" plastic tabs with adhesive on one side. Simply pull the perforated tabs off the 100' roll (approximately 340 tabs per roll), place them under the furniture, and move the furniture back-and-forth to make pre-spraying and extraction easy.

AC8403 \$16.45



Package of 1,000
 AC21A \$19.99
 Case of 5,000
 AC21 \$64.99



Foil Tabs

These 3" x 3" protector pads have foil on one side and thick paper on the other for preventing costly furniture and rust stains from legged furniture. They are the traditional cleaner's choice and are an effective choice for protecting furniture from damp carpeting.

Plastic Pads

These clear plastic pads are the economical choice for carpet cleaners. They come in two sizes for use under furniture to protect from rust and furniture stains. They come in small pads of 50 and you just "zip" them off as you need them.

 Package of 1,000 3"x3" AC19D \$11.99
 Case of 5,000 3"x3" AC19 \$35.99

Package of 1,000 4"x4" AC20A \$17.99 Case of 5,000 4"x4" AC20 \$55.99



\$11.99

Preservation Tape

This vinyl tape is designed to adhere plastic sheeting to almost any surface without leaving a messy residue. Excellent for use with ZipWalls and Injectidry Vac-it Panels. 2" x 180' roll.







#AR02

#AR03

Filmtech Protection Films

When your carpet or hard surface needs to be protected against continuous heavy usage, choose FILMTECH Carpet Protection Films or Hard Surface Protection Film for maximum protection. They provide strength, superb puncture and tear resistance, and with our special adhesive backing, will maintain a smooth walking surface without lifting at the edges or in the middle of your path. Simply roll out the film for long lasting, durable protection.

The heavy-duty applicator was designed as a professional tool! Solid steel construction will hold-up to repeated use. Innovative "sliding jaw" for easy loading of wide rolls.

Carpet Protection Film - Clear, 24" x 200' AR02 \$43.89 Hard Surface Protection Film - Blue, 24" x 200' AR03 \$43.89 Protection Film Applicator - 24" AR04 \$124.26



Drop Cloth

This 9' x 12' drop cloth features an absorbent paper on one side with a leak proof plastic back that makes it great for a wide variety of cleaning operations. Excellent for overspray protection and restoration work.

➡ AX74 \$6.95



EZ-ier Tape

Build containment barriers on finished and unfinished surfaces in no time. EZ-ier tape is a double-faced tape with one side masking tape and the other side high tack cloth tape. Strong hold even against negative pressure. Removes easily and completely! 2" x 60' roll.

Heaters / Measuring Tools 119



HF2000 In-Line Heater

This 2000 watt, 13.4-amp heater with failsafe 250° F back-up thermostat is a must for portable cleaning when extra heat is required — or use it to provide supplemental heat to truck-mounts. Supplied with quick connects and ready to attach to your solution line, the HF2000 is automatically controlled up to 220° F, features a stainless steel heat chamber rated to 1000 PSI and a 25-amp circuit breaker. Includes cord wrap, carrying handle and lighted switch.

AX39 \$649.00



馬 AC210

\$59.99

Wagner 705 Power Steamer

The Wagner Steamer is ideal for getting out those difficult to remove red stains, where nothing else seems to work. Simply apply your cleaning solution to the carpet, place the Power Steamer on top and watch as stains disappear.

- One gallon reservoir for over 1 hour of steam time
- Cool-touch handle for safety during operation
- 11 ft steam hose for easy mobility during project
- Light weight steam plate to reduce fatigue during use
- Power 1500 watts

ROLATAPE

MEASURING TOOLS



NEW Rolatape - 2 Wheel

Measure square footage quickly and conveniently. Simply roll this great tool over the carpet, width and length. Multiply and you have square footage. Our rolling tape measure is calibrated in tenths of a foot for easy calculations.

Rolatape AC41A \$50.74



Laser Distance Meter

Get laser measurement accuracy down to 0.06 inches and Historical Storage that recalls the previous 20 records (measured or calculated results). Measures from 2" to 164' and automatically cacluates Area and Volume. The Continuous measurement function with Min/Max distance tracking updates every 0.5 seconds. Carrying case and 2 AAA batteries included.

Propane Water Heaters

These propane water heaters deliver outstanding heat for both truckmount and portable units. The 120,000 BTU unit is capable of a 120 degree heat rise at 1.25 GPM and 60 degrees at 2.5 GPM! The 65,000 BTU unit delivers a 100 degree heat rise at .9 GPM and 60 degrees at 1.5 GPM. Thermostatically controlled and adjustable to 200° F plus.

> 65,000 BTU AX42 \$1214.06 120,000 BTU AX43HP \$1548.00



Hot Shot In-Line Heater Make your portable or truck-

mount carpet and upholstery cleaning machine more effective than ever! The Hotshot Heater with heavy-duty polyethylene casing delivers 1750-watts of heat and draws 15-amps. Comes with a 25' 12/3 heavy-duty power cord and a lighted switch.

> 1750 Watts AX30 \$461.45 2000 Watts AX31 \$473.06

Bucket Heater

Never be caught without hot water! This 1000-watt immersion heater heats 1-gallon of water from 60° F to 130° F in just 10 minutes. Automatic safety shut-off reduces fire hazard. Bucket not included.

■ AX28 \$62.62



120 Pressure Washers / Safety



Pressure Wash Gun Assembly

This ergonomically designed gun is a great tool for all your pressure washing needs. Rated for use up to 1500 PSI this gun is also insulated for use with hot solutions. Comes with a 24" insulated straight extension and a 1506 stainless steel V-jet and a 1⁄4" male quick connect.



Power Jet Pressure Wash Assembly

This amazing pressure washing tool automatically increases the impact of your pressure by 50%! Its oscillating nozzle delivers a 15-degree round spray pattern that's 50% more powerful than conventional flat spray results. The assembly is rated at 2,500 PSI and 202 degrees. Includes a 24" insulated extension.

AS58 \$149.00



Water Otter Power Washer

AS60 \$88.90

Perform tile and grout work without tying up your truckmount or if your portable extractor does not have enough power. This commercial-duty, portable unit produces 250 to 1,200 PSI and 2.2 GPM at the nozzle tip while the 120-volt electric motor draws 8 to 14.3-amps. Comes with a 35' GFCI cord, a female garden hose inlet and a ¼" female quick connect. Water temp may not exceed 180° F.

AS1200 \$1109.00

SAFETY



Caution Sign

8 1/2" x 11" Caution Wet Carpet signs are printed in bright, attention-grabbing red. Warn passers by about hoses and wet carpet hazards. 50 pack.

Warning Sign - Ozone

These 8 1/2" x 11" signs are printed in bright, attentiongrabbing red. Make sure that premises remain vacant when ozone is in use and protect yourself from liability problems by posting warning signs when appropriate. 50 pack.

> Caution Wet Carpet LM72 \$8.98
> Warning Sign - Ozone LM78 \$7.95



Hose Bridge


Protect yourself from slip-and-fall liability. Constructed of sturdy polyethylene with anti-skid safety tape, this Hose Bridge is sized to cover a 2" vacuum hose, solution line, cord and a little more. Folds for easy storage and is OSHA compliant.

AR008 \$275.00

Caution Sign – Double-Sided

Get their attention with this large, yellow, folding plastic caution sign! Warn customers and passers-by of wet carpet and hoses. Protect your customers, protect the public, protect yourself and reduce liability.

馬 AW02 \$24.17



Warn, protect and keep your customers as well as bystanders safe — all while protecting yourself and reducing liability. 1,000'

🔈 AX59 \$16.29

Collapsible

Safety Cone

Now you don't have to clutter up your van with bulky safety cones! These safety signs collapse to store flat so you can store many of them in the space it would take to store one regular safety cone!

Safety Cone AW03X \$53.44
 Hot Hose Sleeve AW03H \$1.95
 Wet Floor Sleeve AW03F \$1.95

Damp Carpet Sleeve AW03C \$1.95 Blinking Light AW03L \$9.90


Solution Hoses 121

Hydro-Force Pro Solution Hose

Proven in Engineering Tests to be the strongest and longest lasting hose in its price class, the Hydro-Force[™] Pro 4,000 is steel-braid solution hose rated at 4,000 PSI and 250° F.




More Durable



BRAND OF SOLUTION HOSE

Competitive hoses lose more than 2X as much rubber on the outside of the hose in wear and tear testing. (*Abrasion test specification: ISO 6945. Test requirements: Loss of mass measured after 2,000 cycles with a vertical force of 50 N.*)

Higher Burst Rating



BRAND OF SOLUTION HOSE

Have confidence in your hose with the highest PSI ratings in its class. (Burst test specifications: SAEJ343)

Hydro-Coil Steel Braid Truckmount Solution Hose

This ¼" steel braid hose with a composite rubber exterior is built for the most demanding pressure and heat situations. Rated at 3,000 PSI and 250 degrees F, this non-marking hose will withstand everyday abuse. The steel braid makes it tough and yet this hose is also very flexible. Meets manufacturer's specifications for all high temperature truckmount machines. The 50' sections include protector sleeves on both ends and ¼" male pipe ends (quick connects not included). Available in blue, orange and gray. 50' Blue AH79A \$106.54
 50' Orange AH79B \$105.59
 50' Grey AH79C \$105.59

1/4" Blue HP, by the foot AH79AF \$2.63
 1/4" Orange HP, by the foot AH79BF \$2.63
 1/4" Gray HP, by the foot AH79CF \$2.63
 1/4" Sleeve Hose Guard AH82 \$3.15
 1/4" Nale Pipe End XAF01 \$7.12
 1/4" x 25' Gray AH79D \$82.50
 1/4" x 25' Blue AH79AD \$79.87

(When ordering by the foot, add two AH82 and two XAF01)



Parker Parflex Truckmount Solution Hose

This high quality truckmount solution hose is made by Parker and has a smooth, seamless thermoplastic inner tube specially compounded for use with high temperature solutions. These hoses also lose less heat than other hoses. Handles pressures up to 1,750 PSI and temperature to 230° F. A great lead hose.

■ 50' Blue AH91A \$115.99 ■ 50' Blue (per foot) AH91AF \$2.65 50' Orange AH91B \$115.99
 50' Orange (per foot) AH91BF \$2.65

122 Solution Hose and Accessories




Hydro-Flex Low Pressure Solution Hose

Ideal for portable extractors, this hose is built to withstand working pressures up to 250 PSI. This light grey 3/8" hose has a non-marking PVC cover and AH90B and AH90C come standard with ¼" male pipe ends. This hose is also great as a strong, flexible water supply hose for truckmounts.

3/8" LP 25' AH90B \$30.47
 3/8" LP 50' AH90C \$48.17
 3/8" LP Order by the foot AH90 \$1.17
 Crimp, Hose Adapter NA2251A \$1.50
 3/8" x ¼" Barb BR020 \$1.74

(Add NA2251A and BR020 when ordering AH90 by the foot.)



If you've had it with the cheapo garden hoses from the hardware store then this is the hose for you. This high quality garden hose is rated at 200 PSI, is flexible all year long, has a ½" inside diameter to allow plenty of water flow and has a blue color for easy visibility. High quality at a great price.

50' with hose ends AH62 \$79.95
 75' with hose ends AH62A \$94.95
 100' with hose ends AH62B \$108.95
 Order by the foot AH60 \$1.73



Hide-A-Hose Swivel Cuff


Allows hiding of solution hoses inside vacuum hose.

I.5" AH12 \$8.41
 1.5" x 3/16" AH13 \$8.16
 2" AH14 \$17.29



1/4" Solution Hose End

 $1\!\!\!/4"$ male pipe end for $1\!\!\!/4"$ HP solution hose.





Truckmount Pump-Out Hose

This green garden type hose has a ¾" internal diameter to allow for free flow of high volume pump-out systems on truckmounts. Features patented 6-ply construction with 500 PSI burst strength and is lightweight, kink resistant, stays flexible even in cold weather and has heavy-duty Full-Flo brass couplings.

■ 50' (3/4") AH65 \$58.31

NUDRO-FORCE

Hose Bag

Stop tearing out fingernails lugging around heavy bags filled with hoses and cords. This new Hydro-Force Hose Bag has a shoulder strap to make carrying your hoses a breeze. Strong nylon mesh allows your hoses to dry and prevents nasty odors. 34" x 23"

🗈 AX200 \$17.99



Hose Net

This strong, nylon mesh bag with large 24" x 36" size and slip-lock closure is perfect for carrying hoses for portables or upholstery cleaning tools and hoses.

🇈 AX14 \$13.99



1/4" FPR Brass Solution Hose Valve

This long lasting brass valve is rated to 3,000 PSI and can be easily repaired by replacing two O-rings. This is the perfect solution for those using extremely high pressure to clean concrete, stone and other hard surfaces. Brass valve rated at 3000psi. 1/4" NPT - Female ports.

Solution Hose Accessories





A) Quick Connects - Parker

Parker brass quick connects are manufactured to the highest standards. High-pressure design, double O-ring seal and durable materials assure reliable sealing. Costs a few pennies more than the standard quick connects but many cleaners say they're worth it.

1/4" Male 100009 \$6.53
 1/4" Female 100008 \$11.43
 3/8" Male PAF01 \$8.21
 3/8" Female PAF02 \$15.94

B) Quick Connects - Hydro-Force

These 1/4" brass quick connects offer excellent quality at an affordable price. They feature a high pressure, double O-ring design and are interchangeable with quick connects made by other manufacturers. Stainless internal nipple on male end.

1/4" Male AH102B \$3.95
 1/4" Female AH101B \$7.95



Safe Connects

This indestructible connector cover comes with our best quality dual O-ring Parker female quick connect and protects both the female and male side quick connects. Prevents burned hands, chipping and scratching floors.

Black AS56C \$15.95



QD Wraps

QD Wraps are great insulated sleeves that wrap around quick connects to protect surfaces from possible damage when steaming hot connects come into contact with carpet and other flooring. Also prevents chipping or scratching.

Blue Nylon AH10 \$9.40



C) Quick Connects - Stainless Steel

For those of you that want the longest lasting quick connects available, here they are! Extremely durable, ¹/₄" stainless steel quick connects feature a high pressure, double o-ring design for reliable sealing and will interchange with brass quick connects.

¼" Male NA010 \$20.40
 ¼" Female NA012 \$35.45

D) ¼" Quick Connect - Secure Loc

A great new innovation in quick connects, the female Secure Loc fitting locks with a simple twist. You'll never have to deal with the hassle of solution hoses coming apart accidentally again! The 1/4" female Secure Loc is used with standard 1/4" male fittings.

1/4" Quick Connect NA0703 \$18.75



PREMIUM

Ball Shut-Off Valve

This heavy-duty chrome-plated brass and steel ball valve is the latest design for a tough, long lasting valve. Tested in the cleaning industry with thousands of hours of heavy-duty use, this high quality ball valve will last and last.

> ■ 1/4" AH54 \$12.45 ■ 3/8" AH54B \$14.99



Ball Shut-Off Valve

Heavy-duty chrome-plated brass and steel ball valve has the same size and features of our regular AH54 ball valve but is restricted to a maximum pressure of 400 PSI. ¼" Only.

ECONOMY ^t



Ball Shut-Off Valve


This valve is used on high-pressure water systems to facilitate easy changing of tools while under pressure. A must for Hydro-Force injection sprayers and other tools.

www.interlinksupply.com

馬 3/8" AH51 \$11.72

I/4 AH56 \$7.11

124 Vacuum Hose, Cuffs and Accessories



A) Heavy Duty Vacuum Hose

This is the perfect vacuum hose for high-powered truckmounts and portable extractors. Used by tens of thousands of carpet cleaners day in and day out, this flexible vacuum hose is strong and durable. The smooth, free flowing inside bore allows maximum airflow for the best performance and fastest drying. Effective with constant working solution temperatures of up to 210°F at the truck.

2" x 50' Blue with cuffs AH32 \$91.99 2" x 50' Orange with cuffs AH30 \$91.99 2" x 50' Grey with cuffs AH34 \$91.99 1.5" x 50' Blue with cuffs AH38C \$61.99 1.5" x 50' Orange with cuffs AH31 \$61.99 1.5" x 50' Grey with cuffs AH36C\$61.991.5" x 25' Blue with cuffs AH38B\$41.551.5" x 25' Orange with cuffs AH29\$41.551.5" x 25' Grey with cuffs AH36B\$41.55

B) Super TM High Heat Truckmount Vacuum Hose-2"

This is the same hose that came with your truckmount! It is designed to handle the highest solution and environmental temperatures!

- Smooth, free flowing inside bore allows the highest CFM.
- Strong and durable construction won't collapse in high vacuum and high heat situations.
- Handles constant working solution temperatures of up to 240° F at the truck.

2" x 50' Blue AH24 \$93.99	2" x 50' Orange AH25 \$93.99	2" x 50' Grey AH26 \$93.99
----------------------------	------------------------------	----------------------------

C) Maximize Vacuum Power With 2.5" Vacuum Hose! Join The Airflow Revolution!

You've probably been hearing a lot about dramatic improvements in airflow (and therefore drying times) by going to 2½" vacuum hose. The reports are true! One of the main restrictions to airflow is the vacuum hose. By going to a 2½" hose instead of 2" or even 1½", airflow is dramatically increased so you get more of the performance potential of your truckmount. This is the hose you've been hearing about! It has the baby blue liner and the hose stays soft, flexible and kink free. Lower resistance through the hose means more velocity at the wand head for more water recovery and faster drying!

2.5" x 50' Blue AH160 \$201.76



Hydro-Filter™ In-Line Waste Filter

The Hydro-Filter is an essential part of your business. The advanced polymer is designed to withstand impacts and high temperatures and allows you to impress your customers by showing them how much soil is being removed - something not possible with opaque filters. The redesigned stainless steel filter protects your vacuum motor from harmful debris and maximizes your machine's CFM output. Additionally, the screw on lid eliminates broken latches so you can focus on your work, not on repairs. For more information, see page 161.

AMAZINGLY durable polymer uses the same material used in bullet-proof windows!



Hydro-Filter AC10 \$99.00
 Flash Cuffs Hydro-Filter AC10F \$130.50
 Replacement Lid AC10A \$17.40
 Replacement Body AC10B \$54.40
 Stainless Steel Filter AC10C \$40.95
 Replacement O-ring AC10D \$4.99

Vacuum Hose Accessories







NEW Hoser

Don't drag dirty vacuum hoses into your customer's homes! Quickly and easily clean your vacuum hoses whenever needed with the Hoser. Just attach to your truckmount vacuum and solution lines and run your hoses though the Hoser as you reel it in. Works with 11/2" and 2" hoses.

> AH111 \$159.00



Vacstrap

No longer will you have to worry about your hoses coming apart and losing suction. You can totally eliminate your hoses separating when you're winding them up on the reel, laying them out for the job, going up the side of a building and so on by using the VacStrap! The VacStrap is fully adjustable to fit any size hose!

AC155 \$12.95



Keeper Velcro Strap

Help keep your operation looking neat! This incredibly versatile and strong Velcro strap can be used for a wide variety of purposes including strapping vacuum and solution hoses together, holding your in-line sprayer together, etc.

> NA0819 \$2.54

> > AX125 \$4.99



Welcome to a Velcro strap on steroids! This heavy duty Velcro Strap is made with ballistic poly webbing for increased durability up to 10 times when compared to regular Velcro straps.



Hose Hook

Great for stabilizing hoses running up the outside of a building, along walkway railings, stairs or wherever hoses need to be held in place. The durable coating on the hook prevents scratching or damage.

馬 AH95 \$10.69



Handy Hook

This stair hook can stay attached to vour hose and folds down when not in use. Heavy nylon covered hook prevents damage to hooked surfaces.

馬 AH93 \$15.99



Ratchet Strap

Ideal for keeping expensive equipment from banging around in your van. 1" x 6'. 2 per Package. 400 lb recommended safe work load.





Dust Downer

Eliminate possible damage to the blower of your truckmount or the motor of your portable extractor with the Dust Downer. By spraying a constant supply of water mist directly into your vacuum hose during dry vacuuming, the Dust Downer quickly puts grit and dust drawn up from the carpet or upholstery into solution, preventing it from being pulled into equipment vacuum motors or blowers.

> Dust Downer 2" AH20 \$69.95 Dust Downer 1.5" AH18 \$64.95



Hose Hanger

Keep your solution and vacuum hoses neat and organized with the Hose Hanger. Great for carrying lead hoses into the house and hanging extra hoses up and out of the way in the van. Made from tough 3" wide nylon webbing and strong Velcro, the Hose Hanger will last and last.

3" x 13" AX117 \$5.99 3" x 23" AX119 \$9.93 🎩 3" x 34" AX121 \$11.93



Super Strap

This large, heavy duty Velcro strap has many applications! When used to hold your hoses up stairs you can strap them to virtually anything (no metal parts so no damage!) Wear it as a belt and clean stairs without fighting hoses. You can also use it as a hose carrier because it comes with a large handle.

126 Vacuum Hose Accessories



The Flash Cuff[™] takes durability and innovation to the next level! Rugged construction and unique design ensure that twisted hoses and cuff replacements are a thing of the past. Additionally, the Flash Cuff[™] both swivels and locks – no need to choose one feature over another.

Improved Productivity

- Tighter connections between cuffs decreases the amount of air lost - leading to faster drying times
- Virtually indestructible; we've driven a truck over this, enough said!
- Cuff allows your hoses to swivel don't spend your time untwisting tangled hoses
- Easy push-button lock keeps your hoses together whether you're going upstairs or around corners
- The inside diameter of the cuff is the same as that of the hose, keeping turbulence to a minimum and increasing air flow. This leads to faster drying times so you get the job done faster

Innovative Design

- Tapered ends and shorter length allow the Flash Cuff[™] to fit on the hose reel and keep its shape better than competitive products
- Flash Cuff™ doesn't have any small, easily breakable parts like competing cuffs
- Locking design and swivel in one cuff you don't have to choose one feature over another
- More options: we have 2.5" inch cuffs for Pros that demand top air flow



*1 Year Limited Warranty



Get the Hydro-Filter (pg. 161) with Flash Cuffs Installed.

Flash Cuff Hydro-Filter

Hydro-Filter with Flash Cuffs are a perfect match. Quickly connect and prevent twisted hoses with the innovative Flash Cuffs. Comes with Hydro-Filter, Stainless Filter and two sets of installed 2" Flash Cuffs.

➡ AC10F \$130.50

Visit our showroom or call in an order. See cover for information.

Vacuum Hose Accessories 127



2" Hose Cuff, Standard Large end threaded. AH44 \$6.55



2" Swivel Hose Cuff, Standard Large end threaded.

恥 AH39 \$8.99



Reducer Hose Cuff 2" Hose to 1.5" Tool AH48 \$5.69



Hide-A-Hose Swivel Cuff 2" Allows hiding of solution hoses inside vacuum hose. AH14 \$17.29

Hose Connector Barb 2" AH76 \$5.99



Hose Connector 2" Both ends threaded.



Vacuum Y 2"







Hose Barb 1.5" Threads To 2" Cuff

馬 AH69 \$10.99

1.5" Hose Cuff, Standard Large end threaded. AH42 \$3.99

1.5" Swivel Hose Cuff, Standard

Large end threaded.

👞 AH41 \$6.24

Enlarger Hose Cuff 1.5" Hose to 2" Tool

馬 AH46 \$4.79

Hide-A-Hose Swivel Cuff 1.5"

Allows hiding of solution hoses inside vacuum hose.

Hose Connector Barb 1.5"

Hose Connector 1.5" Both ends threaded. AH50 \$5.15

Stainless Hose Connector 1.5"

Vacuum Relief 1.5"



Vac Attack




This adapter makes it quick and easy to reduce 2" hoses to fit 1½" tools. Simply slide the adapter onto the tool and then push the 2" hose cuff over the stainless steel sleeve. Great for wands and specialty tools where large amounts of vacuum provided by running 2" hose all the way is desirable.

馬 AH59 \$9.99



Sight Tube

Let your customer see how much soil and water your cleaning process is removing with the original Sight Tube attached to your cleaning tool. Also great for you to gauge the effect of your drying passes. The polycarbonate sight tube never yellows and remains clear for long-term use compared to typical plastic materials and has amazing durability. A great visual aid that adds value to your cleaning services!





Interlinksupply.com has over 10,000 parts to keep your equipment running. Visit us online or call us and we will help you find the part you are looking for.

See Parts on pages 289-308.

128 Spotting Tools & Accessories

m

Standard Brush

TTRACK.

Economy Brush

Spotting Brush

For tamping during spot removal, these professional spotting tools feature the short, extra stiff nylon bristles you need to drive spotting chemicals into stained areas.

Standard AB10 \$9.78 **Economy AB85** \$7.89



Microfiber Towel 16" x 16"

- Prevent cross contamination
- Green for the Kitchen
- Yellow for the Bathroom
- White for walls and everything else
- Super absorbent soil and oil are easily cleaned
- Soft never scratch the surface you are cleaning
- Safe for use on any surface

Logical White 13230 \$1.39 (ea) \$1.29 (12) \$1.19 (24) Le Yellow 13233 \$1.39 (ea) \$1.29 (12) \$1.19 (24) Log Green 13231 \$1.39 (ea) \$1.29 (12) \$1.19 (24) Let of all 3 13236 \$3.99 (ea) \$3.80 (12) \$3.50 (24)



Microfiber Glass Cloth

The highest grade of microfiber cloth.

- Durable and effective each cloth contains millions of absorbent surfaces
- Mini waffle design agitates gently and adsorbs (16" x 16")
- Great for polishing any smooth or glossy surface stovetop, fridge, oven, chrome fixtures, appliances etc.
 - White 13228 \$3.98 (ea) \$3.79 (12) \$3.59 (24)



Microfiber Towel 8" x 8"

- The perfect size for applying Furniture Polish and Leather Protector
- Soft microfiber will protect your furnishings from fine scratching

White 13229 \$1.23 (ea) \$1.15 (12) \$1.09 (24)



Handi Groom and Handi Brush

The Handi Groom and the Handi Brush are great tools to have for those tasks that need personal attention. The Handi Groom removes embedded pet hair, lint and debris from stairs, rugs, durable upholstery and auto carpeting and seats. The Handi Brush removes pet hair and dirt from finer fabrics as well as agitating during the cleaning process.

馬 Handi Groom AB20 \$9.99 馬 Handi Brush AB34 \$8.29



Spotting Towels

This large 100% cotton terry towel measures 16" by 19" and can be used for any cleaning task around the house. The towel is durable and will last over 100 hundred washings. Case of 28 ■ Small 16" x 19" AU18 \$25.99



Towel Clip

Keep your spotting towel handy and keep your pants dry! This powerful clip attaches to your belt loop and holds your towel securely.

■ Towel Clip AX87 \$7.95 Replacement Clip AX87A \$5.99 Replacement Carabiner AX87B \$5.95



Stor-Ease Bottle

Easy pour and a wide mouth for easy fill, carry only the cleaning agents you need. And, because you can easily mark what's in each quart you'll meet DOT and OSHA requirements.

AS07 \$2.51

Spotting Bottles

Flip top lids makes these spotting bottle a great addition to every spotting kit.

	4oz.	AU40	\$1.59
	16oz.	AS03	\$1.99
. 3	20z. A	AS06B	\$1.99

Spotting Tools and Accessories 129



pH Indicator Test Tape

This special tape will change color and indicate the pH of any water-based solution. Measure the pH of a spot on carpet by wetting the spot and quickly pressing the tape onto the spot.

AX20 \$18.68



Injectimate Sub-Surface Injection System

Whenever sub-surface injection of chemicals is required, the Injectimate is the perfect tool. It allows you to mix your enzymes or other deodorizers in a gallon jug and then inject directly from the container without having to fill a syringe.

Injectimate (bottle not included) AC13 \$37.99
Replacement Cylinder PI01 \$5.25



AU32 \$8.55

Bone Scraper

Use this traditional yet highly effective spotting tool to agitate and work spotting agents into a spot and lift off excess material. Impervious to practically every spotting chemical, this is an invaluable tool that is no longer made from bone but a special plastic compound.

Insulated Soft Side Bag

Be the consummate professional!



Insulated version conforms to IICRC S100 Standards

13 "x 11" x 11"

Use the Bridgepoint Systems insulated spotting bag to keep your spotting chemicals organized and safe. Your customer will be impressed with your cleaning "arsenal" and will feel confident that you can handle any spotting challenge. The spotting bag has both hand and shoulder straps to make carrying heavy chemicals comfortable.

Insulated Spotting Bag AX83 \$39.12



Extech Digital pH Meter

Determine the pH of a stain or cleaning agent with ease — now it's all digital! Flat surface electrode allows for a wide range of applications including on-the-spot surface measurements. Features waterproof design with rubberized housing for non-slip grip.

Digital pH Meter AU45 \$99.99
 pH 4 Buffer Solution AU46 \$12.00
 pH 7 Buffer Solution AU47 \$11.99
 pH 10 Buffer Solution AU48 \$12.00



Carpet Syringe

This large capacity syringe is ideal for injecting deodorizers under carpet or into upholstery or mattresses when neutralizing urine and other odors. Also great for injecting latex to repair carpet bubbles.

Carpet Syringe AC14 \$7.99
 Needle AS13CN \$2.38



Gum Getter[™] Patented

The Gum Getter[™] makes gum removal from carpet a breeze. With just a few strokes over the gum, you do the work of 10–15 bone scrapers. Apply Gel Break, stroke it with the gum getter and the gum will roll up for disposal. Also effective for any variety of spot and stain removal situations.

馬 AC150 \$9.09



Tools, chemicals, accessories, and bucket sold separately.

Busy Pockets

Now, carry all your miscellaneous tools, accessories and chemicals at once. Made of PVC reinforced polyester with heavy duty stitching, Busy Pockets fit around a 4-gallon square or 5-gallon round pail and is loaded with pockets, including a large Velcro pocket closure for valuables.

Busy Pockets AX106A \$22.95
 4 gl. Square Pail AX99 \$7.95
 5 gl. Round Pail AX100 \$9.37

130 Spotting Tools and Accessories



Belt Packs

Great for the professional cleaner and restoration specialist. Carry your carpet knife, measuring tape, spot remover, bone scraper, moisture detector, tabs, blocks and pencil. Made from the toughest two-ply cordura nylon, these belts are built to last for years!

Single Apron AX108 \$20.99
 Double Apron AX86 \$34.13

AU10 & AU10B

AU11

Carry-All Trays

These handy caddies are great for your spotting kit or for a wide variety of quarts, trigger sprayers and smaller bottles and accessories. Strong poly construction will last for years to come.

8"x19"x13.5" AU10 \$19.56
 5.35"x16"x11" AU10B \$17.29
 White 6"x16"x11" AU11 \$10.99



Natural Ocean Sponge

Nothing beats the natural ocean sponge when gentle agitation is required for cleaning delicate fabrics.

🕨 AU30 \$15.99



Hydra Sponge

The first and only synthetic sponge built to perform like a natural sponge. The Hydra Sponge holds extra water, creates a rich foam, is extremely durable, and will stay soft and pliable at all times. Great for upholstery cleaning, wall washing, and more.

馬 AU28 \$7.95



General Purpose Sponge

This is the sponge to use for cleaning walls, counters, ceilings, equipment or anything else where gentleness isn't necessary. It's always a good idea to have a few of these on your truck just in case.

■ AU29 \$.79



Chemical Resistant Gloves

These nitrile gloves are excellent for handling solvents or any liquid cleaning agent. Flock lined for comfort and durable, these gloves will be able to be reused many times. Sold as a pair.

■ XL AX94XL \$3.87 ■ LG AX94LG \$3.87 ■ MED AX94MD \$3.65



Disposable Nitrile Gloves

Thin, light-duty, 4-mil, nitrile gloves for chemical and liquid resistant applications provide superior durability and are more puncture resistant than thicker vinyl and latex rubber gloves. 100 gloves per box.

MED, blue AX941MD \$12.95 LG, blue AX941LG \$12.95 XL, blue AX941XL \$12.95 XXL, blue AX941XX \$16.95 MED, black AX942MD \$17.99 LG, black AX942LG \$17.99 XL, black AX942XL \$17.99 XL, black AX942XX \$17.99



Glove 13-Mil

These 13-mil heavy duty latex gloves are great for restoration. The extra thickness provides the protection needed for heavy duty restoration. 50 gloves per box.

MED AX943MD \$20.83
 LG AX943LG \$20.83
 XL AX943XL \$20.83



Vinyl Disposable Gloves

Perfect for a wide variety of cleaning and restoration operations. These 5-mil vinyl gloves are strong and economical. They are lightly powdered for worker comfort. 100 per box.

MED AX93MD \$6.99
 LG AX93LG \$6.99
 XL AX93XL \$6.99
 XXL AX93XXL \$6.99

Stone Care and Polishing 131



*optional accessories pictured are not included with the machine

MH48 includes: Machine with 17" apron and bumper

The Versa Pro is 5 Machines in One!

HYDRO-FORCE

The Versa Pro is a rotary floor machine that allows you to expand into all types of floor care services without investing thousands of dollars in many different machines. Since consumer flooring is shifting away from carpeting, it makes perfect sense for today's professional to be prepared to care for different types of flooring. This machine makes that possible! With the Versa Pro, you get the versatility of five or six different types of machines for the cost of one! You can:

- Choose the size of your cleaning path with interchangeable aprons in 13", 15", 17", 19" or 21".
- On carpet, you can agitate presprays or use encapsulation or bonnet cleaning methods! Or attach the 4 gallon solution tank to shampoo carpets.
- Clean tile and grout.
- Use the Unicorn & Weight Kit or the weighted pad driver to hone and polish marble and stone floors.
- Use with a maroon pad or sand screen to clean and prepare hardwood floors for recoating.
- Strip, wax and buff VCT floors.

A machine designed to do many different kinds of jobs has to be made tough enough to do all of them well. The high-torque, triple-planetary gear system and 1.5 HP precision balanced, super heavy duty 66-frame motor means that this machine will handle the most demanding jobs, will not bog down and will last a long, long time.

The Key to the Versa Pro's Versatility!

The key to the Versa Pro's ingenuity is the different apron sizes offered. Rather than buying a rotary machine in each size, all you have to do is a simple change of the apron and pad driver on the Versa Pro to get the cleaning path that you need for the job. All aprons come with non-marking full wrap bumpers.

13" Apron w/ Bumper	AC913A	\$60.94
15" Apron w/ Bumper	AC915A	\$81.32
17" Apron w/ Bumper	AC917A	\$86.99
19" Apron w/ Bumper	AC919A	\$101.11
21" Apron w/ Bumper	AC921A	\$106.12

For Encapsulation Cleaning and Carpet Shampooing

The showerfeed carpet shampoo brush comes in 5 different sizes so you can agitate presprays or perform encapsulation cleaning. Add the 4 gallon solution tank for carpet shampooing.



Shampoo Tank, 4 Gallon #AC96 \$101.09

Carpet Shampoo Brushes 11" Fits 13" Machine AC913B \$77.17 13" Fits 15" Machine AC915B \$96.04 15" Fits 17" Machine AC917B \$123.49 17" Fits 19" Machine AC919B \$164.57 19" Fits 21" Machine AC921B \$182.66 Versa Pro with 17" Apron and Bumper MH48 \$978.00 Versa Pro (no accessories) MH49 \$899.00 Inicorn and Weight Kit MH48W \$149.00

For Tile and Grout

Tile Cleaning Brush, 11" Fits 13" Machine AC913C \$154.16 Tile Cleaning Brush, 13" Fits 15" Machine AC915C \$196.05 Tile Cleaning Brush, 15" Fits 17" Machine AC917C \$236.22 Tile Cleaning Brush, 17" Fits 19" Machine AC919C \$291.21 Tile Cleaning Brush, 19" Fits 21" Machine AC921C \$343.73 Shampoo Tank, 4 Gallon AC96 \$101.09

Weight System and Weighted Pad Drivers


To turn the Versa Pro into a machine suited for honing and polishing stone, marble and wood, as well as bonnet cleaning and VCT floor care, simply add the Unicorn Weight System and a Weighted Pad Driver. This allows you to place the weight directly over the pad and gives you a better polish.




Unicorn and Weight Kit #MH48W \$149.00

И	leighted Pad Drivers
. .	13" AC913 \$56.30
. .	15" AC915 \$67.46
. .	17" AC917 \$78.00
. .	19" AC919 \$87.47
	21" AC921 \$101.58

32 Stone Care and Polishing









5 inch

Spinergy Stone Polishing Pads

These pads are meant to be used to remove wear and achieve a wide variety of finishes from dull hone (no shine) to a high polish on marble, travertine, terrazzo or limestone floors, walls or counter tops that have little to no lippage (uneven tiles). Limestone, travertine, marble and terrazzo become worn and abraded due to foot traffic and abrasive soils. Spinergy diamond impregnated polishing pads are the safe, easy and effective way to restore the surface to the original factory finish. Old methods require a technician to use multiple honing and polishing compounds which may contain acids that actually damage the surface. Spinergy Pads require no messy or toxic chemicals, only water.

Spinergy Stone Polishing Pad, 20" Set of 5 pads ASP20 \$310.95 Spinergy Stone Polishing Pad, 17" Set of 5 pads ASP17 \$241.95 Spinergy Stone Polishing Pad, 7" Set of 5 pads ASP07 \$131.95 Spinergy Stone Polishing Pad, 5" Set of 5 pads ASP05 \$99.95 Spinergy Stone Polishing Pad, 17" Black (400 grit) ASP17BLK \$48.39 Spinergy Stone Polishing Pad, 17" Brown (200 grit) ASP17BR \$48.39

Each set includes one of each of the following Spinergy Pads: 800 Red, 1500 Purple, 3000 Blue, 8000 Yellow, and 11,000 Green (replacement pads can be ordered separately)



ALL PADS ARE COLOR



Versa Pro Rotary Floor Machine, see page 129.

馬 A. SQP Pad	AFP100	\$113.53
馬 B. Tile & Grout Pad	AFP103	\$56.00
馬 C. Abrader Plate	AFP109	\$310.00
馬 D. SHO Wet Strip Pad	AFP115	\$47.88
🎩 E. Enhancer Pad	AFP118	\$41.60
🔜 F. White Driver Pad	AFP124	\$32.66
馬 G. Blue Driver Pad	AFP127	\$39.57
馬 H. Polishing & Buffing	AFP130	\$27.42
📖 I. Scrub Brush	AFP133	\$316.00
👞 J. Scrub 400	AFP139	\$63.96
🔜 K. Scrub 800	AFP142	\$63.96
📖 L. Scrub 1500	AFP145	\$63.96
🔜 M.Scrub 3000	AFP148	\$63.96
👞 N. Scrub 6000	AFP151	\$63.96



NEW 20" Square Scrub Floor Machine

The EBG-20/C Surface Preparation Machine features a smooth 3450 rpm motor, 50-foot 14 gauge power cord with lighted hospital grade plug, weighs in at 158 pounds and is versatile enough to provide total floor preparation solutions. The 6"x2" non-marking wheels and ball bearings are coupled with a 3/4" axle for greater mobility. The 20/C includes removable weights and a Dust Containment Kit.

MH70 \$3,513.00



Concrete, Tile and Grout Cleaning/Sealing 133



HYDRO-FORCE™ SX-15

Hard Surface Cleaning Tool

HYDRO-FORCE SX-15

Hydro-Force SX-15 Hard Surface Tool

SX-15

Don't miss the boom in stone, tile and grout! You've probably noticed the trend in commercial and residential buildings to replace carpet with stone and tile. The unmotivated carpet cleaners lament this, while those with vision see it as a huge opportunity. Not only is hard surface cleaning easier and faster, you'll actually make more money per hour! And, no tool will work faster and make you more money than the SX-15.

Simply spray your chemical on the surface to be cleaned and then use the SX-15 to quickly blast away oily deposits and remove water at the same time using the vacuum from your portable or truckmount.


The SX-15 comes with both a hard boot and brush skirt to adapt to your vacuum source. The brush skirt is used for high suction machines to allow the SX-15 to move more smoothly across the cleaning surface.

Parts breakdown on page 303. SX-15 AW105 \$899.00

NEW for 2013

- Reinforced, stronger head eliminates flexing and makes it more durable than any other on the market.
- Larger vacuum relief ports and redesigned brush skirt cut dry times in half!
- See the video at <u>www.hydroforce.com</u> and enter SX-15 in the search.





Clean 25% faster with an industry leading 15" cleaning path.



Work Faster EZ-LOC[™] tool-less boot change allows you to go from a brush skirt to a hard boot in seconds.



Low Profile Design

Low profile design allows you to get under toe-kicks, eliminating the need to hand clean.



www.interlinksupply.com



Dry Faster

Head is aerodynamically engineered to create a laminar flow vortex that leaves floors drier than ever before.



Optimize Drying Conditions

Optimize drying conditions with the toe-adjustable vacuum break to ensure you have the right vacuum pressure.



Faster Water Removal The SX-15 removes water twice as fast as competitive models.



34 Concrete, Tile and Grout Cleaning/Sealing



Gekko Tile and Grout Tool

This extremely versatile tool works with any truckmount or high-pressure portable extractor to provide outstanding results on tile and grout cleaning jobs. It concentrates all the water pressure through an amazing new spray jet that creates extreme force for cleaning severely soiled grout.

The tool works with pressures from 100 to 2,000 PSI and is primarily used as a detail tool for corners and edges when an SX-7 or SX-15 tile cleaning tool is too large. Great for focussed pressure on tough grout lines.

Purchase the stainless steel wand and Gekko heads individually or start with the wand and the original 5 1/2" head. There are four additional heads (to the right) that may be purchased separately for your specific needs.

Gekko Wand with 5 1/2" Head AR54 \$339.00 Gekko Wand (no head) AR54A \$221.00





One Wand, Five Tools!

Gekko 14" Brush Head

For smoother hard surfaces where brush agitation is needed. 4 spray jets. Head only.

14" Brush Head AR54H \$229.00
 Spare Brush AR54B \$19.01

Gekko 14" Squeegee Head

For uneven surfaces or where exceptional water removal is required. 4 spray jets. Head only.

14" Squeegee Head AR54E \$229.00
 Spare Squeegee AX10B \$9.99



Gekko 5 1/2" Original Head

Perfect for edging, tight spots or where extra cleaning power is required on heavily stained or soiled grout. Single high-impact jet. Head only.

5 ½" Head AR54D \$139.00



Gekko Edge, Corner, and Coving Tool

Cleans corners, edges and coving with one easy stroke. Or, install the coving cover (included) and just clean the edge of the floor. Head only.

Corner Tool AR54C \$199.95



SX7 Head

Use this head to create a stand up SX7 for tight areas or the most challenging cleaning situations. Spin bar with 2 jets. Head only.

SX7 Head AR54G \$399.00



Accelerated Stone, Tile and Grout Cleaning Program

This easy-to-follow program will teach you everything you need to get into this lucrative business. Learn stone and tile identification, grout composition, chemical preparations, cleaning and sealing, detail work and more. English and Spanish included.

IS090 \$99.95

Wet Vacuum Tool

Remove water from hard floors. This heavy duty S-wand featuring stainless steel pick-up head fitted with neoprene rubber blades, creates a firm seal even on irregular floor surfaces to remove water and leave flooring practically dry. Fits 1½" hose cuff.

■ Wet Vacuum Tool AX10 \$132.95 Squeegee Blades (2) AX10B \$9.99



See pages 66-79

Concrete, Tile and Grout Cleaning/Sealing





SX-7 Stand-Up Hard Floor **Cleaning Tool**

The SX-7 concentrates extra power into a smaller area for extreme cleaning situations such as bathrooms. Comes with the Gekko wand that accommodates all other Gekko tool heads. (See page 133.)


AW102 \$629.00



Grout Wand

This is a great tool that applies the proper amount of grout sealer in one application with professional results all from a

standing position! Simply push down and the sealer is applied - let up, and the flow of sealer stops. Used for waterbased sealers only. (For solvent based or colored sealers use the Grout Stick AR56 and the Hydro Stick AR55).





Applicator and Terry Cloth Cover

Quickly clean and pick up excess moisture from tile and stone with this

lightweight mop. This tool can also be used to clean hardwood floors.



Applicator AX145 \$23.99 Terry Cloth Cover AX146 \$5.99



Hydro-Force SX-7 Tile and Grout Hand Tool

The SX-7 is a 7" version of the SX-15 and comes in a hand held and a stand up version. The SX-7 operates just like the SX-15 but concentrates extra power into a smaller area for extreme cleaning situations. This SX-7 hand held unit is perfect for tiled walls and showers, bath tubs, countertops and tight areas that a smaller tool can more easily reach.

> AW101 \$524.59



Injectimate Grout Sealing Kit

This kit gives you total control over the amount of sealer applied - because the flow of sealer stops after each squeeze of the trigger! Simply use the 3' extension tube to apply sealer to floor grout and the 4" tube to apply sealer to wall and counter grout. Includes 4" tube, 3' extension tube, 3 brushes, and instructions. (bottle sold separately)

> Injectimate AC13 \$37.99 Grout Seal Kit AC13A \$47.95 Brush Set AC13D \$14.60



Gekko Hand Tool

This hand tool is ideal for blasting dirt, stains and build up from grout lines as well as for cleaning countertops, around toilets, shower stalls or any tight or hard to reach area. Use at pressures up to 2,600 PSI.



AR52 \$278.00



Hydro Stick

Some grout sealing situations require the control of doing the work on hands and knees and that's where the Hydro Stick comes into play. For use with clear or colored sealers and can be used with solvent or water-based sealers. Comes as a set of two containers with four brushes.

Hydro Stick AR55 \$23.95

136 Tile and Grout Cleaning/Sealing



Premium Grout Brush

This new premium grout brush has stiffer bristles in a tapered configuration that allows you to brush hard into the smallest crevices with greater control and speed. It's more aggressive than our AB36 brush. The nine inch brush block fits on a threaded handle.

Grout Brush w/ Handle AB35A \$18.99
 Grout Brush AB35 \$9.75
 Metal Handle AB18M \$9.09



Grout Brush

The unique pivoting head of this premium grout brush allows the stiff crimped, acid resistant nylon bristles to glide along grout lines, in corners and up walls. Brush is bevel-cut to get into grout lines. Lock-down handle socket securely attaches to a variety of handles.

> Grout Brush AB36 \$20.42 Wood Handle AB18H \$6.59



Corner and Edge Brush

No more scrubbing tight spots on your hands and knees — this triangular shaped brush with side-mounted bristles is designed to both easily and effectively clean along baseboards, tile coving, under equipment and in tight corners. Includes fiber core pole with a non-slip grip.


AB40 \$71.99

WIIII



Hand Fit Scrub Brush


Designed to be used on a wide range of carpet and durable upholstery fibers. The Hand Fit Scrub Brush has DuPont nylon bristles and plastic block.





Utility Scrub Brush

White nylon bristles are held in a molded, chemical-resistant block that will not crack, deteriorate, or wear out. Upswept handle eliminates skinned knuckles.



Grout Brush

8" hand grout brush with durable black nylon bristles. Easily get into those hard to reach spots where using a large brush or tool would be impossible.

🗈 AB86 \$3.28



General Purpose Sponge

This is the sponge to use for cleaning walls, counters, ceilings, equipment or anything else where gentleness isn't necessary. It's always a good idea to have a few of these on your truck just in case.

🗛 AU29 \$.79



Florguard

When moving major appliances, Florguards protect your vinyl or hardwood floor covering from sharp edges or even the weight of the appliance. A heavy refrigerator can leave indentations in some floors – but not with Florguards. Strong and durable for use time and again. Sold in a set of 2. 4' x 6"

AX150 \$48.59

Ultra Violet and Black Lights






Ultraviolet LED Mini Flashlight

Durable, solid aluminum UV LED flashlight uses focused beam technology producing a beam 1000% brighter than traditional fluorescent black lights! Detects pet urine and other stains from up to 30 feet away! Runs for 60 hours on 3 AA cell batteries (included).

- 390-395nm peak emission
- 100,000 hour LED life
- 51 LED lights






Phazer Rechargeable UV Light

This powerful UV light allows you to quickly identify urine stains in carpet. Your customers will be amazed at what you find in their carpet, and you'll be amazed at how much urine treatment adds to your bottom line!

- Fluoresces up to 11X more than our red AX171 light.
- An adjustable lens allows you to see larger areas at lower fluorescence
- A compact, aluminum housing takes a beating and will last longer than plastic versions
- Holds charge for two hours

AX175 \$119.00



The Ultimate UV Detection Instrument

This plug-in UV detection light reacts to all urine accidents and instantly spots fresh or old areas of contamination. This is a rugged tool built with a metal grill that protects the bulb. Lower your chemical costs by treating affected areas only.

> UV Light AC04 \$128.16 **D** Replacement Bulb PPA02 \$20.01



Amber UV Glasses

Protect your eyes from UV rays while enhancing your UV perception thus helping you better detect all illuminated areas.

Amber Glasses AX91C \$5.99



Amber Glasses

Protect your eyes from UV rays while enhancing your UV perception thus helping you better detect all illuminated areas.

Amber Glasses AX91D \$6.99



38 Wood and Laminate Floor Care


A





A) 17.5" Microfiber Bonnet

This 17.5" Microfiber Bonnet absorbs and holds more soil and water and is used as a final cleaning step before recoating wood floors. The microfiber is positively charged and split into 17 strands which is what gives it such amazing soil absorption power.



B) 16" Maroon Scrubbing Pad

To scrub and lightly abrade wood floor's existing finish to promote bonding of the Hydro-Force Wood Finish.



C) 16" White Buffing Pad

Use as a cushion with the maroon scrubbing pad to limit abrasion during the cleaning process. Use alone after the floor has been cleaned and cured to increase the shine of the floor.

AX142 \$7.99

D) Standard Carpet Bonnets

These heavy-duty full bonnets provide the aggressive cleaning and full absorption of 100% cotton. Great in bonnet cleaning systems or for drying carpet as a final step.

> 17" Bonnet AC85 \$45.99 21" Bonnet AC86 \$48.99



AX143 \$7.69

Wood Finish Applicator And Terry Cloth Cover

Use to apply Hydro-Force Wood Finish to hardwood floors. This lint free applicator makes applying finish almost foolproof. This tool can also be used to clean wood floors or any other hard surface.



Applicator AX145 \$23.99 Terry Cloth Cover AX146 \$5.99 Microfiber Cover 13232 \$4.79



Now you can easily polish and refinish wood floors without all of the mess. Learn more on page 129.



Carpet Repair and Installation Tools 139



Carpet Installation Tool Kit

Be ready to install or repair with this kit containing the 22 most used tools including a 5" Seam Roller, 2" Strip Cutter, Heavy Duty Hammer Tacker, 20 oz. Ripping Hammer, GT Cushion Back Cutter, Nail Driving Bar, GT Loop Pile Cutter, Razor Blade Knife, Leather Tool Pouch, Chalk Reel, 8 oz. Chalk Refill, Deluxe Knee Kicker, Molding Lifter, Stair Tool, EZ Tuck Carpet Tucker, Duckbill Napping Shears, Conventional Carpet Cutter, Utility Knife, Linoleum Knife, Rubber Mallet, 30' Tape Measure, and Row Finder.

AK053 \$769.00



Behr Claws Carpet Re-Stretcher

Behr Claws is the world's best carpet re-stretcher and allows cleaners to make really big money with this add-on service! The Behr Claws tool allows you to perform perfect stretches quickly. It replaces power stretchers that weigh a ton and take forever to set up.

Behr Claws is always set up, weighs just 13 pounds and easily stores behind the seat in your van. Because Behr Claws pulls from the tackless, you get a perfect perpendicular stretch every time. You can even do complete re-stretches without removing the furniture! Many water jobs require reinstallation or restretching of carpet following drying. It's perfect for re-installing carpet after flood restoration.

> Behr Claws Restretcher (without head) #AK002 \$299.00 Power Stretcher Jr. Head (required) #AK003 \$248.89

GT Power Lok Stretcher

The Power Lok switch handle locks into 17 different "stretch/pattern holding" positions. It also has a unique swivel head for stretching angles and corners as well as variable pin penetration for different carpet thicknesses. A standard set includes one power unit, tail block with wheels, three 3' extension tubes, Quick Lok tube and the wheeled carrying case.

AK067 \$620.04



Junior Power Stretcher

The Junior Power Stretcher has an 18" spring-loaded tail block with wheel to provide additional support and a low profile head that is easy to span with a Knee Kicker. Can stretch up to 23 ½', which includes tubes. A standard set includes one power unit, tail block with wheels, three 3' extension tubes, Quick Lok tube and the wheeled carrying case. Folds up to a smaller size than our regular Power Stretcher.

Carpet Repair and Installation Tools





Koolglide[®] Pro Carpet Seam Iron

The KoolGlide® Pro is a revolutionary, non-heating carpet seaming system that offers a completely new and better way to seam or repair carpet. By never getting hot and never touching the adhesive, The KoolGlide® Carpet Seaming System is redefining the art of carpet installation and repair! And, repairs are reversible minutes or even years later! The KoolGlide is a light, handheld electric tool that melts adhesive using a pre-programmed heating cycle, controlled by a state-of-the-art microprocessor. Precise amounts of adhesive and tightly controlled heating provide for a consistent low-profile seam.

• No waiting for the tool to heat up

• No burning – tool never gets hot

- No smoke or odor
- No heat distortions
- No dripping glue
- No damage to carpet No time-consuming clean up
- Superior seams and repairs
- No carpet discoloration
- Works with all backings

- - **Cookie Cutter**

Easily make cutting plugs to repair burns or other permanent carpet damage.

KoolGlide Carpet Seam Iron AK086A \$439.00 Kool Tape 20' Roll (Must be used with KoolGlide) AK088 \$15.99 Kool Tape 66' Roll (Must be used with KoolGlide) AK089 \$25.99 Cookie Cutter AK084 \$31.57 Cookie Cutter Replacement Blades (4) AK087A \$6.15 Cookie Cutter Adhesive Disks (10) AK083A \$8.65





Cool Shield Heat Bond Iron

This iron melts heat bond tape quickly and easily while the top shield stays cooler. Even on the highest setting of 425° the Cool Shield reaches a maximum heat shield temperature of only 256°.

AK044 \$109.00



Deluxe Glue Gun

This gun works twice as fast because it warms up in just three minutes. The extra long nozzle fits easily into carpet seams and hard to reach areas. 80 watts at 400° F.

AK074 \$97.81



Xtra 340 Heat Bond Tape


A unique adhesive formula provides extra adhesion, extra quick initial grab and extra long working time. The heavy woven fiberglass scrim provides extra stretch holding power. 22 yards.

> AK076 \$18.99



Glue Sticks - 4"

Translucent hot melt glue sticks. 1/2" diameter fits most glue guns. Box of 30.



Carpet Repair and Installation Tools 141

С

& ACCESSORIES



A) Deluxe Knee Kicker

This Knee Kicker easily adjusts in length from 17" to 21" and has a lightweight, durable, die-cast aluminum body. Has a non-slip checkered handgrip and a foam-filled seamless bumper pad.

AK042 \$119.00

B) Stair Tool

Use to set carpet into tackless strip, drive carpet into gullies and crease carpet along wall line. Heavy-duty blade easily sets carpet into stairway crevices.

AK050 \$28.36

C) Base Molding Lifter

This tool is made with high carbon forged steel and a specially curved design has notched ends for easy nail removal.

AK046 \$19.51

D) Rubber Mallet

This multi-purpose rubber mallet is great for tapping down metal moldings. 20 oz. white rubber head with metal handle and a rubber grip.

AK048 \$22.95

E) Carpet Syringe

This large capacity syringe is ideal for injecting deodorizers under carpet or into upholstery or mattresses when neutralizing urine and other odors. Inject latex to repair carpet bubbles too.

Carpet Syringe AC14 \$7.99 Needle AS13CN \$2.38

F) Seam Roller

This durable and lightweight Seam Roller has an extra wide 5" head to reduce dishing in seam area. Moves forward and backward without altering the position of carpet backing.

IND AK004 \$18.99

G) Carpet Shears

Made from the finest carbon steel, these shears offer superior cutting ability and durability. Accommodates large hands comfortably.

10" Shears AK014 \$29.35

H) Duckbill Napping Shears

The duckbill design lays flat on the carpet while curved handles keep fingers above the carpet. Ideal for trimming out minor burns, repairs, etc.



I) Razor Blade Carpet Knife

This knife is rugged lightweight precision die cast aluminum with a long-lasting baked epoxy finish and checkered handle for slip-resistant grip.

AK022 \$6.59

J) GT Loop Pile Cutter


Efficiently cut most loop pile carpet regardless of thickness. It has a unique two-blade design that accommodates both left and right positions for cutting closer to the yarn edge. "Direct Contact" locking design keeps blades securely in place. It allows for better cutting angle and easier blade insertion. Includes 15 Heavy Duty Slotted Blades (Uses AK024 Blades)

AK020 \$41.99



Deluxe Grip Pouch

This pouch is constructed of 100% leather with double stitching and is slotted to fit directly on the belt. Special leather insert grips and holds tools. 1 1/2" x 4 1/2" x 3/4"





142 Air Cooled Truckmounts

Air Cooled Truckmount Comparison

TRUCKMOUNTS









J	
	100 M

MODEL	ENGINE	WATER PUMP	FLOW RATE/ GPM	PRESSURE	WASTE TANK	BLOWER
HydraMaster Boxxer® 318 (MH60)	18 HP B&S	Hydra Pump II	3.5	1000 PSI	65 gl.	Tuthill Competitor SL 3006 Bi-Lobe
HydraMaster Boxxer® 423s (MH66)	23 HP B&S		3.5	1000 PSI	70 gl.	
HydraMaster Boxxer® 323HP (MH64)	23 HP B&S	General	4.3	2500 PSI	70 gl.	Tuthill Competitor SL 3006 Bi-Lobe
MasterBlend El Diablo Kerosene (MED01K)	27 HP Kohler	Cat 3CP 1140	3.6	2000 PSI	75 gl.	Roots 4.5
MasterBlend El Diablo LPG (MED01L)	27 HP Kohler	Cat 3CP 1140	3.6	2000 PSI	75 gl.	Roots 4.5
Prochem Blazer GT (MPBLAX)	18 HP B&S	Cat 3CP 1120	2.7	1000 PSI	60 gl.	Sutorbilt 3LL
Prochem Blazer GT with 60 Gallon Fresh Water Belly Tank (MPBLAGT)	18 HP B&S	Cat 3CP 1120	2.7	1000 PSI	60 gl.	Sutorbilt 3LL
Prochem Legend GT (MPLEGGTNT)	23 HP Kohler	General	3.5	1200 PSI	60 gl.	Sutorbilt 4MVLP
Prochem Legend GT with 60 Gallon Fresh Water Belly Tank (MPLEGGT)	23 HP Kohler	General	3.5	1200 PSI	60 gl.	Sutorbilt 4MVLP
Sapphire Scientific Rage (MSRAGE)	18 HP Kohler	Comet	3	1000 PSI	90 gl.	Tithill 3006 Bi-Lobe
Sapphire Scientific 2500HS (MS2500HS)	35 HP B&S	Cat 5CP	5.5	2500 PSI	90 gl.	GD Ti-406 Tri-Lobe
Sapphire Scientific 370SS (MS370)	20 HP Kohler	Cat 3CP 1120	4.3	1500 PSI	90 gl.	GD Ti-406 Tri-Lobe
Sapphire Scientific 454SS (MS454)	35 HP B&S	Cat 5CP 5120	5.5	1500 PSI	90 gl.	GD HF 408 Tri-Lobe

All truckmounts not available at all locations.

B&S Briggs & Stratton

Air Cooled Truckmounts 143





HiydraMaster

Boxxer[™] 318 Truckmount

HydraMaster's Boxxer 318 delivers heavyweight cleaning power from a compact package. It's a high value combination of "Boxxer" features from the most reliable and best selling truckmount family in the industry.

- Dependable overhead valve 18hp Briggs & Stratton V-Twin engine
- Tuthill 3006 vacuum blower providing over 300 CFM available for longer hose runs and quicker drying times
- Dependable 3.5 gpm high pressure pump that provides cleaning pressure up to 1000 psi. Clean anything from delicate fabrics to hard surfaces
- Last-Step chemical injection. Chemicals do not come in contact with the pump or heat exchanger, eliminating chemical build-up or corrosion, extending the life of these parts
- High efficiency heat system for cleaning temperatures up to 215°F. No need to struggle to clean really dirty carpet
- Open design for easy servicing. Your truckmount works hard and deserves top quality maintenance
- Every part on the 318 is covered for two years part and labor. No exceptions! The engine and blower are covered by their manufacturers for two years
- Affordable. High performance at an entry level price
- Compact size to fit in lighter duty vans
- 65 gallon waste tank

HydraMaster Boxxer 318 MH60









NEW Boxxer[™] 423s Truckmount

The Boxxer 423S takes the proven track record of the industry's top selling truckmount, the Boxxer 421 to an entire new level of reliability, durability, and serviceability. The Boxxer 423S provides more power through increased engine horsepower and improves serviceability by providing easier accessibility to crucial components, including the heat exchanger. The Boxxer 423S has also reduced noise by optimizing airflow with the OPTI-AIR™flow system through the entire machine which provides more consistent heat performance and makes the machine quieter in operation. You can clean everything from the filthiest carpet, to the most delicate upholstery fabric, to the grimiest tile or concrete floor.

- More power through increased engine horsepower
- 235°F Maximum Temperature, 160°F to 235°F Operating Range. Average temp at 400psi, 1.0 gpm solution flow maintains 180+ degrees
- Compact design maximizes available floor space in van
- Improved serviceability by providing easier accessibility to crucial components
- OPTI-AIR™ flow system makes the machine quieter
- Heat control system provides for less water usage (reduced bypass dumping) and more consistent temperature performance during intermittent wand use

All truckmounts not available at all locations. As Low As rates subject to change and subject to OAC (on approved credit).



Boxxer 423s MH66

144 Air Cooled Truckmounts







Payments \$342

ľs

INTERLINK



Boxxer[™] 323HP Truckmount

Now you can professionally clean carpets, hard floors and pressure wash with HEATED WATER up to 2,500 psi. The Boxxer 323 HP (high-pressure) has the compact footprint of the Boxxer 318, but double the power with a 23 HP Briggs & Stratton engine that can deliver up to 2,500 psi and consistant heat up to 210°F. We all know that cleaning with heat is more effective. When you add heat to pressure washing and/or hard surface cleaning you not only get better results, you get the job done faster! Saving time and exceeding customer expectations are crucial elements for business owners and operators if they want to increase revenue and build a strong reputation as the best!

- Handles residential and light commercial cleaning jobs
- Twice the power of other machines its size
- Provides up to 210° F of consistant heat
- Unequaled heated pressure washing up to 2,500 psi
- Space-saving footprint for more cargo space
 - Sight glasses on pressure pump and pressure blower to check oil levels
- Last-step chemical injection reduces scale buildup
- Dimensions: 24"W x 31.5"H x 35"D
- Weight: 535 lbs
- Ignition: Electric key start
- Vacuum Blower: Competitor[®] SL 3006 blower, low vibration, pulsation and sound reduced, dual oil bath lubrication, no grease fittings, durable helical gear drive
- Stainless steel last-step chemical injection, meter controlled

Boxxer[™] XL Truckmount

You get uncompromising performance in a high level dual wand power-packed truckmount from the Boxxer XL. Incorporating time tested "best concepts" in design and engineering provides built-in reliability. Yet the Boxxer XL provides innovative and industry-first features that place it on a level previously unachieved for a machine in its class. Utilizing the HydraMaster Water Conservation System, it can be inactive under a full vacuum load for as long as 40 minutes without wasting fresh water. Whether you are setting up for carpet cleaning, or doing water extraction on a flood job, the "no-dump"/full bypass heat exchanger system means your hot water is used on the job, not dumped into the recovery tank, saving precious fuel every day.

- Handles residential and commercial cleaning jobs
- Utilizing the HydraMaster Water Conservation System, it can be inactive under a full vacuum load for as long as 40 minutes without wasting fresh water
- The Boxxer XL is 20% quieter than a comparable slide-in truckmount
- True dual wand capabilities
- 400+CFM (static measurement), attains 245°F temperature (185°F continuous flow at 1.25GPM)
- Proven and tested coupler direct driven blower
- Easy accessibility and serviceability with removable magnetic panels

Boxxer XL MH65 Boxxer XL w/ 100 gl waste tank MH65A



MasterBlend®

El Diablo (Kerosene) MED01K El Diablo (LPG) MED01L







El Diablo Truckmount

El Diablo is the Gold Standard for Truckmounts in its weightclass. Everything is easily accessible and spaced for easy access—chemical feed is directly through the pump and adjustment through the flo-meter (no chemical diaphragm pump)—no heat exchangers to challenge your waste tank with bypass dumping of hot water or a diverter valve with solenoids and moving parts to perplex your distributor's service department as to what is wrong with this thing! The El Diablo weighs approximately 700 pounds and can be mounted in either the rear or side of a van. A rear installation allows a vacuum hose reel to sit next to the unit, leaving the rest of the van open.

SPECIFICATIONS

- Kohler 27 HP V-Twin engine
- Roots 45 blower with direct 2-1/2 inch plumbing from the stainless steel waste tank
- Vacuum hose runs up to 700 feet
- Cat 3CP pump
- 75 gallon waste tank is stainless steel and guaranteed for 5 years
- 195,000 BTU diesel heater delivers consistent 225 degree cleaning temperatures, even when dual wanding
- Comes with El Diablo Carpet cleaning unit, including: 125 feet of high quality vacuum and high pressure solution hose; 2-jet S wand with 1,200 psi valve; 6 gallon diesel tanks with diesel heater (10 gallon belly mounted propane tank with propane heater)



Compact enough to fit in a mini-van, Prochem's Blazer GT is the ideal machine for cleaners just getting started in the business who need truckmount performance at an affordable price. This single wand unit will operate efficiently with up to 200' of vacuum hose, and is great for residential and light commercial jobs.

MAJOR COMPONENTS

- 18 HP Briggs & Stratton four cycle, twin cylinder, industrial rated Vanguard engine
- Cat 3CP water pump-3+ GPM
- Tuthill blower with 13" of lift

STANDARD EQUIPMENT

- Console with removable shrouds
- Vacuum flow heat exchanger
- 100 ft. of 2" vacuum hose with two connectors
- 100 ft., 1/4" I.D. high pressure solution hose with quick connects
- 50 ft., 200 PSI water supply hose/quick connect
- Marine aluminum recovery tank with automatic high level shut-off
- Carpet wand

Blazer GT MPBLAX Blazer GT (with 60 gallon fresh water belly tank) MPBLAGT





Powerful, quiet and hot, this single wand unit is great for residential, commercial, and deflooding jobs. It performs efficiently with up to 400' of hose.

MAJOR COMPONENTS

- 23 HP, air cooled Kohler engine
- Cat 3CP water pump
- Sutorbilt California Legend series 4MVL blower

STANDARD EQUIPMENT

- 100 ft. of 2" vacuum hose with two connectors
- 100 ft., 1/4" I.D. high pressure solution hose with quick connects
- 50 ft., 200 PSI water supply hose with quick connect
- Marine aluminum recovery tank with automatic high level shut-off
- Carpet wand

Legend GT MPLEGGTNT Legend GT (with 60 gallon fresh water belly tank) MPLEGGT



Payments \$279

What truckmount would be best for you?

Do you know the difference between an air-cooled and water-cooled truckmount? How about slide-in versus a clutch drive system (CDS)? Our Truckmount Reference Guide explains these differences and much more.

www.interlinksupply.com/truckmount_guide/index.html



Payments \$206

Rage Truckmount

Sapphirescientific

Thinking about setting up a truckmount-based carpet cleaning business? Want to graduate from portables to truckmount performance? Need to expand your business at a lower cost? Get the Rage, offering high quality components and superior engineering in a truly affordable package.

FEATURES AND BENEFITS

- Value-priced with superior engineering
- Pressure regulator has been relocated for easier opperation
- Narrow profile only 16 in. wide! almost half the width of the nearest competitor
- Electric pump clutch to do flood extraction

SPECIFICATIONS

- 18 hp Kohler motor
- Tuthill 3006 dual-lobe blower. Vacuum to 15 in. Hg and flows up to 311 CFM
- General Emperor HTX3S solution pump producing up to 3.5 GPM and 1000 PSI with high temp seals
- 90 gal. (340 l) waste tank TIG-welded 3/16 in. marine-grade aluminum. 75 gal. (283 I) at shutoff
- High efficiency air-conditioner type heat exchanger

ľ

INTERLINK

Ġ

INTERLINK









2500HS Premier Hard Surface Truckmount

Finally, a truckmount that delivers the flow AND heated pressure you need to rapidly clean tile, grout, stone, concrete and more. Plus, the unit offers true versatility: use as a powerful carpet cleaning truckmount, or for restoration extraction and cleanup. The 2500HS gives you the edge over unheated units, plus delivers more vacuum, more solution pressure and a faster, deeper clean.

FEATURES AND BENEFITS

- Delivers the pressure and heat needed for successful hard surface cleaning
- Premium 35 HP Briggs & Stratton industrial engine is backed by the manufacturer's three year warranty
- Strong, steady heat even in the most demanding applications
- High efficiency heat well captures heat from the engine and from the blower
- Longer-lasting belts: Unique frame design channels cool air to the belts through the frame tubing, extending belt lifespan
- Reduced number of parts, including simplified wiring and shorter interior hoses for better access, performance and durability

SPECIFICATIONS

- Premium 35 HP Briggs & Stratton industrial-grade air-cooled engine
- Gardner Denver Tri-Flow Ti-406 Blower. Vacuum to 16 in. Hg and flows up to 371 CFM
- CAT 5CP solution pump producing up to 2500 PSI and 5.5 GPM
- 90 gal. (340 l) waste tank, TIG-welded 3/16 in. marine-grade aluminum. 75 gal. (283 l) at shutoff. OPTION: High Capacity Tank 120 gal. (454 l) / 100 gal. (379 l) at shutoff

MS2500HS

All truckmounts not available at all locations. "As Low As" rates subject to change and subject to OAC (on approved credit).



Payments \$302

INTERLINK

370SS Truckmount

Sapphirescientific

Tapping into the 30+ years of experience of well-known industry truckmount experts, the patent-pending 370SS design employs trusted components combined with ingenious uses of space and high-efficiency heat exchange to simplify operation and maintenance and ensure the longest service life at lower cost.

FEATURES AND BENEFITS

- Smallest cubic size in the industry: Requires 50% less cubic inches than other competitive models freeing up precious van space
- Thermostatic control: Allows complete temperature control up to 250°
- Longer belt life: Unique through-frame cooling system directs air over drive belts, extending belt lifespan
- Intuitive control panel simplifies operation
- Last step chemical injection ensures peak performance from water pump
- Gardner Denver 406 with tri-lobe blower design producing 16" Hg
- One of the most rigid frames ever built reduces vibration and increases reliability

SPECIFICATIONS

- 20 HP Kohler Command gasoline engine operating at 2800 RPM
- Gardner Denver Tri-Flow Ti-406 vacuum pump. Vacuum to 16 in. Hg and flows up to 371 CFM.
- CAT 3CP 1120 solution pump producing 1500 PSI and 4.3 GPM





Sapphirescientific



Sapphire 454SS Big Block Truckmount

With the smallest cubic dimensions in the industry – 35% narrower than the closest competitive unit – and complete thermostatic heat control, the 454SS delivers the flexibility and performance professional cleaners need to get the job done quickly and thoroughly.

FEATURES AND BENEFITS

- Premium Briggs & Stratton commercial engine is backed by a three year commercial-use manufacturer's warranty
- Longer-lasting drive belts: Unique frame design channels cool air to the belts through the frame tubing, extending belt lifespan
- Easy-to-remove access panel and side hoods allows for quick service
- Superior heat production and control
- Reduced number of parts, including simplified wiring and shorter interior hoses for better access, performance and durability

SPECIFICATIONS

- Premium 35 HP Briggs & Stratton industrial-grade air-cooled engine
- Gardner Denver Tri-Flow Ti-408 Blower. Vacuum to 16 in. Hg and flows up to 455 CFM
- CAT 5CP solution pump producing up to 2500 PSI and 5.5 GPM
- 90 gal. (340 l) waste tank, TIG-welded 3/16 in. marine-grade aluminum. 75 gal. (283 l) at shutoff. OPTION: High Capacity Tank 120 gal. (454 l) / 100 gal. (379 l) at shutoff

MS454

Conterlinksupply™

#1 In Truckmount Sales and Customer Satisfaction



With 70+ locations, Interlink Supply sells, services, and supports more truckmounts than any other supplier in the industry. Here is what we can offer you when you are ready to purhcase your next truckmount.

- Experience
- Knowledgeable Staff
- Value
- Commitment
- Variety

Truckmount Reference Guide



Request our comprehensive Truckmount Reference Guide, and we will guide you step-bystep on how to make the correct purchase for your business.

Request your guide from us or go to www.interlinksupply.com/truckmount_guide/index.html

Water Cooled Truckmounts

149

Water Cooled Truckmount Comparison



MODEL	ENGINE	WATER PUMP	FLOW RATE/ GPM	PRESSURE PSI	WASTE TANK	BLOWER
HydraMaster Titan 575 (MH62)	Kubota 32.5 HP	General Emperor	4.0	2000	70 gl	Tuthill MD 4007 Tri-Lobe
HydraMaster Titan 875 (MH61)	61 HP GM Vortec	General Emperor	5.5	1200-3000	100 gl	Tuthill 5009 Tri-Lobe
Prochem Peak GTX (MP58)	26 HP Kohler	Cat 3CP	3.7	1000	60 gl	GD T406 Tri-Lobe
Prochem APEX GTX (MP59)	31 HP Kubota	General Emperor 5	4.2	1200	80 gl	Tuthill MD 4007 Tri-Lobe
Prochem APEX GTX Diesel (MP59D)	26 HP Kubota	General Emperor	4.2	1200	80 gl	Tuthill MD 4007 Tri-Lobe
Prochem Everest 408 (MP56)	68 HP Hyundai	General Emperor	5.5	1200	100 gl	GD T 408 Tri-Lobe
Prochem Everest 408 HP (MP54)	68 HP Hyundai	General Emperor	5.5	3000	100 gl	GD T 408 Tri-Lobe
Prochem Everest 650 (MP62)	68 HP Hyundai	General Emperor 5.5	5.5	1200	100 gl	GD TI650 Tri-Lobe
Prochem Everest 650 HP (MP61)	68 HP Hyundai	General Emperor 5.5	5.5	3000	100 gl	GD TI650 Tri-Lobe
Sapphire Scientific 570SS (MS570)	31 HP Kubota	Cat 3CP	4.3	1500	90 gl	GD HF408 Tri-Lobe
Sapphire Scientific 870SS (MS870)	63 HP Ford	General Emperor	5.6	3000	120 gl	GD 410 Tri-Lbe

All truckmount not available at all locations.

TRUCKMOUNTS

150 Water Cooled Truckmounts





Titan 575 Truckmount

The Titan 575 is a titan among truckmounts. It allows you to run two wands, so you can take on those bigger cleaning jobs or you can get done twice as fast. Incorporating the industry's first true water conservation system, it also can be inactive under a full vacuum load for as long as 40 minutes without dumping fresh water. That means you can move furniture or apply pre-conditioners without running to shut off your machine, and your fresh water and recovery tanks need to be filled and emptied less often. Your hot water is used on the job, not dumped into the recovery tank, saving precious fuel each and every day. The Titan 575 was designed for reliability and serviceability; removable magnetic panels make maintenance a cinch!

- Handles residential and commercial cleaning jobs
- Conserves water without dumping or re-circulating
- Two wand capability
- Consistent heat up to 250° F
- Heated pressure washing up to 1,200 psi
- Non-heated pressure washing up to 2,000 psi (with optional kit)
- Extreme water recovery for fast drying times
- Adjustable temperature and speed for low heat applications

Titan 575 MH62

All truckmounts not available at all locations. "As Low As" rates subject to change and subject to OAC (on approved credit).





INTERLINK

Payments \$529

Titan 875 Truckmount

The Titan 875 offers top-of-the-line performance that's perfect for large commercial and residential jobs as well as for water damage restoration. Crew applications are a cinch because you can simultaneously operate up to three wands. The powerful solution pump provides up to 5 1/2 gallons per minute of water flow at temperatures as high as 270° F. It also provides non-heated pressure washing at 3,000 psi. If you want the biggest and the baddest, the Titan 875 is your truckmount.

- 61 HP, GM[®] Vortec[™], 4 cylinder, fuel injected
- Electric keyless start
- Competitor Plus[™] 5009 Tri-Lobe blower, 750+ cfm, dual oil bath
- Handles residential and commercial cleaning jobs
- Triple wand capability for crew cleaning (third wand optional)
- Temperatures up to 270° F
- Heated pressure washing up to 1,200 psi
- Non-heated pressure washing up to 3,000 psi standard for tough jobs
- Adjustable temperature and speed for low heat applications
- Consistent heat for streak-free cleaning
- Solution temperature control selector
- Precise vacuum control for delicate jobs





EPIC HEAT And that's just the beginning

Hotter, More Consistent Performance

We are kind of freakish about making sure that every machine we design and engineer offers the best heat performance in its class. It is so much more than what the temperature gauge on the machine says. It is about having heated solution to the wand tips quicker after start-up. It's about faster heat recovery under all conditions, even when cleaning hard surfaces at maximum water flow and solution pressure. We test against our competitors on a constant basis to make sure we maintain or increase our 20-30 degree competitive edge.

Innovation and Technology Development

We have a 42+ year established track record of innovative design and technology advancement to develop systems to compliment proven components to ensure quieter, easier, more reliable operation and maintenance. No detail is overlooked whether it is our industry first water conservation systems; Maxx-Air[®] Recovery Tanks; OptiAir[™] Maximizing Airflow System; Over-Drive[™] Power Train Technology; ESC[™] Speed control and fuel consumption reduction system; ADC[™] Temperature Control; or even the fact that our Dominator[®] and Competitor[®] vacuum blowers are exclusively designed and built for us.

Leaders in Slide-In and Direct Drive Truckmounts

Our innovative Boxxer series of slide-in truckmounts provide you with the simplicity and durability that come from four decades of constant improvement. The Titan line-up of uncompromising and unparalleled slidein cleaning power and performance means there is no job too big or task too challenging. The CDS 4.6 & 4.8 remain the most popular and leading selling direct drive truckmounts in the industry. They are the machine of choice amongst franchise and independent fleet operators. They provide you with more room in the van and rugged and reliable engineering that make them simple to operate and easy to maintain.

The Most Verified Warranty in the Industry

Our distributors and customers alike consistently refer to us as the "most customer friendly" truckmount manufacturer in the industry when it comes to living up to our warranty promises.

Superior Customer Care, Service and Support

We stand behind the equipment we manufacture and stand beside our customer long after the sale. Whether you need parts or just an answer to a question, you are backed not only by your local Interlink Supply Distributor, but also have access to our national customer care team at our world headquarters. Help and advice are always just a phone call or email away.



152 Water Cooled Truckmounts



PROCHEM



Payments \$325

APEX

Peak GTX Truckmount

The Peak GTX includes easy-to-remove hoods along with a new blower/silencer interface which makes operation and maintenance easier than ever. An improved heat exchange system provides plenty of heat for dual wand operation. Plus, the tri-lobe blower provides the vacuum you need to get the job done right.

- Single or Dual Wand Operation- 2" dual wand or 2.5" single wand operation in the same machine
- Solution Pressure Circuit creates up to 1000 PSI for carpet and hard surface cleaning
- Liquid cooled Kohler engine for long lasting reliability
- Simplified design for no-hassle operation and maintenance

MAJOR COMPONENTS

- 26 HP, liquid-cooled Kohler engine
- Cat 3CP+ water pump
- Tuthill MD 4007 Tri-Lobe

STANDARD EQUIPMENT

- 100 ft. of 1/4" O.D. Pressure Hose
- 100 ft. of 2" Vacuum Hose
- 50 ft. of Inlet Water Hose
- Carpet Wand (quad jet)
- Installation Kit

Apex GTX Truckmount

Incorporating a powerful, reliable, liquid-cooled Kubota gasoline or diesel engine, and combined with a smooth running Sutorbilt Tri-lobe blower the Apex GTX is a serious step-up from the Peak GTX. The dual wand capability provides the performance that you need on large commecial jobs.

- Simplified design for no-hassle operation and maintenance
- Improved heat and vacuum for the ultimate performance
- Patented heat exchange system provides plenty of heat while eliminating the need to bypass water to the waste tank
- Tuthil blower designed in partnership with Prochem and Sutorbilt for the carpet cleaning industry provides smooth, quiet, low maintenance operation
- Perfect for large commercial jobs or de-flooding and water restoration work

MAJOR COMPONENTS

- 31 HP Kubota Engine (gas or diesel), 2700 RPM
- Tuthill MD 4007 Tri-Lobe
- General water pump, 1,200 PSI Max
- Water Flow Rate, 5 GPM
- 80 Gallon Waste Tank

STANDARD EQUIPMENT

- 150 ft. of 1/4" O.D. Pressure Hose
- 150 ft. of 2" Vacuum Hose
- 50 ft. of Inlet Water Hose
- Carpet Wand (quad jet)
- Complete Installation Kit

Apex GTX MP59 Apex GTX (diesel) MP59D



PROCHEM.

All truckmounts not available at all locations. "As Low As" rates subject to change and subject to OAC (on approved credit).







Legend GT on Optional 60 Gallon Belly Water Tank

The Legend GT Innovative Design

Simplified Design for No-Hassle Operation Waste Pump Out Operating Switch Allows you to Operate the Waste Pump Out from the Front of the Machine

Patented Heat Exchange System Provides Plenty of Heat and Eliminates the need to Bypass Water to the Waste Tank

Stainless Steel Chemical Pump Provides Long Life and Prevents Corrosion

Last Step Chemical Injection for Long Life of Water Pump and Heat Exchange System Front Mounted Solution Manifold Allows for Easy Routine Maintenance



Find us on

Facebook



Everest Truckmounts

Prochem is proud to introduce the new Industry Leader– the Everest 650. This simple to maintain truckmount has been engineered to meet the needs of even the most discriminating user. Featuring a 650 triflow blower for true dual wand operation, total temperature control, and contemporary styling, this is the perfect choice for both carpet cleaning and water restoration.

- 650 CFM Triflow Blower Outstanding vacuum for water restoration, dual wand operation, and long hose runs (available on Everest 650 and 650HP)
- 408 CFM Triflow Blower available on Everest 408 and 408HP models
- Pre-filter Box Easy clean up between jobs without opening waste tank
- 12 Volt Outlet Plug in floodlight so you can keep working even if the power is out
- Exhaust Deflector Keeps hot exhaust off operator and out of vehicle
- Auto Chemical Prime Automatically primes chemical system making set up easy
- Chemical Simulator Simulates chemical flow without having to trigger
 wand to easily switch between chemicals
- High Pressure Circuit Creates up to 3,000 PSI for pressure washing (available on Everest 650 HP & Everest HP only)
- Hot Water Tap Fills up your chemical jug with hot water to improve chemical performance
- Dual Wand Operation True dual wand operation for large commercial jobs
- Shutdown Identifiers Diagnose the cause of the shutdown to correct the problem limiting downtime
- Electronic Fuel Injection Eliminates the need for a governor, improves RPM stability and automatically adjusts for altitude changes
- Console light Allows easy to read control panel to be illuminated at night

INNOVATIVE DESIGN FEATURES

- Simplified design for no-hassle operation and maintenance
- Improved heat and vacuum for the ultimate performance
- Patented heat exchange system provides plenty of heat while eliminating the need to bypass water to the waste tank
- Tri-Lobe blower designed in partnership with Prochem and Sutorbilt for the carpet cleaning industry provides smooth, quiet, low maintenance operation
- Perfect for large commercial jobs or de-flooding and water restoration work
- Last Step Chemical Injection for long life of water pump and heat exchange system
- High pressure circuit (up to 3,000 psi)
- Many other features you asked for and Prochem delivered!

STANDARD EQUIPMENT

- 150 ft. of 1/4" O.D. Pressure Hose
- 150 ft. of 2" Vacuum Hose
- 50 ft. of Inlet Water Hose
- Carpet Wand (quad jet)
- Complete Installation Kit
- Operation and Service Manuals



PATENT PENDING





Everest 408 MP56 Everest 408HP MP54 Everest 650 MP62 Everest 650HP MP61

FRUCKMOUNTS



PARTNERS WITH



TO BRING YOU INDUSTRY SPECIFIC FINANCING AND VEHICLES

- All contracts contain "EASY IN, EASY OUT" benefits, including <u>PRINCIPAL ONLY</u> <u>PAYOFFS</u> which are <u>FULLY</u> <u>ASSUMABLE</u> at any time.
- Loans (EFAs) and Leases
- Terms as long as 72 months
- Deferral payment programs as little as \$49 per month for up to the first 6 months
 Vehicles &/or Equipment packages for as low as
- Pre-Approval up to \$200,000 with no obligation
- Customized programs
- Commercial contracts that do not report to personal credit
- Honest finance presentations without the typical, equipment-financing, hidden contract clauses
- Access to equipment insurance coverage unheard of in this industry



- IR INTERLINK FLEET SALES

Commercial Vehicle Purchase Program

- Custom Chevrolet cargo vans and restoration focused box trucks available for thousands below MSRP
- No Hassle Experience—vehicles are sourced and delivered locally
- Van and truckmount packages start at \$699 per month

Contact our Fleet Manager, Mike Wiseman, for additional details and vehicle pricing at (801) 201-4741

Call for financing program details 1-800-655-1207 or E-mail us at: info@interlinkfs.com www.interlinkfinancialservices.com

Payments and pricing subject to change. Payments OAC. Not to be combined with any other offers. Some restrictions may apply.

56 Water Cooled Truckmounts





Sapphirescientif



IF

INTERLINK



heat exchanger



570SS Truckmount

Looking for the added performance available from a liquid-cooled power plant? The 570SS truckmount offers all the advantages of the Sapphire line - high performance, high heat, and durable build - plus advanced triple-source heat cogeneration to produce steady, powerful heat for fast, consistent cleaning. And Sapphire's trademark MSU (maximum space utilization) design means you get the most power from the smallest chassis, greatly simplifying maintenance and saving you valuable space in your truckmount.

FEATURES AND BENEFITS

- Full thermostatic control
- Through-frame drive belt cooling significantly reduces downtime by extending belt life
- Patent pending thermal well heat exchanger system
- Tube-and-shell heat exchanger transfers more heat from radiator fluid to cleaning solution
- Easy-to-remove access panel and side hoods allows for quick service
- Superior heat production and control
- Narrowest liquid-cooled slide-in on the market

SPECIFICATIONS

- Three-cylinder liquid cooled 31 HP Kubota 972 gasoline engine operating at 3000 RPM. Model #WG972-E2
- Gardner Denver HF408 Helical Tri-Lobe vacuum pump. Vacuum flows up to 584 CFM
- CAT 5CP 5120 solution pump producing up to 1500 PSI and 5.0 GPM
- 90 gal. (340 l) waste tank TIG-welded 3/16 in. marine-grade aluminum, 75 gal. (283 I) at shutoff

MS570





\$510

Payments

As Low As

870SS Truckmount

For the most reliable pressure, heat and vacuum, choose the 870SS. Sapphire employs premium components throughout - including the commercial-grade Ford TSG-416 powerplant - for durability and performance. And the unit's triplesource heat cogeneration delivers a deep and consistent clean even on the largest jobs.

FEATURES AND BENEFITS

- Clean carpet, hard surfaces, upholstery
- Huge extraction capacity means fast water cleanup so you can restore water • damaged sites quickly
- Liquid-cooled industrial engine is fully EPA-compliant through 2015 SPECIFICATIONS
- 870SS High Pressure Truckmount
- Ford TSG-416 4 cyl. 63 HP 1.6 L liquid-cooled engine operating at 2600 **RPM**
- Gardner Denver 410 Tri-Lobe vacuum pump. Vacuum to 16 in. Hg and flows up to 708 CFM
- General 2500 psi solution pump, 5.6 gpm

MS870



Sapphirescientific

#1 SELLING TRUCKMOUNT WORLDWIDE..

370

370ss

From residential to commercial carpet cleaning, there's no better compact choice

The 370SS delivers on all the promises of Sapphire Premier truckmounts – better reliability, longer-lasting parts, easier maintenance, and a two-year all-parts warranty to back it up. And the Sapphire "no-dump" system saves water and preserves space in the waste tank, allowing operators to keep cleaning carpets longer. Plus, the 370SS does what comparable truckmounts do not - making big machine performance available for today's new smaller vans like the Ford Transit Connect.



UEAT EXCURNCED	POWER PLANT	20 HP gasoline engine operating at 2800 RPM
HEAT EXCHANGER	VACUUM PUMP	Gardner Denver TriFlow® 406 Rotary Tri-Lobe. Vacuum to 16 in. Hg and flows up to 317 CFM.
	SOLUTION PUMP	General HTXS1813S with an electric clutch operating up to 1500 psi and up to 3.57 GPM at 1478 RPM.
A A	WASTE TANK	90 gal. marine-grade aluminum standard equipped
	CONSOLE W × H × D	16 × 38 × 45 in. 41 × 97 × 114 cm
Contraction of the local division of the loc		

PRO 1200

Direct drive streamlined truckmount package

For maximum reliability and simplified

operation, choose the Pro-1200, Sapphire's premier direct-drive truckmount. This rugged, dependable unit saves space in your vehicle and delivers robust heat and powerful extraction capabilities for all types of cleaning.

New! Optional submount waste tank saves space

MODEL	Pro-1200
VACUUM PUMP	Tuthill 5006 tri-lobe blower producing vacuum to 16 in. Hg and flows up to 545 CFM.
SOLUTION PUMP	1200 PSI CAT 5CP with high temp seals, electric clutch and fully adjustable pressure settings.
RECOVERY TANK	120 gal. marine-grade aluminum
POWER COUPLING	1 1/8 in. fully enclosed steel drive shaft
CONSOLE (W × H × D)	21.5 × 31.5 × 42 in. 55 × 80 × 107 cm

RAGE


Outrageous quality. Outrageous value.

Thinking about setting up a truckmount-based carpet cleaning business? Want to graduate from portables to truckmount performance? Need to expand your business at a lower cost? Get the Rage, offering high quality components and superior engineering in a truly affordable package – as low as \$10 per day with Sapphire financing.

Gasoline 18 HP air-cooled engine.
Tuthill 3006 dual-lobe. Vacuum to 15 in. Hg and flows up to 311 CFM.
General TX1810S17 producing up to 1000 PSI and 2.7 GPM at 1478 RPM.
90 gal. marine-grade aluminum
2 in. steel box tubing. Powder-coat finish.
17 × 36 × 39 in. 43.2 × 91 × 99 cm
520 lbs. 236 KG

HOSS 700 ROTARY CLEANING TOOL Cleans carpets faster and leaves them drier

The Sapphire HOSS 700's **15-inch wide cleaning platform delivers up to 700 cleaning passes per minute to make fast work of the largest jobs.** A unique helical solution injection pattern ensures streak-free application while unique floating heads provide deep agitation and a tight vacuum seal. The result? Cleaner, drier carpets and a stronger bottom line for your business.



WWW.SAPPHIRESCIENTIFIC.COM 2604 LIBERATOR | PRESCOTT, AZ 86301 | 800-932-3030

PRORESTORE





158 Clutch Drive Systems (CDS) Truckmounts

Clutch Drive Systems (CDS Truckmounts)

TRUCKMOUNTS



MODEL	ENGINE	WATER PUMP	FLOW RATE/GPM	PRESSURE PSI	WASTE TANK	BLOWER
HydraMaster 4.6 CDS Ford	5.4L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4005 Tri-Lobe
HydraMaster 4.6 CDS Chevy/GMC	4.8/5.6/6.0L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4005 Tri-Lobe
HydraMaster 4.6 CDS Ford with Salsa	5.4L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4005 Tri-Lobe
HydraMaster 4.6 CDS Chevy/GMC with Salsa	4.8/5.6/6.0L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4005 Tri-Lobe
HydraMaster 4.8 CDS Ford	5.4L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4007 Tri-Lobe
HydraMaster 4.8 CDS Chevy/GMC	4.8/5.6/6.0L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4007 Tri-Lobe
HydraMaster 4.8 CDS Ford with Salsa	5.4L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4007 Tri-Lobe
HydraMaster 4.8 CDS Chevy/GMC with Salsa	4.8/5.6/6.0L V8	General Emperor	4	1000	110 gl.	Tuthill Md 4007 Tri-Lobe
Sapphire Scientific Pro 1200 For Chevy	4.8, 6.0	Cat 5CP	5.3	1200	120 gl. or 90 gl. submount	Tuthill Md 4006 Tri-Lobe

All truckmounts not available at all locations.

Clutch Drive Systems (CDS) Truckmounts 159





4.6 CDS™ Truckmount



For performance and reliability, HydraMaster's van-powered 4.6 CDS is a top choice among independents and cleaning franchises. It lets you run two wands at any one of three speed settings. Plus, it quickly heats water to as high as 205° F while the powerful pump supplies up to 1,200 psi of pressure. The CDS 4.6 runs incredibly quiet for evening jobs and can even be used with your vehicle locked, using the optional Pass Thru Kit. Its 14-inch tank footprint also takes up less cargo space.

- Space-saving design
- Superior heat performance
- Super reliable
- Dependable performance
- CDS Electronic Speed Control to increase vacuum performance by 30% and reduce fuel consumption
- Number one in user-friendly operation
- Vacuum Blower: Dominator[™] 4005 Tri-Lobe, HydraMaster exclusive design, 300+ cfm (helical gear drive, dual oil bath [no grease fittings], oil level sight windows)
- Pump: 4.0 gpm plunger pump, 1,200 operating psi, electric clutch control



4.6 CDS Ford MH36F 4.6 CDS Chevy/GMC MH36C 4.6 CDS Ford with Salsa MH36AF 4.6 CDS GMS with Salsa MH36AC





4.8 CDS[™] Overdrive Truckmount



The CDS 4.8 has been the most popular van-powered system for two decades. It features OverDrive[™] Power Train Technology that takes the hard work out of tough residential and commercial cleaning jobs. Plus, its simple design makes training crew members easy. You get two solution outlets for dual wand capability, three speed settings and a 100 gallon recovery tank for uninterrupted cleaning. Its 14-inch tank footprint also leaves a lot of room for equipment.

- Space-saving design
- Superior heat performance
- Super reliable
- Dependable performance
- CDS Electronic Speed Control to increase vacuum performance by 30% and reduce fuel consumption
- Number one in user-friendly operation
- Vacuum Blower: Dominator[™] 4007 Tri-Lobe, HydraMaster exclusive design, 400+ cfm (helical gear drive, dual oil bath [no grease fittings], oil level sight windows)
- Pump: Plunger pump 4.0 gpm, 1,200 operating psi, electric clutch controls



4.8 CDS Ford MH55F 4.8 CDS Chevy/GMC MH55C 4.8 CDS Ford with Salsa MH55SF 4.8 CDS GMS with Salsa MH55SC

www.interlinksupply.com

160 Clutch Drive Systems (CDS) Truckmounts



Pro 1200 Truckmount: Streamlined Truckmount Package

For maximum reliability and simplified operation, choose the Pro-1200, Sapphire's premiere direct-drive truckmount. This rugged, dependable unit saves space in your vehicle and delivers robust heat and powerful extraction capabilities for all types of cleaning. A cross-bed waste tank design improves vehicle balance for greater safety, and a newly designed exhaust heat exchanger increases heat capture and reduces noise levels.

FEATURES AND BENEFITS

- Direct drive design provides full power but saves space on the truck
- High vacuum capacity means fast water cleanup so you can restore water damaged sites quickly
- No separate engine to maintain maintain your truck and you're maintaining the truckmount, too
- Delivers an additional 10° F over original design
- Fully adjustable from control panel
- New blower exhaust heat exchanger design improves flow, increases heat capture and and reduces noise. Fully serviceable too!

SPECIFICATIONS

- Tuthill Tri-Lobe 5006 vacuum pump
- 1200 PSI CAT 5CP solution pump with high temp seals
- R120 gal. (454 I) recovery tank with TIG-welded 3/16 in. marine-grade aluminum. 100 gal. (379 l) at shutoff

All truckmounts not available at all locations. "As Low As" rates subject to change and subject to OAC (on approved credit).

Optional 120 gl waste tank or the 90 gl submount waste tank Pro 1200 Chevy MSPRO1200

Truckmount and Van Packages STARTING AT ONLY PER молтн

TRUCKMOUNTS



All contracts
contain
"EASY IN, EASY
OUT" benefits,
including
PRINCIPAL
ONLY PAYOFFS
which are FULLY
ASSUMABLE at
any time.

Interlink Fleet Sales and Interlink Financial announce a program that allows customers to get into van and truckmount packages for the very-low monthly payment of \$699!

PACKAGE DETAILS

Van Price: \$23,995

Truckmount Price: \$11,995

2013 ¾ ton Chevrolet Express 2500 (Regular length, 4.8L V8 engine). Additional van configurations available, pricing and payments may vary. Call for details. Several machines available in this price range. Call for details.

Additional Funds: \$2,109

Covers spray liner, install, additional accessories and/or freight.

TOTAL MONTHLY PAYMENT: \$699

Increase Productivity, Decrease Cost = Maximize Profits

Additional Accessories:

Add \$20 per month for every \$1000 purchase Extended Service Agreement: GM 5 year/100,000 mile extended warranty for \$49/month



Phone: 800-655-1207 | Fax: 801-281-5484 info@interlinkfs.com | www.InterlinkFS.com



HydraCradle Tank - 125 Gallon HydraMaster

An innovative combination of durable, rustproof molded components and highquality, powder coated steel allows you to maximize space in your van. Holding up to 125 gallons, the HydraCradle has the highest capacity water tank available.

- 38" molded vacuum hose reel with powered retraction (using convenient footswitch)
- Vacuum hose reel holds a full 250' of 2" vacuum hose
- "Live-center" vacuum connection on hose reel; integrated cleanout plug
- Attach up to 3 hose reels to keep multiple technicians busy working
- Easily accessible front located fresh water fill connector
- Automatic fresh water shut-off when tank is full
- Demand pump with easily accessible front-mounted strainer
- Convenient mounting station holds pump sprayer and wand

Standard Package AR07 \$4918.25 Call for a package quote.



Water Pond - Utilize The Space in Your Van!

Sapphire Scientific offers the Water Pond – a combination water tank and electric hose reel! It makes efficient use of space by combining a unique water tank shape with an electric hose reel to fit an unbelievable 120 gallons of water and up to 250 feet of vacuum hose! Since it's such a compact size, it can slide into vehicles in one piece – no taking it apart and rebuilding it in the truck! The super duty paint prevents rusting and corrosion, so your unit looks good and lasts for years.

- 120 gallons
- Holds 250' of solution hose and 250' of vacuum hose

AR18 \$4229.00 Call for a package quote.

Motorized reel

Hydro-Well II - Fresh Water Reservoir Tank

The Hydro-Well is the most affordable, feature-laden water tank on the market. This tank will last the life of your truck and then some! In addition, the Hydro-Well will ensure you've got enough water to work all day without taking up your entire van. The Hydro-Well fits snugly against the side of your van and leaves plenty of room for your equipment.

- Heavy-duty rotomolded body
- Transparent tank allows monitoring of water level
- 100+ gallon capacity
- Front and rear tie-downs for improved stability
- 2 molded-in locations for pump sprayers
- Molded-in locations for two 5 gallon buckets
- Molded-in area for five 1 gallon jugs

- Molded-in location for Hydro-Shelf (part #AX148B) permits storage of an additional eight 1 gallon jugs
- Molded-in threaded inserts for easy pump attachment
- Molded in baffles to reduce water movement when driving
- Design allows the Hydro-Well to fit closer to the side wall of the van than previous Hydro-Well

AX139 \$995.00



Sprayers and bottles not included.

HYDRO-FORCE

Hydro-Shelf

20x36x61

Utilize the vertical space in your van by adding the Hydro-Shelf to your Hydro-Well. The Hydro-Shelf holds up to eight gallon-sized jugs or a combination of jugs and a Hydro-Force sprayer in addition to the five gallons the tank itself can hold. Durable steel construction is built to last.

TRUCKMOUNTS



PROCHEM

Console Water Tank

Realizing that space inside a van is valuable, this revolutionary 60 gallon fresh water system is designed to address the issue. The system utilizes space that is normally wasted. Not only does this new system maximize space savings, it also improves the weight distribution of your vehicle keeping it between the axles where it belongs. Never before have you driven a van that carries fresh water and handles so well. The fresh water tank comes complete with a demand pump system that is easily removed for maintenance. The fresh water system will work with the complete range of Prochem truckmounts and fits GM and Ford full size, 1 ton vans. As you can see, you still have room to reach all the components on your truckmount once installed.

AT08 \$1315.30



Sub-Mount Fresh Water Tank - 85 Gallon

This 85 gallon tank from Sapphire Scientific is designed to fit perfectly around a Sapphire Scientific truckmount and makes the most of the space available in your van.

AT22 \$2450.00



Horizontal Fresh Water Tank - 120 Gallon - CDS

Fits under hose reel to minimize space requirements in cramped quarters. Powder coated marine aluminum tank with cross baffling, 6" access ports, fill port, drain valve, sight tube level indicator and breather fitting. 12 volt pump-in system. Comes complete with four compartment storage bin and a handy utility shelf (includes furniture tab holder). 48.25" L x 51" W x 12.50" H

AT05 \$2702.72

FII TERS



CDV Inline Filter Box

The CDV filter system makes a valuable complement to your carpet cleaning system. A removable clear polycarbonate window allows easy monitoring of filtering progress - customers can see the dirt coming out of their carpet! A stainless lift-out filter cage captures debris and provides for simple cleaning. Two 2" vacuum inlets simplify setup and guarantees maximum vacuum through the truckmount. Interchangeable adapter plates provide an option of either two 2" vacuum outlets or a single 21/2" vacuum outlet for single or dual wand operation.

Rotomolded construction stands up to years of rugged use



MS240 \$525.00

www.interlinksupply.com

· See-through view panel shows cleaning progress

 Molded handle for easy transport and durability Stainless filter cage removes easily for cleaning





AMAZINGLY durable polymer uses the same material used in bullet-proof windows!



All-mesh stainless steel filter reduces turbulence since air passes straight through, not around the filter (included). This innovation improves your truckmounts CFM by as much as 11% compared to solid bottom filters.



The Flash Cuffs Hydro-Filter comes preassembed with two 2" male cuffs and two 2" female cuffs.

Hydro-Filter[™] In-Line Waste Filter

Sleek, Aerodynamic Design Improves Airflow and Protects Your Investment


The Hydro-Filter is an essential part of your business. The advanced polymer is designed to withstand impacts and high temperatures and allows you to impress your customers by showing them how much soil is being removed - something not possible with opaque filters. The redesigned stainless steel filter protects your vacuum motor from harmful debris and maximizes your machine's CFM output. Additionally, the screw on lid eliminates broken latches so you can focus on your work, not on repairs.

馬 Hydro-Filter	AC10	\$99.00
🛤 Flash Cuffs Hydro-	Filter AC10F	\$130.50
馬 Replacement Lid	AC10A	\$17.40
Replacement Body	AC10B	\$54.40
🛤 Stainless Steel Filt	er AC10C	\$40.95
Replacement O-rir	ng AC10D	\$4.99





Tough enough to drive a truck over.



Truckmount Filters

Keep lint and large debris out of your truckmount or portable waste tank and protect your blower or vacuum motors. These filter bags come with plastic cord locks for a tight fit. Note that bag dimensions may vary slightly from listed dimensions.

A) 8" x 28" AX12 \$12.05 C) 8" x 17" PHY049-030 \$12.94 B) 12.5" x 19" PHY049-029 \$19.32

Visit our showroom or call in an order. See cover for information.

TRUCKMOUNTS

www.interlinksupply.com



HE HYDRO-FORCE

The Pumpout V115

- High volume output pumps 10 gpm
- Dual wand capable
- Operates on household current
- Excellent pump out for water damage
- Durable aluminum with carry handle
- Dual stainless removable filters

AC12H \$1095.00

Set up The Pumpout V115 on every job to pre-filter and pump waste water wherever you want it. You set up The Pumpout V115 in-line with your vacuum hoses. Waste water is prefiltered and then ejected via garden hose directly to a toilet or other sanitary sewer. This means you never have to go out to the truck to clean filters or empty your waste tank! The Pumpout V115 operates on household current and is dual wand capable. It is made of durable aluminum and comes with a carrying handle. The ejector pump will work as long and hard as you do—you can't overwhelm it! It also makes an outstanding pumpout for flood restoration.



Flojet VSD

The new technology built into this pump senses the water flow and adjusts motor speed to give you an even flow and pressure without cycling. This does the same thing as a pump and bladder system without the bladder! Use with the Water Well or other types of fresh water tanks.

AP38 \$252.15



Fresh H2O Booster

Transfer water from the fresh water tank to any machine with this unit. Eliminates cycling of the pressure pump due to inadequate water flow from the fresh water tank. An excellent pump for any machine that uses a manual or float valve for incoming water.

馬 AP36 \$396.77



Sapphire Scientific Waste Pump-Out System

Automate your extraction operations with a waste pump system. Reduce downtime by automatically pumping waste water – no need to stop your work to empty your onboard tank every time it's full. A pump system can also significantly speed tank draining compared to gravity drain.

AC12E \$1776.69



Prochem HD AP Pump-Out Kit - External

This heavy duty waste pump out is ideal for large commercial applications and deflooding jobs. This durable pump out can run dry without damaging the unit and pumps 5 gallons per minute. The diaphragm design means problem free pumping even with gravel or large particles in the flow - and there's no filter screen to clean!

PP66-945533 \$1995.55



HydraMaster Dura-Flow Pump-Out Kit

The Dura-Flow APO is engineered to produce a 4.5 GPM flow under full vacuum (14" HG) and requires just 9.5 amps compared to competitor models' 13 to 25 amps. It uses a ¼ HP motor and low RPM pump for longer life. Since no filters are required, the Dura-Flow APO is able to pump solids and debris.

Slide-In Truckmount (pre-wired) PHY079-091 \$1761.22 Slide-In Truckmount (not wired) PHY079-094 \$2137.63 CDS Truckmount (pre-wired) PHY079-097 \$1866.88



Vacuum Hose Reels

These heavy-duty storage reels make hose storage and handling a cinch. Finished with a rustproof black paint, the strongly welded steel will give years of daily service. Comes with easy roll nylon bearings and a positive stop latch on the vacuum hose reel. Stand sold separately.

200' Hose Reel AR23 \$369.00 250' Hose Reel AR25 \$389.00 300' Hose Reel AR27 \$379.00



Solution Hose Reels

These heavy-duty storage reels make hose storage quick, easy and convenient. Finished with a rustproof black paint, the strongly welded steel will give years of daily service. Comes with easy roll nylon bearings and can be mounted on self-supporting hose reel stands or bolted to the vacuum hose reel (Stack Bracket required). Stand sold separately.

Logical Contemporary 200' Hose Reel AR11 \$112.00 250' Hose Reel AR13 \$119.00



Vacuum Hose Reels

With a push of the button, the electric motor quickly winds up the hose, saving time and effort. All reels are pre-drilled to accept a solution reel and are fully compatible with all of our hose reel accessories. Depth 45", height 49".

250' Hose Reel (width 24") AR19 \$ 300' Hose Reel (width 28") AR22 \$

Swivel Assembly, Low Pressure

Female garden hose swivel. Perfect for live water supply reel.

Low Pressure AR35 \$86.99 Repair Kit PR51 \$14.58









Electric Rewind Triple Hose Reel

Capacity: 300 Feet. Hose not included.

PHY163-553 \$3357.80

Garden Hose Reel

Garden hose storage reel for live hoses. Hose not included.

AR07HR \$914.64

Double Self-Supporting Hose Reel Stand

This stand lets you attach two solution hose reels and bolt the assembly to your van floor.

AR30 \$79.99

Self-Supporting Hose Reel Stand

Attach your solution hose reel to this stand and bolt to the van floor wherever desired.

AR37 \$60.66

Solution Reel Stack Bracket

This bracket bolts to the side of any of our vacuum hose reels (AR23, AR25 or AR27) and secures two solution reels (AR11 or AR13) for a very compact fit. Keeps all hoses right at your fingertips.

AR31 \$87.99

Wall Mount Bracket

This bracket is designed for mounting solution hose reels on van doors.

AR09 \$32.99

Swivel Assembly, High Pressure

This American made, high-quality swivel assembly has a shorter profile than competitve swivel assemblies so it doesn't get in the way when reeling up hose. Rated up to 4000 PSI and 250°F allowing it to withstand the most punishing conditions.



Shelf hangers shown. See below.



Bottles and accessories not included.

Shelf Hanger Tool Holder

Add additional storage space to your existing shelving.

馬 AX164 \$16.84



3-Tier HydraMaster Shelf

A 3 level shelf that will hold 24 x 1 gallon bottles or a Hydro-Force Injection Sprayer and stair tool plus 16 x 1 gallon bottles. Permanent install fits over wheel wells.

AX104B \$357.41



Van Chemical Storage Shelf

model has open ends. Assembly is required.

Get your van organized, get your chemicals up off the floor and make the most of the space you have with these van shelves. The Van Shelf is strong lightweight aluminum or heavy gauge stainless steel and mounts directly over the van wheel well. These units feature three 48" adjustable shelves and will hold 24 single gallon containers or a wide variety of containers and accessories. 4" lips

keep bottles from spilling and rubber shelf guards protect bottles. The stainless version has closed end caps while the aluminum

Spinning Chemical Rack

Stainless Steel Storage Shelf AX128 \$339.00

The Sapphire Chemical Rack provides convenient, secure storage for gallon bottles in work vans and other vehicles. Each shelf rotates independently, allowing easy access to shelf contents. Mounts securely in most vehicle types. Sapphire's wire shelving units feature a chip resistant electroplated nickel-chrome surface.

Aluminum Storage Shelf AX104 \$289.00

AC2020 \$217.80



Air Mover Shelves

Maximize storage space and keep your dryers and air movers safe and secure with this sturdy aluminum shelf for mounting in trailers or cube vans. Dimensions for the six air mover shelf are 48" tall x 20" deep x 55.5" long. Dimensions for the four air mover shelf are 48" tall x 20" deep x 37.5" long. Airmovers not included.

Air Mover Shelf (holds 6) AT74 \$438.34 Air Mover Shelf (holds 4) AT72 \$424.00



Plastic Tab Holder

Stores approximately 800 plastic or 300 3" foil tabs (4" version available). Made of lightweight, no rust aluminum and mounts easily to doors, shelving and even the dashboard.

Plastic Tab Holder 3"x3" AC19B \$23.99
 Plastic Tab Holder 4"x4" AC19C \$29.99



Styro-Block Holder

Holds four full sheets of blocks and mounts on almost any door panel or van wall. Made from no rust aluminum.

> AC44B \$34.99 www.interlinksupply.com



Two-Bin Back Door Shelf Assembly

Another great way to help organize your van's interior. The perfect place for trigger spray bottles. Mounts on the back door for easy access.

AX104C \$216.30





Sahara Storage Bracket

This new bracket lets you hang any Sahara air mover on the wall of your van, truck or storage area. The brackets are black powder-coated metal and will hold any of the new line of Dri-Eaz Saharas.





Single Pump-Up Sprayer Holder

Ensure that there is always a safe place in your van for your pump-up sprayer! This holder is made with strong, lightweight, no rust aluminum, and it will protect your pump up sprayer from damage and keep it upright. (Sprayer not included.)

馬 AC197 \$56.16



Double Pump-Up Sprayer Holder

Keep your pump-up sprayers upright and undamaged with these strong and lightweight, no rust aluminum holders. Holds two pump-up sprayers (sprayers not included). A gasket kit (AC196A) is available to get a better fit for smaller sprayers.

Sprayer Holder AC196 \$73.99 Gasket Kit AC196A \$4.95



Floor-Mounted Hydro-Force Holder

This aluminum holder for the Hydro-Force injection sprayer won't rust and can be floor mounted anywhere in your van. Keeps sprayers out of the way and makes the best use out of available space in your van. (Bottle not included.)

馬 AC192 \$59.99



Wall-Mounted Hydro-Force Holder

This aluminum holder for the Hydro-Force injection sprayer can be wall mounted anywhere in your van. Keeps sprayers out of the way and makes the best use out of available space in your van.

🎩 AC191 \$51.34

Find the best sprayers the industry has to offer!

Looking for a new sprayer? You will be sure to find one that meets your needs. See pages 105-109.



Wand Holder Storage Rack

Clip and rail wand storage rack keeps your wands firmly out of way and protects them from getting banged up on your van floor.

■ AC01A \$34.00



Broom & Rake Holder Kit - Spring Clip

Keep your van or trailer in order by installing these effective spring clips to hold your brushes, brooms, or rakes firmly to van and trailer walls or ceilings.

馬 AX163 \$9.69



5 GL Headpack Holder, Aluminum

Keep your stock solution container where you want it with this strong, lightweight, no rust aluminum holder. Dimensions: 10" W x 10" L x 4" D (Headpack not included.)

👞 AC198 \$41.99



Hydro-Shelf

Utilize the vertical space in your van by adding the Hydro-Shelf to your Hydro-Well (not included). The Hydro-Shelf holds up to

eight gallon-sized jugs or a combination of jugs and a Hydro-Force sprayer in addition to the five gallons the tank itself can hold. Durable steel construction is built to last.

Fits right on the Hydro-Well

AX148B \$184.75

AX148B



Stand Alone Water Softener

Adding a water softener to your cleaning operation removes minerals present in hard water, boosting your cleaning power and extending the life of your equipment.

The Stand Alone Water Softener is recharged by adding salt directly to the tank and running water through at a trickle for 30 minutes. With this simple procedure you are ready to go for another month! (Back flushing is occasionally required.) The tank is made of a tough, fiber epoxy case and an ABS inner shell. It offers 32,000 grains of softening or enough for one month of normal cleaning in a medium hard water area.

➡ AC39 \$549.00



Auto-Recharge Water Softener

The Automatic Water Softener is a twopart system. In addition to the water softener tank, it also comes with a separate brine tank, hose and fittings to connect the two when it comes time to recharge. Keep the brine tank in your garage and the softener in your truck. The softener has an automatic head that activates with the simple turn of a dial.

The Automatic Softener is made of a tough, fiber epoxy case and an ABS inner shell. It offers 32,000 grains of softening or enough for one month of normal cleaning in a medium hard water area. The brine tank is 11" square and 32" high.

馬 AC40 \$839.00



Large Water Softener Stand

Keep your water softener right where it's supposed to be with this holder. Made of lightweight, no rust aluminum and mounts easily in the van. Holds either the AC39 or AC40 water softener.

AC39A \$89.95



Electronic Descaler

The Electronic Descaler is a water conditioning system that provides an economical, maintenance free treatment of hard water for truckmount systems. The Electronic Descaler prevents new scale build-up and eliminates existing scale build-up throughout the truckmount system. The conditioned water will reduce the surface tension of the water allowing for full dissolving of cleaning detergents.

• Treats one line up to 3/4" in diameter

- Works with copper, SS tubing and rubber hose
- High grade aluminum controller housing



Self-Contained Automatic Water Softener

The Self-Contained Automatic Softener is a great unit that comes complete and ready to mount in your van. The brine tank is small but has all the professional features of a full sized unit, and using only one square foot of floor space is a great space saver.

And it's easy to use, too. Once a week (may vary according to water hardness and usage) simply hook up to water, twist the automatic timer and forget about it – everything is automatic. You'll have soft water again in less than an hour.

馬 AC40B \$749.00



Forever Clean Water Conditioning Magnet

Not a filter, the Forever Clean will eliminate scale and corrosion in your truckmount for 25 years or more and no regular maintenance is required. The Forever Clean will actually aid in the cleaning and rinsing process by realigning molecules and minerals. This greatly reduces surface tension and increases the ability of the surfactants in your cleaning agents to solubilize and suspend soils. Simply install it on the incoming water supply line and then forget about it – forever!

> **AT20 \$544.32** www.interlinksupply.com



Van Curtain

Stay warm in winter and cool in summer with this insulated van divider curtain! Heavy duty nylon keeps heat or A/C in the front compartment and noise and odors in the back. There's a full length zipper and the curtain folds aside for easy access to the back. There are also DOT approved clear vinyl windows for full visibility as well as utility pockets for maps, clipboards and other equipment! The Van Curtain is simple to install and can easily be transferred to new vans. Specify navy or gray, sliding or hinged door, van make and model.

"One of the best \$200 I ever spent!" Glen Thompson Distinctive Carpet Care

AX04 \$229.00



EZ-Access Ramp

Universal Faucet Adapter Kit

How much time is lost when you can't

find the right adapter to get water for

your system? Eliminate those hassles

quick connect for a garden hose and a

combination of accessories that will fit

with this adapter kit that includes a

Take the strain out of working with portables, protect your back and easily wheel heavy pieces of equipment in and out of the van, truck or trailer. Built for heavy-duty, everyday use, this 6' x 28" ramp can handle up to 600 pounds and conveniently folds to just 3" in width for easy storage.

AR002 \$384.26



Faucet To Hose Adapter

When you hook up to a fresh water supply to perform your work, always have this adapter on hand. This simple, small adapter will fit 90% of existing indoor faucets so that you can connect a garden hose.

■ AX22 \$7.99



Vee Jet Wrench

The T-handled Vee Jet Wrench is perfectly machined to fit 1/8" and 1/4" Veejets. This invaluable tool will remove jets from nearly any tool that uses Veejets including the almost inaccessible Gekko jets, and even hard to reach jets recessed in some hand tools. A must have for every professional toolbox!

馬 AX138 \$24.95

almost any faucet.



AX21 \$43.95



4-Way Faucet Key


If you do commercial work this is another must-have for your van! This key gives you instant access to the building's fresh water supply even when there's no handle on the faucet. When you need it this little gadget is worth its weight in gold!

馬 AX51 \$12.99

Solution "T"

Save up to an hour each day with this simple fitting that splits your solution line allowing both a wand or an RX-20 and a Hydro-Force in-line sprayer to be used simultaneously. While one technician pre-sprays with the in-line sprayer the other can be busy extracting.

www.interlinksupply.com





NEW Nautilus Portable Extractors

Series for maximum lift, or parallel for maximum air flow, with the AirFlow+ vacuum system, it's your call! The AirFlow+ vacuum system allows you to quickly change your vacuum motors from a series configuration to a parallel configuration in under a minute with no mechanical skill needed. Whether you're extracting flood water and need maximum lift, or cleaning tile and need maximum air flow, the Nautilus has you covered.



The Nautilus portable extractor achieved Platinum Certification from the Carpet and Rug Institute (CRI). The Platinum Certification is the highest designation available from CRI and highlights the superior cleaning and water extraction achieved with a Nautilus portable extractor.

Easy-To-Access Components



Clam shell design improves access to components



Open space between components makes it easier to change out components

Long Lasting



Highest quality vacuum motors and pumps



Durable rotomolded body and engineered to ensure electrical components are protected


Increased Storage



True 12 gallon solution and waste tank storage




Flat top allows you to carry around lots of gear. and molded-in locations hold a 5 gallon bucket and two 2 quart pump sprayers



Modular design allows for easy upgrading of components

Customizable



Plug-and-play wiring Change from a series harness simplifies to a parallel vacuum motor and pump configuration on the fly replacement

Improved Transportation





PARALLEL

Handle-mounted wheels for easy unloading/ loading

200 PSI, (2) 2-stage vacs, w/ heater

200 PSI, (2) 3-stage vacs, w/ heater

500 PSI, (2) 3-stage vacs, restoration APO 500 PSI, (2) 2-stage vacs, w/ heater

1200 PSI, (2) 3-stage vacs, auto fill/pump-out

200 PSI, (2) 2-stage vacs

200 PSI, (2) 3-stage vacs

500 PSI, (2) 2-stage vacs 500 PSI, (2) 3-stage vacs

Large 12" wheels allow for easier transportation up and down stairs

Weight is kept low and to the rear to improve the center of gravity

MX200M	\$2479.11
MX200HM	\$2764.44
MX3-200M	\$2750.51
MX3-200HM	\$2902.29
MX500M	\$2899.00
MX3-500M	\$2999.00
MX3-500RP	\$3399.00
MX500HM	\$2999.00
MX3-1200M	\$3999.00

See www.interlinksupply.com for additional models, including hose packages.

The Nautilus comes pre-drilled so you can attach various accessories like the Belt Pack. The Belt Pack is a great addition for carrying spotters and small accessories. Belt Pack AX108 \$20.99







Olympus Portable Extractors

Olympus Portable Extractors come in nine different models so there's a perfect configuration to meet every need! These units are manufactured to the highest standards of quality and performance.

Olympus models with heater feature a recirculating design that will heat cold water to 165° or keep hot water hot through the whole use of the tank for consistent, high quality cleaning.

Model

M100

M200

Olympus M1200 Stone, Tile and Grout Extractor

This is the ideal stone, tile and grout machine that can also be used to clean carpet! It delivers 1,200 PSI to blast away even heavy soils from tile and grout, and the hybrid vacuum system (one 2-stage and one 3-stage) provides the vacuum power to leave floors nearly dry. The M1200 comes with auto-fill, auto-dump and auto-chemical feed as well as a built-in Breaker Buddy so you know you are on two separate circuits. The PowerPrime[™] feature eliminates priming problems. Just hit the lever and the unit is primed! The M1200 also comes with a Foam Downer. 50' of fill and dump hose, 25' of solution and vac hose, two 50' cords and a Hydro-Filter. (Wand not included.)

PSI 100 \$1589.76 Dual 5.7" 2-stage 85 lbs. 1 No M100H 100 Dual 5.7" 2-stage 92 lbs. 2 \$1959.00 Yes 200 Dual 5.7" 2-stage 90 lbs. \$1882.00 1 No M200H 200 Dual 5.7" 2-stage 98 lbs. 2 Yes \$2261.00 M3-200 \$2099.00 200 Dual 5.7" 3-stage 93 lbs 2 No M3-200H* Dual 5.7" 3-stage \$2609.73 200 101 lbs. 2 Yes M3-500 500 Dual 5.7" 3-stage 105 lbs. \$2647.00 2 No M500H 500 117 lbs. \$2941.43 Dual 5.7" 2-stage 2 Yes M1200** 1200 1, 5.7" 2-stage & 1, 5.7" 3-stage 141 lbs. 2 No \$3999.00

*20 amp circuits required to run all systems (M3-200H) **Wand not included.

Olympus Auto Fill & Chemical Metering Option

Add this option to any Olympus extractor for continuous water feed. Ideal for commercial work, this option includes a chemical metering system, 50' low-pressure water fill hose and all hardware. Order with extractor and unit will be fully installed and ready to run.

Olympus Auto Waste Pump Out Option

Add this option to any Olympus extractor for automatic waste water pump-out. Features a high-volume pump that's so powerful it's perfect for flood work! Comes with 50' of 34" waste dump hose, auto float valve, and all hardware. Order with extractor and unit will be fully installed and ready to run.

M012 \$359.45

C	or Con		(IN	S.	
	Vac motor	Weight	Cords	Heater	Price

All Olympus Extractors Feature:

Top-Mounted Control Panel

 25' Vacuum and Solution Hose 25' Electrical Cords (50' with M1200)

Climbing

Machine

Patented Motor Cavity Cooling System

Rugged, Roto-Molded Body w/12-Gallon Capacity

• Large, Partially Pneumatic Tires For Easy Stair

Stainless Steel AW29 Wand (Except M1200)

• 5 Year Warranty on Body, One Year on Balance of

-	,
	www.interlinksupply.com





FX-88 & FX-88HP Portable Extractors

Now you can have the power of a truckmount and the convenience of a portable with either FX model! Both units are set up for high productivity cleaning with the industry's first 20 GPM automatic high volume pump-out system, plus auto-fill and chemical metering—making flood work a snap!

These units also have an innovative handle system designed for easier handling in narrow spaces and easy loading. Plus, they have large non-marking wheels for easy stair climbing. And, both of these powerful extractors come with 50' of 1.5" vac and solution hose, high pressure solution hose, auto-fill and auto-dump hose and two 50' cords.

FX-88

The perfect carpet cleaning machine, the FX-88 features a fully adjustable 50-500 PSI, 1.5 GPM pump and three vacuum motors that produce an amazing 14" HG of lift and 100 CFM. Wand included.

MA10 \$4950.00

FX-88HP

The FX-88HP is ideal for stone, tile and grout cleaning with a 2.2 GPM 1,200 PSI pump, and plenty of power to run tile tools like the SX-15. The pump is adjustable for carpet and upholstery cleaning and dual vac motors produce 10" Hg and 100 CFM. No wand or tools included.

MA12 \$4990.00

Ninja Warrior Portable Extractor

The Ninja Warrior uses a parallel vacuum motor system which delivers up to a 25% greater solution recovery rate than series vacuum motor systems.

Maintenance is easier than ever providing an open access to all components delivering the ability to easily maintain, clean and care for your Ninja Warrior after jobs.

PSI	HEAT	MOTOR	PART #	PRICE
500	1850 W	Dual 2-Stage	MC15	\$2885.67
200	N/A	Dual 2-Stage	MC16	\$2316.33
200	1850 W	Dual 2-Stage	MC17	\$2614.91
200	N/A	Dual 3-Stage	MC18	\$2614.91
500	N/A	Dual 3-Stage	MC19	\$2885.67
150	N/A	Dual 2-Stage	MC21	\$1791.49
150	1850 W	Dual 2-Stage	MC21H	\$1791.49
1200	N/A	Dual 3-Stage	MC22	\$3764.73
500	N/A	Dual 2-Stage	MC23	\$2614.91

HydraPort Heated Carpet Extractor U.S. PREDUCTS

The HydraPort represents a dramatic step forward in implementing unique, productivity enhancing features that considered even the minutest detail. These features go a step beyond traditional componentry that is common to most extractors pumps and vacuum motors and take into account the most common annoyances expressed by cleaning technicians. For example, moving the solution tank filling site to a location where the inevitable spill does not come in contact with any electrical components or switches. No detail was overlooked.

- 12" Stainless steel scrub wand (Evolution Wand optional upgrade)
- 12.5 gallon solution tank
- 11.0 gallon recovery tank
- 15' Vacuum hose (25' optional upgrade)
- 15' Solution hose (25' optional upgrade)
- Two handles for easy maneuverability and loading
- Handle on tank to assist loading/unloading and to guide vacuum hose
- Extension Cord (s)

- Oversized, rubber grip rear wheels
- Two front panel roller wheels
- Easy-fill solution tank access port
- Molded wand caddy for easy transport
- Recessed channel for ball float
- Glycerin filled pressure gauge
- In-line, after-the-pump, heater
 - Heater has lifetime warranty
- 1 year parts and labor warranty (exclusions apply)

U.S. PRODUCTS

PSI	HEAT	MOTOR	PART #	PRICE
100	1750 W	Dual 3-Stage	MUSH100D	\$1858.40
100	1100 W	Dual 3-Stage	MUSH100S	\$1891.73
200	1750 W	Dual 3-Stage	MUSH200	\$2114.94
1200	1750 W	Dual 3-Stage	MUSH1200	\$3192.00

PEX Heated Portable Extractor

The PEX Series of portables were designed with the end user in mind. The precision balanced, upright design makes transport easy and allows loading and unloading by one person. The PEX Series have a built-in wand caddy, retractable hose wrap, and built-in cord wrap. All PEX Series portables are CRI approved.

PEX 500 and PEX 200 Specifications

Convenient Controls



Convenient Service & Maintenance Access





	PEX 500	PEX 200				
Part #	MUS500	MUS200				
Vacuum	Dual 5.7", 3-stage vacuums, in series	Dual 5.7", 2-stage vacuums, in series				
Waterlift	200"	180"				
Vac Shutoff	Ball Float	Ball Float				
Pump	Positive Displacement adjustable 50-500 PSI					
Instant Heat	Adjustable to 212°F or 145°F	Adjustable to 212°F or 145°F				
Heater	2000 Watts	2000 Watts				
Guage	Glycerin filled pressure guage	Glycerin filled pressure guage				
Wand	Evolution Wand, 500 PSI	Evolution Wand, 200 PSI				
Weight	110 lbs.	96 lbs.				
Price	\$4136.48	\$3567.90				



www.interlinksupply.com

J.S. PRODUCTS





US Products Heated Portable Extractors

have been honored and awarded by some pretty impressive folks



But solving your most important cleaning challenges is the best recognition of all...

Cobra 1200 PRO Kina



"My growing clientele in multi-floor office buildings led me to the King Cobra 1200 Pro. It's versatile, powerful, and gets the job done." Cleaning contractor who is a sworn truckmount user

"We found a way to restoratively clean out tile and grout, stone, concrete and carpeting without needing more than one machine." Building service contractor

"The King Cobra 1200 Pro saved us thousands of dollars in labor costs the first year." Facilities maintenance director

"We did 200,000-square feet of hard surface floors in one weekend." Healthcare services

"It saved my back! Because of it's upright dolly design, it is so much easier to load and unload out of our van and lift up and down stairs." Cleaning contractor

"A space and time saver! We can transport the PEX throughout our facility with ease because everything we need can loaded right into it." Custodial supervisor

"Deep cleaning with 60-90 minute dry times."

Casino maintenance staff

"Combined with our CMX-20 and Evolution wand, we were knocking our 2,000 square feet per hour."

Building service contractor

Features

Features

Patented built-in 25-foot solution

2,000W in-line heater attains 212 F instant heat at the wand

Industry leading 2-year warranty

Smart circuit locater detects

Clean carpet, tile, stone and

Patented dual-surface, dual

and vacuum hose reel

separate lines

concrete with ease

- 1200 psi for hard surface - 150-500 adjustable psi for carpet

pumps

- Dolly design easy load and unload and stair climbing Dual 3-stage vacuums
- Adjustable heat to 212°F
- Smart circuit locater detects separate lines
- 2-year parts and labor warranty
- Low noise operation



ort 200



"They thought of everything. Easier to move. Waste tank completely empties. Fill tank located away from switches. Somebody finally listened. Thanks US Products."

Building service contractor

"This machine is the perfect back-up for my truckmount. Great heat too!" Cleaning contractor

- carpet and upholstery cleaning 3-stage vacuum motor
- 1750W in-line heater
- Extension cord wraps and wand caddv

Features

Adjustable 50-200 psi pump for

Unique ergonomic transport handle design

See US Products equipment in action on YouTube You lub youtube.com/usproductsequipment



When Clean...IS the Most Important Thing www.usproducts.com

www.facebook.com/usproductsequipment

Money and Time Saving Strategies • Events

Find us on Facebook

Join The Commercial Carpet Cleaning Discussion on the US Products Facebook Page Case Studies • Technical Tips • Marketing Ideas



Advantage 200 Powerful, Portable And Affordable

It's time you had the Advantage! The Advantage 200 is packed full of key features that will help the carpet cleaning technician be effective and efficient without breaking the budget.

Equipped with U.S. Products' signature instant 212°F heat, the Advantage 200 cleans heavily soiled, greasy carpets with ease. Adjustable 50-200 psi delivers cleaning power and versatility for cleaning nearly any type of carpet or upholstery. Low moisture and a powerful 3-stage vacuum aids in quick dry times, reducing downtime.

- Portable
- Instant 212°F Heat
- 50-200 psi
- Affordable
- Restorative results



Solus 500: Big Cleaning Power For The One Person Operation

The Solus 500 has an upright, dolly design, roller handles and large rear wheels make loading, unloading, and maneuvering the unit easy for one person.

Fully adjustable 0-500 psi for truckmount cleaning power and versatility with instant 212°F heat make the Solus 500 unmatched in its class, as proven by its GOLD CRI certification. Dual, top-mounted 3-stage vacuums combined with the Evolution wand provides more than 20% better water and soil recovery over competing models.

The Solus 500 is Gold Certified thru the Carpet & Rug Institute (CRI). This independent testing process proves the Solus 500 delivers unmatched recovery in a portable body. This recovery will dramatically increase your results and productivity.

MUS50 \$5434.00

MUS62 \$2356.00



Power Spotter OLYMPUS

Olympus Power X Pro Spot Machine

Fantastic for spotting calls or quick touch ups, the Power-X Pro Spotter extractor lets you leave the truckmount at the office and start making money a few seconds after arriving on the job!

There's plenty of pressure (55 PSI) and vacuum (76" of waterlift) for spotting, upholstery cleaning and touch-ups. It can even be used with the Water Claw or Flash Spotter to deal with all kinds of stain and odor jobs!

And now there's a Power-X Pro with heat! The Power-X Pro also has double ball bearing urethane wheels and a pull out handle that lets you transport the unit by pulling it like a suitcase! Comes with a tough stainless steel hand tool and a strong, non-scuff vacuum hose.

> Standard MA51 \$511.00 With Heater MA51H \$669.00

All products not available at all locations. Prices subject to change.

Hydramaster RX-20 High Efficiency

The RX-20 HE Rotary Extraction power tool features specially engineered High-Efficiency Skids to recover 58% more water, leaving carpets dryer than ever before! The RX-20 HE also has a new Jet System utilizing 3 new-style jets configured to apply and focus water in such a way as to reduce carpet surface penetration with less overspray so cleaning solution is applied where you want it, substantially reducing drying times and improving cleaning results.

Carpet is thoroughly cleaned in a one-step process that cleans all sides of the carpet fiber. You can easily restore filthy, matted, traffic areas without the "back-and-forth" fatigue of conventional tools. Connect the RX-20 HE to your truckmount or portable system and truly maximize cleaning efficiency.

The RX-20 Pad and Bonnet Driver attachment allows the RX-20 HE to guickly convert to drive either carpet cleaning bonnets or standard hard floor pads. The 15" drive block allows the use of a 17" carpet bonnet. Bonnet use is increasing due to the popularity of encapsulation cleaning, its effectiveness in shortening drying-time after extraction and the finishing of extracted olefin carpets.

38 lbs)







MH20A \$3934.60 RX-20 High Speed Solutional Drive Block MH20D Light Duty Hard Floor Brush MH20E Medium Duty Hard Floor Brush MH20F Heavy Duty Hard Floor Brush MH20G \$676.71

Hvdra Master



HOSS 700 Rotary Cleaning Tool

Clean carpets faster and leave them drier. The HOSS 700 cleaning tool completes 700 cleaning passes per minute, loosening and lifting the toughest soils. The full 15-inch coverage cleans carpets faster and the the staggered injector system puts hot solution deep into the fibers. Dual-level extraction slots agitate more thoroughly and maintain better airflow. Other features include: 2" vacuum tubing, adjustable handle height, low profile head, and industrial design.

The HOSS will power through the dirtiest commercial jobs and weights only 39 pounds.

MH45 \$2995.00



\$182.31

\$676.71

\$651.99



MR03 \$2195.00

The Rotovac 360i replaces the manual scrub wand for extraction carpet cleaning. Combining rotary agitation with hot water extraction, the Rotovac cleans better, leaves the carpet drier and is much easier to use than a wand. The Rotovac 360i is a Rotary Extraction Power Head that utilizes rotary vacuum heads and spray jets to thoroughly deep clean carpets with hundreds of multi-directional cleaning passes. The 360i is extremely user friendly as it operates in a self propelled "side to side" motion and weighs only 38 lbs. The telescoping handle adjusts down for cleaning stairs and compact storage.

www.interlinksupply.com



Rotovac Powerwand

- Patented "Rotary Jet Extraction" heads
- Highly maneuverable and lightweight (only 38 lbs)
- Cleans in both directions (forward and backward)
- Operates with any portable or truckmount
- Draws only 5 amps
- 50 to 500 PSI
- Guaranteed to improve your cleaning

The Rotovac Powerwand replaces the manual scrub wand for extraction carpet cleaning. Combining rotary agitation with hot water extraction, the Rotovac Powerwand makes an amzing 1,500 passes per minute, leaving the carpet cleaner and drier than what could be accomplished using a wand. A person with a manual scrub wand can only make around 60 two directional cleaning passes per minute. As the person tires this number decreases, along with the quality.

MR02 \$2195.00



Foam Downer

Save your portable from power loss, decreased lift and motor damage. Foam Downer uses a hook to hang a jug of liquid defoamer from your portable and kills foam as waste water enters the machine. While the wand is on the floor defoamer is injected. Simply lift wand and it stops. Adjustable defoamer valve.



EZ-Access Ramp

Take the strain out of working with portables, protect your back and easily wheel heavy pieces of equipment in and out of the van, truck or trailer. Built for heavy-duty, everyday use, this 6' x 28" ramp can handle up to 600 pounds and conveniently folds to just 3" in width for easy storage.

Dust Downer

By spraying a constant supply of water mist directly into your vacuum hose during dry vacuuming, the Dust Downer quickly puts grit and dust drawn up from the carpet or upholstery into solution, preventing it from being pulled into equipment vacuum motors or blowers.

Dust Downer 2" AH20 \$69.95 Dust Downer 1.5" AH18 \$64.95

馬 AH17 \$31.95





Stop "experimenting" with finding separate circuits and avoid tripping breakers completely. Simply plug Breaker Buddy into two separate outlets; green light indicates use of two separate circuits. Great for dual cord machines or when using separate electric heater.

馬 AX68 \$69.74



Shockbuster

AR002 \$384.26

Protect yourself from electrocution in wet environments by making hazardous outlets safe. Insert Shockbuster into outlets where your equipment is plugged in and this GFCI adapter will instantly detect ground faults caused by leakage currents and immediately shut off power. EQUIPMENT

Brush Pro[™] Dry and Wet Carpet Cleaner

Optimum Versatilty & Maximum Efficiency

The Brush Pro is ideal for encapsulation cleaning because it's counter-rotating brushes work your encapsulation chemical into the carpet from multiple directions. But you'll find yourself using the Brush Pro on far more than just commercial encapsulation cleaning! The Brush Pro is a perfect tool for agitating prespray on all your jobs, regardless of the cleaning method. It is simple and easy to use and will dramatically improve cleaning results. The Brush Pro comes standard with a medium residential brush.

Brush	Pro	Benefits:

- Cleans Fast: 1,500-5,000 Sq. Ft per Hour!
- Be Competitive on Commercial Carpet Cleaning!
- Easy Training: Learn to Use In Minutes!
- Perfect When Warranties Prohibit Bonnet Cleaning!

Use Your Multi-Purpose Brush Pro for:

	0	Tile and GroutAgitating Prespray	7		
			• • • • • •		
L.	17" Standard Brush, Blue	MH53B	\$168.18		
	17" Commercial Brush, Brown	MH53D	\$168.18		
	17" Tile and Grout Brush, Black	k MH53E	\$168.18		
	17" Wool Brush, White	MH53C	\$168.18		
	17" Residential Carpet Brush, Gray - Set of 2				
		MH53A	\$195.22		
	20" Standard Brush, Blue	MH54B	\$195.22		
	20" Commercial Brush, Brown	MH52C	\$240.27		
	20" Tile and Grout Brush, Black	k MH54E	\$195.22		
	20" Residential Carpet Brush, Gray - Set of 2				
		MH54A	\$195.22		



EQUIPMENT

iii.

Brush Pro Sprayer System

The Brush Pro Sprayer System allows you to quickly encapsulate carpet in large commercial buildings with its easy-to-use onboard sprayer and includes: Corded Flexipro Sprayer #AS76. 50' of low pressure solution hose #AH139 that attaches to the Flexipro and onboard Brush Pro Sprayer Assembly #AS79- a trigger system and spray jet that attaches to your Brush Pro.



Brush Pro Sprayer System -Cordless AS75BP \$899.00 Brush Pro Sprayer System -Corded AS76BP \$859.00





Brush Pro 10 Brush Pro 17 MH10 \$2,558.00 MH170 \$2,999.00

Brush Pro 17 Brush Pro 20 70 \$2,999.00 MH200 \$3,130.00



Brush Pro Sprayer Replacement Hose

This hose is designed to connect to a Flexipro Sprayer and Brush Pro Sprayer. The included quick connects allow for easy attachment to the Brush Pro Sprayer Assembly, and the 50' feet of hose allows you to cover 100 linear feet, or 7,850 sq.ft. without moving the sprayer.

AH139 \$76.39



Brush Pro Sprayer Assembly

The Brush Pro Sprayer Assembly is designed to attach to the top of your Brush Pro handle and apply encapsulation solution. Simply pull up on the handle with one or two fingers to dispense encapsulant.



NEW Lindhaus LW38 LindWash Bare Surface Floor Scrubber & Extractor - 14"

The Lindhaus Company's many years of experience in the manufacturing of professional carpet cleaners has lead to the creation of this revolutionary floor scrubber. Lindhaus manufactures the Lindwash 38 Class A machine with all the qualities and performance of large industrial scrubbers eliminating the bulky design, heavy weight and difficult maneuverability. This unique machine combines lightweight, agility, and practicality by utilizing simple water loading and unloading operations with the amazing power to remove the most stubborn dirt and grime. The custom designed motors are created exclusively for this machine by sister company Rotafil, an Italian company world renowned for producing the highest quality motors: - High efficiency by-pass vacuum motor provides extraordinary performance of suction and air-flow - Universal brush motor controls the brush speed with perfect precision and provides overload protection with a reliable electronic system. - The dosing pump dispenses the exact amount of water to be uniformly distributed on the brush without wasted cleaning solution The soft scrubbing brush is designed to clean and protect most hard surfaces, a more aggressive brush is available for heavy duty cleaning requirements.



- Input power (Watt) 1170
- Water Lift (inch/H2O) 71"
- Air Volume (CFM) 108
- Brush motor (Watt) 250
- Constant brush roll speed (RPM) 2000
- Electronic Overload Control Standard
- Brush Width (inch) 14"

- Suction Width (inch) 15"
- Working capabilities (sq.ft/h) 2600
- Dosing pump Standard

MH80 \$1695.00



Extension Cord

These 12-gauge, non-scuff black power cords meet all OSHA requirements. They are 3 conductor grounded and are safe for outdoor use. 15 amps, 125 volts, 1875 watts.

➡ 25' AX32 \$29.61
➡ 50' AX33 \$52.15



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Restrictions apply.



Looking for the best air movers? We have you covered.

We carry a complete line-up of air movers from the most respected companies in the industry. Whether you are looking for a small air mover for those hard to reach areas or you need an air mover with the greatest airflow, either way we have what you need. See pages 193-201.



www.interlinksupply.com



*optional accessories pictured are not included with the machine

MH48 includes: Machine with 17" apron and bumper

The VersaPro is 5 Machines in One!



The VersaPro is a rotary floor machine that allows you to expand into all types of floor care services without investing thousands of dollars in many different machines. Since consumer flooring is shifting away from carpeting, it makes perfect sense for today's professional to be prepared to care for different types of flooring. This machine makes that possible! With the VersaPro, you get the versatility of five or six different types of machines for the cost of one! You can:

- Choose the size of your cleaning path with interchangeable aprons in 13", 15", 17", 19" or 21".
- On carpet, you can agitate presprays or use encapsulation or bonnet cleaning methods! Or attach the 4 gallon solution tank to shampoo carpets.
- Clean tile and grout.
- Use the Unicorn & Weight Kit or the weighted pad driver to hone and polish marble and stone floors.
- Use with a maroon pad or sand screen to clean and prepare hardwood floors for recoating.
- Strip, wax and buff VCT floors.

A machine designed to do many different kinds of jobs has to be made tough enough to do all of them well. The high-torque, triple-planetary gear system and 1.5 HP precision balanced, super heavy duty 66-frame motor means that this machine will handle the most demanding jobs, will not bog down and will last a long, long time.

The Key to the VersaPro's Versatility!

The key to the VersaPro's ingenuity is the different apron sizes offered. Rather than buying a rotary machine in each size, all you have to do is a simple change of the apron and pad driver on the VersaPro to get the cleaning path that you need for the job. All aprons come with non-marking full wrap bumpers.

13" Apron w/ Bumper	AC913A	\$60.94
15" Apron w/ Bumper	AC915A	\$81.32
17" Apron w/ Bumper	AC917A	\$86.99
19" Apron w/ Bumper	AC919A	\$101.11
21" Apron w/ Bumper	AC921A	\$106.12

For Encapsulation Cleaning and Carpet Shampooing

The showerfeed carpet shampoo brush comes in 5 different sizes so you can agitate presprays or perform encapsulation cleaning. Add the 4 gallon solution tank for carpet shampooing.



Shampoo Tank, 4 Gallon #AC96 \$101.09

Carpet Shampoo Brushes 11" Fits 13" Machine AC913B \$77.17 13" Fits 15" Machine AC915B \$96.04 15" Fits 17" Machine AC917B \$123.49 17" Fits 19" Machine AC919B \$164.57 19" Fits 21" Machine AC921B \$182.66 Versa Pro with 17" Apron and Bumper MH48 \$978.00 Versa Pro (no accessories) MH49 \$899.00 Inicorn and Weight Kit MH48W \$149.00

For Tile and Grout

Tile Cleaning Brush, 11" Fits 13" Machine AC913C \$154.16 Tile Cleaning Brush, 13" Fits 15" Machine AC915C \$196.05 Tile Cleaning Brush, 15" Fits 17" Machine AC917C \$236.22 Tile Cleaning Brush, 17" Fits 19" Machine AC919C \$291.21 Tile Cleaning Brush, 19" Fits 21" Machine AC921C \$343.73 Shampoo Tank, 4 Gallon AC96 \$101.09

Weight System and Weighted Pad Drivers

To turn the VersaPro into a machine suited for honing and polishing stone, marble and wood, as well as bonnet cleaning and VCT floor care, simply add the Unicorn Weight System and a Weighted Pad Driver. This allows you to place the weight directly over the pad and gives you a better polish.



Unicorn and Weight Kit #MH48W \$149.00

Weighted Pad Drivers 13" AC913 \$56.30 15" AC915 \$67.46 17" AC917 \$78.00 19" AC919 \$87.47 21" AC921 \$101.58





Proforce[®] 1500XP: The Ideal Carpet Cleaner's Vacuum

The ProForce 1500XP has a separate brush drive and vacuum motor for maximum agitation and soil removal, a Four Level® Filtration system with a HEPA exhaust filter that captures up to 99.77% of dust mites, pollen, viruses, and bacteria 1 micron and larger.

Detail cleaning is quick and easy with on-board tools and stretch-hose. The electronic system performance indicator indicates a full filter, airflow restriction or jammed brush roll.

Weighs just 18 pounds, comes with a 50' cord, and an ergonomic padded handle grip with a conveniently mounted 3-way power switch.

ProForce 1500XP AV88 \$569.00 Intercept Micro® Filter, Pkg. 10 PPR103483 \$11.71 Replacement Belt PPR104217 \$5.79 Replacement HEPA Media Exhaust PPR105136 \$6.95 Replacement Exhaust Filter Cover PPR104246 \$5.22 Replacement Motor Intake Filter PPR104281 \$2.89



www.youtube.com/ interlinksupply





Proforce 1500

The ProForce 1500 is a vacuum that performs well and can take the beating of day in and day out commercial use. Two separate motors to provide maximum agitation and soil removal.

This vacuum works on any surface – the floating powerhead automatically adjusts to flooring surface heights, which is great for areas that contain tile and carpet.

The ProForce 1500 also comes with an electronic system performance indicator to alert you of a jammed brush roll, full filter or airflow restriction.

ProForce 1500 AV89 \$479.00 Intercept Micro Filter, Pkg. 10 PPR103483 \$11.71 Replacement Belt PPR104217 \$5.79 Replacement HEPA Media Exhaust PPR105136 \$6.95 Replacement Exhaust Filter Cover PPR104246 \$5.22 Replacement Motor Intake Filter PPR104281 \$2.89



HYDRO-FORCE

Hydro-Force Pile Lifter

There's nothing like a Pile Lifter to really remove the deeply embedded grit and dry soil from carpet. This is a powerful unit that has extremely high suction combined with a large cylindrical brush that lifts, combs and brushes the carpet pile.

The Pile Lifter is great for pre-vacuuming normal soils prior to cleaning on both residential and commercial carpeting as well as special tasks such as removing broken glass or construction soils. It features a trap door that protects the motor from large debris while allowing lint, dust and fine particulates to reach the dust bag.

Pile Lifter MA29 \$2670.59
Paper Bags, Pkg. 6 PKL80 \$12.87







ProGuard AV78 \$799.00 Quick Lock HEPA Filter AV78HF \$31.45 Proguard 28" Squeegee AV700S \$189.00

ProGuard 20 Gallon Wet/Dry Vacuum

Power and versatility are combined in the ProGuard 20 Wet/Dry vacuum. Use this powerful vacuum for restoration work, water removal when using Spinergy™ stone polishing pads, and more. The unique variable wheel pattern allows for increased maneuverability and improved productivity while offering the performance, filtration and durability you expect from a ProTeam vacuum.

Specifications

Motor: 1380 Watt/11.5 Amp Airflow: 105 CFM Static Lift: 95" Tank Size: 20 gallons Weight: 70 lbs ProGuard Wet Filter: Polypropylene Screen Fine Dust Cartridge Filter: 1276 sq. in. Intercept Micro Filter (optional): 1832 sq. in. Power Cord: 50', 14 AWG w/power indicator light

Includes

10 ft. 1.5" vacuum hose Two-piece wand Bristle floor tool Squeegee tool Crevice tool Dust brush Fine dust filter ProGuard wet filter



Turbocat[©] Zoom

Now you can remove embedded dirt and dust much more effectively — all without electricity! This power head harnesses the airflow of your truckmount's blower to generate maximum airflow and deep cleaning power. There's never been a quieter, more powerful turbine power head than Turbocat Zoom. This lightweight, air-driven tool operates without electricity, power cords or batteries.

-0-0-

- TurboCat Zoom AC160 \$142.99
 1.5" Vacuum Relief Valve AW54 \$40.97
- Replacement Belt PHP8439-01 \$8.75

Rug Rat Vac Powerhead

A smaller version of the Turbocat Zoom (AC160), this hand held brush is built with the same exacting standards, engineering & materials as its big brother. It is invaluable for vacuuming stairs, upholstery & many of the more difficult areas to reach.

Rug Rat Vac Powerhead AC170 \$54.99
 1.5" Vacuum Relief Valve AW54 \$40.97

All products not available at all locations. Prices subject to change without notice. Visit www.interlinksupply.com for current pricing.

EQUIPME



Vacuums





Super Coach Pro 10 Vacuum

The next generation in cleaning comfort. Ergonomic backpack design with patent pending FlexFit[™] articulating harness increases range of motion, reduces fatigue, and improves productivity. New triangular shape fits closer to the body and moves with the user, reducing the chance of bumping into doorways, walls, or furniture.

■ AV90 \$539.00





ProTeam Super Coachvac[®] Backpack Vacuum

The Super CoachVac is a productivity powerhouse designed to tackle the most demanding cleaning challenges. It is engineered for large, high traffic areas that need tremendous power and vacuum like schools, healthcare facilities, office buildings, etc. The 10-quart capacity allows more cleaning with fewer trips to empty it, and the ergonomic design and two-piece support plate prevents stress and fatigue.

Super Coachvac with Commercial Attachment Kit (Hard Floor & Carpet) AV60 \$525.00

Turbo Power Brush and Wand Kit for Residential Carpet AV63TBW \$118.00 Intercept Micro Filters (Paper Bags), Pkg of 10 PPR100331 \$20.40 Micro Cloth Filter PPR100565 \$21.70 High Filtration Disk (Dome Filter) PPR101220 \$10.09 Foam Filter Media for Dome Filter PPR100343 \$1.66



roTeam.

ProTeam Linevacer[®] True HEPA Backpack Vacuum

ProTeam's Linevacer is a true HEPA backpack vacuum cleaner that does an outstanding cleaning job while removing 99.97% of particles as low as 0.3 microns in size. This level of filtration is critical when cleaning mattresses, providing anti-allergen services or working for the chemically sensitive. The Linevacer is much more than just a vacuum cleaner. It's a marketing tool that starts the conversation that leads to your demonstration that shows your customer how much dead skin is in their upholstery and mattresses, leading to dramatic increases in upholstery cleaning as well as anti-allergen cleaning and treatment services!

Linevacer w/ Commercial Attachment Kit (Hard Floor & Carpet) AV62 \$739.00 Linevacer Wand and Turbo Tool AV62BB \$149.95 Turbo Power Brush and Wand Kit for Residential Carpet AV63TBW \$118.00

Intercept Micro Filters (Paper Bags), Pkg of 10 PPR100291 \$34.19



Back-Pack Vacuum

Sound Muffler PPR100597 \$27.60

The Back-Pack Vacuum has been designed to make vacuuming easier than ever before. The molded-in ergonomic back rest makes it comfortable to wear by reducing stress and fa-

tigue. But the real test of this machine is its ability to sustain high airflow as the vacuum bag fills. In other back-pack designs, the bag bulges and stretches when it fills, contacting the side wall and top of the motor, severely reducing airflow. The Hydro-Force Back-Pack features an increase in housing diameter plus a new bag support to increase airflow, allowing for peak performance.

> Back Pack Vacuum AV52 \$489.99 10 qt. bags, 10 pk. AV52A \$26.52 HEPA Filter AV52B \$59.97





DuctMaster III

The DuctMaster III is a powerful two-in-one duct cleaner. A highspeed, motor-driven brush effectively removes built-up dust and debris from air ducts and can be controlled remotely. And, four high-CFM vacuum motors quickly remove air-born particulates. The

brush motor is located in the brush head, so it puts the power where you need it. It comes with all the accessories you need for duct cleaning and dryer vent cleaning.

Items Included with Package:

- 2" x 35' Vacuum hose w/motor
- Chemical fogger
- Chemical Multi Pack (1 Gal. of ea. Odor Kill, EnviroCon, Dynamite, Soot Set)
- 12" and 18" Bristles
- Air-Care Pro Software Program
- Residential duct cleaning training DVD set
- Filter sales kit
- Residential duct cleaning brochures 250 pk

DuctMaster Duct Cleaning Package AD200 \$4873.00 DuctMaster III AD201 \$3995.00



TruckMaster Duct Cleaning System

The TruckMaster combines the power of your truck-mount vacuum with Air-Care's duct cleaning brush and motor. It has been specifically designed to work in

conjunction with your truck-mount machine to maximize duct cleaning power, while saving you time. The TruckMaster is an air duct cleaning machine that connects to a truck-mounted carpet cleaner. It consists of 3 main components: the duct cleaning vacuum hose, motor and brush; the power and control box; and the IR remote handheld transmitter.

Duct Cleaning Brush Assembly

- 35 ft hose (1.5" or 2") of crushproof vacuum hose
- Out-runner, brushless motor
- Flexible steel cable mount between the motor and the hose cuff
- Electrical power cord and connector
- "Flex-E-Bristle Brush" that adjusts for ducts from 4" to 12" in diameter
- "Coil and carry" handle strap for easy transport
- Dust Downer

TruckMaster Duct Cleaning Package AD100 \$2500.00 TruckMaster Duct Cleaner AD101 \$1995.00 TurboJet Max II Residential Package AD300 \$5767.00 TurboJet Max II AD302 \$3284.00 Cobra 5 Air Duct Machine AD303 \$1395.00



Now There's a Way to Add Big Bucks to Your Carpet Cleaning Business Comfortably with the RamAir Clearview Duct Cleaning System!

Just ask the carpet cleaner inventor who now does over \$100,000 in duct cleaning per carpet cleaning vehicle each year!

The key to the system is the patented clear view tool that lets your customer see all the dust, debris and gunk you're removing from their ducts!

The patented RamAir System is the simplest and most affordable (and profitable!) duct cleaning system on the market! But, even better than that, it has an unbeatable consumer appeal because your customer can see for themselves all the dust and gunk you're removing from their ducts!

- Allows the homeowner to see the dust and debris as you clean!
- Takes up very little space in your van.
- Harnesses the strong vacuum power of your carpet cleaning machine.
- Clean the entire home duct system in the same or less time than it takes to clean the carpets.



AH90C Air Hose.

Air Hose Quick Connects

Use these quick connects with the

Male High Flow Quick Connect

Female High Flow Quick Connect




PAF14 \$3.99

PAF16 \$11.64



Air Hose

A 3/8" x 50' highly flexible air hose with $\frac{1}{4}$ " male pipe ends. Two additional lengths will handle most duct cleaning jobs. Quick connects not included.





Dust Downer

The Dust Downer sprays a mist of water directly into your vacuum hose during duct cleaning to eliminate the damage that dry soil can do to your Truckmount blower or your portable extractor's motor. The Dust Downer is a must when using the RamAir system.

2" hose	AH20	\$69.95
1.5" hose	AH18	\$64.95



Duct Cleaning Vacuum Hose

A lighter "whip hose" is very handy when using the RamAir system.

1.5"x25' Blue Vacuum Hose with Cuffs AH38B\$41.551.5"x25' Orange Vacuum Hose with Cuffs AH29\$41.551.5"x25' Grey Vacuum Hose with Cuffs AH36B\$41.55



Reducer Cuff

Lets you adapt a 2" vacuum hose to the 1.5" opening on the RamAir clear duct adapter.

馬 AH48 \$5.69



Hose Reducer

Lets you reduce your 2" vac hose to 1.5" "whip hose" for duct cleaning.

馬 AH71 \$9.94



Crevice Tool

Ideal for cleaning around and inside the furnace and vents.

👞 AW72 \$16.99



Sporicidin Disinfectant Spray

Sporicidin is EPA registered for duct cleaning with approval limited to application to non-porous duct surfaces such as metal, plastic, and uninsulated vinyl/Mylar flex ducts. Sporicidin can be applied by ULV fogging, trigger sprayer, pressure sprayer or by hand using sponges or cloths.

CD39GL Gallon Case 4 Gallons (each)

\$34.45 n) \$31.01





MB120LP \$2395.00 \$2155.50 (4)

Now It's Easier Than Ever to Make Directed Heat $Drying^{TM}$ Work For You!

WTR HTAM

Directed Heat Drying[™] is the science of heating water, not air. Every 18 degrees of heat rise in water doubles its vapor pressure and dramatically increases evaporation. E-TES Smart Dry (SD) is the perfect tool to raise water temperature, increasing evaporation.

E-TES should be used on every job for a specific problem area and as a compliment to conventional in-place drying. See our examples.



NEW

Xactimate Code

WTR HTAM

Directing hot, dry air under carpet and across the cushioning forces the air down to the sub-floor and out towards baseboards and sill plates. It is fast and effective and often prevents demolition of baseboards and wall bottoms.



MB240LP \$2495.00

\$2245.50 (4)

e-tes SD Low-Profile 240 Volt

Direct hot, dry air under cabinets by removing toe-kick or laying ducting inside cabinet doors using the Snout Adapter (pg. 186).



E-TES and a Floor Mat Drying System will dry and save most cupped wood floors and the subfloor beneath.



When you need to quickly dry the interior of a wall (without cutting drywall), E-TES and the FlexiDry (pg. 189) is your answer.



When water is below or above (crawl spaces or attics), get the hot air delivered to the water directly for faster drying times.

Xactimate Code for Air Movers WTR DRY

Directed Heat Drying 187

Smart-Dry Package

The E-TES SD Package gives you full control over your ETES SD unit. It will allow you to turn your E-TES on or off by controlling the Surface temperature, Moisture Content Value and Air Temperature for your E-TES unit. The Smart Dry Kit will also provide you a graph so that you can provide the proper documentation of your flood job.





Moisture Content Sensor

Penetrating probes that measure WME (Wood Moisture Equivalent) Percent



Air Temperature Sensor

Control ambient air temperature to prevent over heating and wasted energy #AT202

Sensor Extension Cord #AT204



Surface Temperature Sensor

Turns heat on and off to maintain optimal drying temperature

#AT200



Remote Exhaust Fan Control

Radio Frequency (RF) signal to control exhaust fan


#NM5424 \$148.00

#PGE5060



Data Logger

Records and stores data continuously (up to 4,000 hours), battery back-up, USB/flash drive downloadable. (drive not included)



E-TES Charting Software

Graphs data to Excel spreadsheets for reporting and documentation. Included with purchase of E-TES SD. Download at www.tesdryingsystem.com #ST001

E-TES SD Low-Profile 120 MB120LP \$2395.00 E-TES SD Low-Profile 240 MB240LP \$2495.00 Smart Package AT210 \$387.47 Moisture Content Sensor PGE5060 \$54.91 Air Temperature Sensor AT202 \$49.90 Sensor Extension Cord AT204 \$15.90 Surface Temperature Sensor AT200 \$47.79 Remote Exhaust Fan Control Receiver AT206 \$198.00 E-TES Charting Software ST001 Free w/ purchase of ETES SD Smart Package Travel Bag AT208 \$5.95

Remote Fan Control Receiver



Control your exhaust fan with this radio frequency (RF) signal controlled adapter. Simply plug it in between your exhaust fan and the wall outlet. *AT206* \$198.00




Works with the Air Temperature Sensor #AT202.





Power Cord w/GFCI, 10/3 x 50' (Standard equipment included with E-TES SD)





Extension Power Cord, 10/3 x 50' (3-Prong, 30 Amp)

■ NM4403 \$154.00



Adapter Cord, 4-Prong Dryer Plug (Standard equipment included with E-TES SD)

■ NM4422 \$172.59



Adapter Cord, 3-Prong Range Plug (50 Amp)

▶ NM4420 \$172.12



Adapter Cord, 4-prong Range Plug (50 Amp) **NM4424** \$166.60



E-TES Adapter Cord - 240 volt - L6-30P 30 Amp twist lock plug

馬 NM4426 \$157.00



Exhaust Controller

Exhaust Controller gives you thermostatic control to adjust exhaust air flow according to room temperature in your drying area. Operates two fans with set point temperatures up to 140°F.

馬 MB230 \$198.00



Snout Adapter

The Snout Adapter for TES allows you to take Directed Heat Drying[™] to a whole new level. Now you can fine tune your focused heat to the exact areas you need to dry. The Snout

Adapter fits easily over the front of the TES TEX box or the E-TES 240 or 120 units. Use the 4" high temperature flex ducts to distribute heat to multiple surfaces all at the same time. Ideal for use in drying cabinets, attics or any other hard to reach areas. Kit includes: (1) snout adapter, (2) 25' high temperature flex ducts, (2) snout covers, (1) bungee cord, and (4) vent clasps.

馬 AT106 \$198.00



We make loans and leases simple. Here is a summary of IFS financial products!

IFS Loan (EFA)

- Principle-only payoffs
- Assumable by qualified applicant
- Section 179 benefits or accelerated depreciation
- Shows as a loan/debt on your balance sheet
- No balloon payment at the end of your contract

IFS Lease (10% purchase option

- Principle-only payoffs
- Assumable by qualified applicant
- Payments may be tax deductable as a monthly rental expense
- Does not show as a loan/debt on your balance sheet
- Lower monthly payments

Directed Heat Drying

Thermal Energy Systems (TES)

TES stands for Thermal Energy System and represents a practical way to implement a new understanding of the Science of Drying that will allow restorers to dry wet structures at least twice as fast as ever before!

The main difference between TES and conventional methods is the speed of drying. There's no waiting for dehumidifiers to depress grain loads. Even cabinets, hardwood floors, walls and insulation dry in one-third the time! This means that you can dry twice as many jobs in the same time period it takes with air movers and dehumidifiers. And, you don't have to worry about cold materials like slabs or extremely hot and humid environments slowing you



down. TES creates so much vapor pressure that you can dry far faster in the most challenging environments & the best part is that you will still be able to use all your other equipment along with the TES system.

The 250,000 BTU TES comes with five Thermal Exchanger (TEX) boxes and 700' of hose. Once this unit comes up to heat you can add one more TEX box and hose to increase the number of rooms/areas being dried to seven. This TES unit delivers more drying capability for larger losses, but can still be used on smaller losses.

TES 250,000 BTU

- Base unit with handle
- 500' 5/8" (equal red and blue hose)
- 200' 3/4" (equal red and blue hose)

IF

INTERLINK

- T assemblies
- QD Wraps
- 5 TEX Exchangers

TES 200,000 BTU

- Base unit with handle
- 400' 5/8" (equal red and blue hose)
- 200' 3/4" (equal red and blue hose)
- T assemblies
- QD Wraps
- 4 TEX Exchangers

Payments \$390

Feet Above Sea Level	0' - 2000'	2000' - 4000'	4000' - 6000'	6000' - 8000'	8000' - 10000'	PRICE
TES 250,000 BTU Model #	MB2502	MB2524	MB2546	MB2568	MB2581	\$19,975
TES 200,000 BTU Model #	MB2002	MB2024	MB2046	MB2068	MB2081	\$16,975

Payments \$45

TES Turn-Key Packages

These turn-key packages will give you everything you need to arrive on a water loss and start drying! Most restorers use these as a starting point and further customize the package to meet their specific needs and applications.

TES 250,000 BTU

- Single Stage Exhaust Controller (1)
- FlexiDry (2)
- TES Wheel Set Kit (1)
- Door Rod (23"-40" Wide) (2)
- Door Rod (42"-72" Wide) (2)
- Floator™ (12)
- Pad Pin[™] (16)
- Foam Filler (12)
- Duct Ring 14.5" Diameter (2)
- TES Fluid gallon (4)
- Sand Bag #10 (12)
- 3-Tank Propane Splitter (1)

\$26,862 without trailer package

TES 200,000 BTU

- Single Stage Exhaust Controller (1)
- FlexiDry (1)
- TES Wheel Set Kit (1)
- Door Rod (23"-40" Wide) (1)
- Door Rod (42"-72" Wide) (1)
- Floator[™] (8)
- Pad Pin[™] (12)
- Foam Filler (8)
- Duct Ring 14.5" Diameter (1)
- TES Fluid gallon (4)
- Sand Bag #10 (8)
- 3-Tank Propane Splitter (1)

\$22,585 without trailer package

e Xactimate Code WTR HEAT>

Xactimate Code

WTR HEAT

190 Directed Heat Drying





Example of interior set-up

TES Trailer Recommendations

TES units may be permanently mounted in a trailer or put on wheels to roll out of the trailer and run independently. This trailer has been specifically designed to meet all the ventilation, payload capacity, and usability requirements for TES operation.

Other trailers may be used if they meet the guidelines on this sheet. The complete TES package, including three full 100 lb. propane tanks, weighs approximately 2,000 lbs.

Premium Model: Wells Cargo–Cargo Wagon

- Extra Capacity: 7' Width × 12' Length × 6'-6" Height
- Double axle with a payload of 5,000+ lbs.
- Two roof vents, 14" × 14"-Allows hot air to escape
- Powered Fan: 10" 665 CFM 110V wall fan

Payments \$164

- Fuel Door: 12" × 12"
- 4' Straight Tongue

I

INTERLINK

Turn-Key Premium Trailer Package

- Electric Brakes Horizontal E-Track
- Corner Jacks
- Flush Mounted Floor Tie-Offs
- Interior Dome Light
- Aluminum Diamond Plate 24" Stone Guard
- Double Axle Hitch Connection for 2%" ball
- Trailer Skin Color: White

- Side Door-This option offers convenience for entering the trailer
- Back Door Drop down door ramp
- · Warranty: 6 years





⁽ ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE)



TEX Thermal **Energy Exchanger**

A TEX Box or Heat Transfer Exchanger is used to transfer heat from TES solution to the wet materials in the structure. Used with an air mover (not included).



OmniPro

OmniDry 2.9 AMP Air Mover

ETL Listed - Tested for product safety standards.

Get the lowest amps with the highest airflow. The 2-speed OmniDry 2.9 delivers 3480 FPM at 2.9 amps, is stackable, features two daisy-chain GFCI outlets, a 25' power cord, and a built-in cord wrap.

Xactimate Code for Air Movers WTR DRY

AC25A \$189.00 Quantity pricing available.

Xactimate Code WTR HEATX

MB212 \$799.20

See more air movers on pages 193-201.

191 Directed Heat Drying - Accessories



OmniDry Flexidry Wall Drying System

The all NEW Flexidry makes it faster and easier to dry wall cavities. The Flexidry comes with eight reinforced openings that are spaced 16" apart to match stud cavities. The 3/4" hose barbs and rubber hoses are user replaceable and can be customized to fit the particular drying situation. Multiple Flexidry units can be attached together for long runs down hallways or long walls. The universal cinch-tight opening will accept any centrifugal air mover or E-TES/TEX box. Comes with a convenient carry bag for storage and transportation.

Xactimate Code WTR WALLD

AC514 \$259.00



Floater

This stainless steel and aluminum furniture stand with rubber pad allows carpet to float underneath supported furniture. Improves airflow and speeds drying. AT62 \$24.95



TEX Hose

5/8 TEX Hose 50' Blue AH114 \$250.78 5/8 TEX Hose 25' Blue AH118 \$164.00 1/2" male and female quick connects

5/8 TEX Hose 50' Red AH112 \$250.78 5/8 TEX Hose 25' Red AH116 \$164.00 1/2" male and female quick connects

TEX Hose 3/4" 50' Red AH108 \$295.20 TEX Hose 3/4" 50' Blue AH110 \$295.20 *3/4" male and female quick connects*



TES Fluid Filter Kit

A complete filtering of the TES Thermal Fluid in the system should be performed after the first 300 hours of operation and every 1000 hours thereafter. (Kit includes 3 extra filter cartridges.)

AT84 \$195.00 Replacement Filter NM4356A \$7.82

TES Thermal Energy Fluid

TES Thermal Energy Fluid has been specially formulated to deliver the proper amount of heat transfer from the TES boiler. Exclusive for use with TES to protect the machine and maintain warranty. Contains no VOCs.

> CR01GL Gallon \$37.93 Case 4 Gallons (ea) \$34.14 CR01DR 55 Gal. Drum \$1.287.94



G-Unit Power

AC8481 \$899.00

Allows you to use 240V dryer and range circuits for your 120V fans, 120V E-TES units, and dehumidifiers. The power unit plugs into an existing range or dryer 240V electrical receptacle and convert it into 8, 120V outlets.

> Xactimate Code WTR POWD



Single Stage Exhaust Controller

Thermostat control gives you the ability to adjust your exhaust air flow according to the room temperature in your drying area. Easily programmable for on-off operation of 1 or 2 exhaust units with single set point temperature up to 140° F.

MB230 \$198.00



Sand Bags

Sand bags are used to hold carpet on tack strips, seal carpet around heat exchangers and for tenting of wood floors and other specialty drying situations. Made from plastic lined heavy-duty polyester. 10 pound bags.

AT64 \$19.95


RESTORATION

Door Rods

Adjustable door rods are used to hold hoses up off the carpet to allow air flow through doorways to float hallway carpet and speed drying.

Door Rod 23"-40" Wide AT50 \$11.95 Door Rod 42"-72" Wide AT51 \$13.95

Foam Wedges



AT66 \$20.50

Pad Pin

Pad Pins are used to secure pad to carpet around the heat exchanger for air seal and improved float.



Directed Heat Drying - Accessories



TES Quick Connects

Used for TES hose assemblies, solution tees and heater inlet.

- 1/2" Male NM4201 \$17.78 1/2" Female NM4200 \$37.98
- 3/4" Male NM4203 \$31.63 **3/4" Female NM4202 \$75.75**

TES Solution Tee

Inlet Solution Tee 3/4" to 5/8 (x3) AH119 \$198.00 Outlet Solution Tee 3/4" to 5/8 (x3) AH115 \$192.00 Solution Tee Assembly - Inlet 3/4" to 5/8 (x2) AH104 \$172.00 Solution Tee Assembly - Outlet 3/4" to 5/8 (x2) AH106 \$178.00



TES Propane Install Kit (for use with TES Trailer)

Mount three 100 lb. propane tanks on a 4' trailer tongue with this kit. Includes AT70 Propane Tank Rack, AT69 3-Tank Propane Splitter Assembly and AT90H 36 piece Propane Hardware Kit. Lets you hook three propane

tanks to one machine. (Tanks not included.)

TES Propane Kit AT90 \$799.66 TES Propane Tank Rack AT70 \$397.00 TES Support Stand AT78 \$219.00



TES Propane Kit

This 36 piece kit includes propane hoses, fittings and all the hardware necessary to install propane tanks on the trailer tongue.

AT90H \$297.21



TES Propane Splitter

Hook propane tanks to one machine with one of these propane splitters. They connect two or three propane tanks by utilizing dual or three 2' hoses and a tee with a female propane adapter.

> 2-TANK AT68 \$89.00 3-TANK AT69 \$128.78

Gas Leak Detector

Handheld and highly sensitive, the Gas Leak Detector makes finding gas leaks as easy as using a flashlight. Locates leaks in pipes, valves, fittings and tanks.

III AT104 \$36.00



TES Quick Disconnect Wraps

Insulated protective wraps for TES Solution Tees. Reduces heat loss and protects carpet and people from contact with hot brass fittings.

> Large-For Splitters AH10L \$27.92 D. Medium-For TEX Boxes AH10M \$13.49



TES Duct Rings

🎩 10.25" Diameter AT54 \$12.50 14.5" Diameter AT56 \$12.95



TES Wheel Kit & Trailer Mount Assembly

Set up your TES power plant on wheels for portable use as well as to safely secure the unit in your trailer during transport. Includes wheel kit, support stand, floor plates, turnbuckles.

■ AT96 \$593.44



TES Trailer Fan Kit

A must for trailer or vehicle mounting of TES. Brings in 665 CFM of fresh air to cool trailer and aid in furnace combustion. Fan must run at all times during TES operation.

AT76 \$264.00



TES Trailer Exhaust Kit

Used when the power plant is in operation in the trailer. Kit includes exhaust cap, pipe and adapter.

Lse w/ 200,000 BTU Models AT92 \$74.55 Lse w/ 250.000 BTU Models AT94 \$84.55

AT92 - use 7" exhaust pipe & cap. AT94 - use 8" exhaust pipe & cap.





7.25" x 19.5" x .093

NM4238 \$20.83



Ratchet Straps

Durable straps ratchet-tighten for securely locking down.

> 1" x 6' (2-pack) AT98 \$20.37 1" x 15' (1-pack) AT99 \$19.33

E-Track Tie-Off Ring & Snap Link

These rings connect to the E-Track on the trailer wall to hang hoses or secure other items for convenient storage.

> Tie-off Ring AT101 \$7.33 Snap Link AX87B \$5.95















Heating/Cooling Systems 193



50 Amp Built-In Twist Lock Receptacle, and Six 15 Amp Plugs







Xactimate Code WTR DHMAC



RESTORATION EQUIPMENT Phoenix FireBird Fury

The FireBird Fury Electric Heat Drying System has double the heating capacity of our industry-leading FireBird and the flexibility of operating on multiple power sources. The Fury can operate on any combination of up to 6 standard, 120V 15 amp circuits, delivering up to 30,000 BTUs from 120V power. The Fury can also utilize 240V power from a 30 amp dryer circuit (18,000 BTUs) or a 50 amp range circuit (32,000 BTUs), for a total of 62,000 BTUs with all circuits running. The FireBird Fury features 750 CFM of airflow for a safe temperature rise and maximum heat circulation. With its integrated 12" inlet and outlet duct connections and included remote thermostat, the FireBird Fury can effectively deliver heat and control temperature even into remote or inaccessible spaces.

Xactimate Code WTR HTAM>

PHOENIX Phoenix FireBird Electric Heater

The new FireBird is a powerful, portable and safe heating system that delivers heat wherever you need it! At the 50-amp setting, the FireBird produces 31,000 BTU's – that's 360 CFM with an 80°F temperature rise. Imagine placing the FireBird in an area with below freezing temperatures and instantly producing 360 CFM of air over 100 degrees!

Xactimate Code WTR HTAM

AC242 \$2547.00

AC293 \$4499.00

DRIEAZ

NEW Dragon Mobile Furnace F507

No portable heater provides clean heat more conveniently than the Dragon Mobile Furnace. With 130,000 BTUs of heat, the diesel-fired Dragon can produce up to 144°F (+80°C) of temperature rise. This is big drying power in a small package. The clean, dry heat from the Dragon helps reduce drying times while maintaining stable and comfortable temperatures. The Dragon is ideal for wide range of applications, including:

- Heat-and-air exchange drying for water damage restoration
- · Greenhouse heating and other agricultural uses
- Event shelters or emergency heat source

AC637 \$1995.00

PHOENIX Phoenix Arctic Max Air Conditioner

Temperature can be the bane of the restoration contractor's existence. Whether you're working in an environment where it's already hot, or your equipment heats up the space you're trying to dry – too much heat can drastically cut the efficiency of your drying equipment!

That's where the Phoenix Arctic Max comes in. With 12,000 BTUs of cooling capacity and 430 CFM, it can provide a 15 degree temperature drop in a single pass! And the Arctic Max comes with a thermostat – so you can set the optimal drying temperature without worrying about overcooling.

AC244 \$3245.00 Call for quantity pricing.

PHOENIX RESTORATION EQUIPMENT

NEW Phoenix FireBird Compact 20 Electric Heater

Phoenix has added another HOT option to its electric heat product offering – the FireBird Compact 20. The FireBird Compact 20 can provide up to 20,000 BTUs of instant heat and, with its 13" x 12.5" x 26" durable stainless steel cabinet, can operate virtually anywhere.

RESTORATION

www.interlinksupply.com

American Engineering Innovative Technology Powerful, Safe, Clean Heat



HOT Options in Electric leat

Safe, Instant Heat. Anytime, Anywhere You Need It – From 20,000-62,000 BTUs of portable heat and using 120V, 230V or both. The entire FireBird Family is ETL Tested to UL Standards, NEC Compliant.

Multiple Heating, Ducting and Electrical Options

Internal Pressure Switches and Temp Cutouts Prevent Overheating

Remote Thermostat included with all FireBirds

All External Surfaces are Safe to Touch

Up to 80°F Temperature Rise (FireBird Fury)



Complete Axdronic Hest Drxing Systems

Maximum Heating Capacity, Minimal Fuel Costs -

CAPACITY – Through superior design, the HD308 can heat larger areas than competing units.

EFFICIENCY - The FireBird HD308 features the highest system efficiency, providing the most heating capacity per gallon of fuel consumed.

FLEXIBILITY – Multiple fan coils allow numerous heating configurations and the flexibility to scale your equipment to the job size.

ROI - Payback on this system is approximately 26 days.



UL, CSA, and TUV Certified



$\underline{\sim}$
(n)
01
\cap
\leq
~
\cap
\leq
7

MODEL	POWER	MOTOR	SPEEDS	STACKABLE	MANUFACTURER CFM/FPM* RATING	DAISY CHAIN	ETL/UL Approved	XACTIMATE CODE
Air King (AC081)	0.8 Amps	0.121 HP	ω	N	1220 FPM	Yes	Yes	WTR DRY
Air King Plus (AC082)	0.9 Amps	0.145 HP	e	No	1468 FPM	Yes	Yes	WTR DRY
OmniPro Omnidry 2.9 Amp (AC25A)	2.9 Amps	0.33 HP	2	Yes	1150 CFM 3480 FPM	Yes	Yes	WTR DRY
Phoenix CAM (AC227)	2.8 Amps	0.33 HP	2	No	2700 FPM	No	Yes	WTR DRY
Phoenix CAM Pro (AC228)	2.8 Amps	0.33 HP	2	No	2700 FPM	Yes	Yes	WTR DRY
Phoenix Stackable CAM (AC294)	2.6 Amps	0.33 HP	2	Yes	1050 CFM	No	Yes	WTR DRY
Phoenix Stackable CAM Pro (AC295)	2.6 Amps	0.33 HP	2	Yes	1050 CFM	Yes	Yes	WTR DRY
Dri-Eaz Dryer Sahara E (AC621)	7.2 Amps	0.25 HP	٦	Yes	2042 FPM	No	Yes	WTR DRY
Dri-Eaz Dryer Sahara Pro X3 (AC631)	4 Amps	0.4 HP	3	Yes	2071 FPM	Yes	Yes	WTR DRY
Dri-Eaz Dryer Sahara HD (AC651)	10 Amps	1.0 HP	3	Yes	3206 FPM	No	Yes	WTR DRY
Dri-Eaz Ace Turbo Dryer (AC603)	1.5 Amps	0.25 HP	2	Yes	1881 CFM	No	Yes	WTR DRY+
Omnidry Focal Point Axial (AC246)	2.5 Amps	0.25 HP	2	Yes	3000 CFM	No	Yes	WTR DRY+
Phoenix Axial Air Mover (AC245)	2.5 Amps	0.25 HP	2	Yes	3000 CFM	Yes	Yes	WTR DRY+
Dri-Eaz Dryer Jet CXV (AC661)	3 Amps	0.25 HP	с	Yes	3073 CFM	Yes	Yes	WTR DRY+
Dri-Eaz Vortex Axial Fan (AC73)	7.4 Amps	1.0 HP	-	Yes	1820 CFM	No	Yes	WTR DRY++
Dri-Eaz Velo Air Mover (AC663)	1.9 Amps	0.25 HP	1	Yes	885 CFM	Yes	No	WTR DRY
Prochem Triad Air Mover (AC226)	1.48 Amps	I	1	Yes	I	Yes	Yes	WTR DRY
Dri-Eaz Dri-Pod (AC616)	1.1 Amps	0.175 HP	1	Yes	750 CFM	No	Yes	
Dri-Eaz Studebaker Airpath (AC611)	7.5 Amps	1.0 HP	2	Yes	3520 FPM	No	Yes	
* FPM - Feet Per Minute CFM - Cubic Feet Per Minute	Minute		Not all airmo	Not all airmovers are available at all locations.	it all locations.			

Air Mover Comparison



www.interlinksupply.com

Air Movers







Air King Air Mover

Sometimes you need a sledgehammer and sometimes a framing hammer. It's the same when it comes to air movers! The three-speed Air King fits a perfect niche when you need to direct airflow into small areas such as closets, bathrooms, inside cabinets, crawl spaces, etc. It's also perfect for drying furniture, mattresses and other contents.

The Air King is extremely versatile with an infinite number of blower head positions and very low amp draw, so as many as 15 blowers can operate off a single 15 amp circuit! Simply plug one blower into the wall, then daisy chain more blowers as needed.

> Air King Plus AC082 \$124.00 Air King AC081 \$81.20

Xactimate Code WTR DRY





(TD) product safety standards.

OmniDry 2.9 Amp Air Mover

Get the lowest amps with the highest airflow. The 2-speed OmniDry 2.9 delivers 3825 FPM at 2.9 amps, is stackable, features two daisy-chain GFCI outlets, a 25' power cord, and a built-in cord wrap.

- · Balanced airflow for guieter operation
- Lightweight and compact Linear Low Density Polyethylene (LLDP) housing is washable, and chemical resistant
- Units nest for ease of stacking during storage and handling
- Ergonomic handle

Xactimate Code

WTR DRY

AC25A \$189.00 10+ \$179.00

4+ \$184.00

24+ \$169.00



OmniDry Carpet Clamp Kit

When you use the **OmniDry Carpet Clamp** kit, you can securely clamp the carpet to the snout of the air mover to

prevent the carpet from flapping and prevent damage to the carpet.

AC24KIT \$35.95



Centrifugal Air Mover

Low amp draw (UNDER 3 AMPS!), balanced airflow characteristics and maximum velocities of 2700 FPM are the foundation on which the Phoenix Centrifugal Air Mover is built.

Getting more equipment into the drying chamber is always a challenge. The typical household electrical system cannot support the amount of equipment needed to dry the structure quickly and efficiently, ensuring a nonstop search for equipment that provides both performance and low amp draw.

The unique 1/3 horsepower design of the Phoenix Centrifugal Air Mover coupled with a two-speed switch allows the restoration technician to deliver the most airflow using the fewest amps. Maximum amp draw on high speed is 2.8 amps. Minimum amp draw on low speed is a mere 2.4 amps. This means that it is now possible to fit as many as four centrifugal air movers onto a typical 15 amp household circuit.

Phoenix CAM AC227 \$265.00

Call for quantity pricing.

Xactimate Code WTR DRY

> Visit our showroom or call in an order. See cover for information.

www.interlinksupply.com

Air Movers





Sahara E TurboDryer®

The one-speed Sahara E is a great way to add drying capacity with an air mover that is loaded with features at an affordable price. You get the durability and reliability of a Dri-Eaz product with the features of a much more expensive product.

Features:

- Rated at up to 2,250 CFM
- Draws Just 7.2 Amps
- Easy-Grip Handle
- Stackable For Storage
- Underside Drying Vent
- Quick Disassembly for Cleaning

AC621 \$305.00


Call for quantity pricing.

Xactimate Code WTR DRY



Sahara Storage Bracket

Hang any Sahara air mover on the wall of your van, truck or storage area with this bracket.





Sahara Pro X3 TurboDryer®

This new lower amp, three-speed air mover offers everything restorers need for performance and versatility, plus legendary Dri-Eaz durability and reliability.

Features:

- Rated at up to 2,700 CFM
- Lower Amp Draw-Just 4 Amps!
- Easy-Grip Handle
- Stackable For Storage
- Underside Drying Vent
- Quick Disassembly For Cleaning
- Daisy-Chain Capability with
- Convenience Outlet

AC631 \$365.00

Call for quantity pricing.

Xactimate Code WTR DRY



MAXGrip Carpet Clamp

Attach the MAXGrip Carpet Clamp to Sahara Pro X3 or Sahara HD air movers to securely hold but not damage wet carpets during drying.

AC607 \$55.50



Sahara Pro HD TurboDryer®

This three-speed air mover has the CFM and static pressure needed to power through drying challenges that require stronger static pressure, like drying in walls, under cabinets and in crawl spaces.

Features:

- Rated at up to 3,500 CFM
- Draws 10 Amps
- Easy-Grip Handle
- Stackable For Storage
- Underside Drying Vent
- Quick Disassembly for Cleaning

AC651 \$489.00

RESTORATION

Call for quantity pricing.

Xactimate Code WTR DRY

Code



Free shipping on orders over \$350 on orders from www. interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Restrictions apply.



Products not available at all locations. Pricing subject to change. Visit www.interlinksupply.com for current prices.

98 Air Movers



PHOENIX RESTORATION FOULPMENT Centrifugal Air Mover Pro

The CAM Pro features all the benefits of the CAM model and adds an onboard duplex GFCI outlet and circuit breaker. Low amp draw (UNDER 3 AMPS!), balanced airflow characteristics and maximum velocities of 2700 FPM are the foundation on which the Phoenix Centrifugal Air Mover is built. We made sure the body was the most rugged and durable it could be, to stand up to the rigors of the restoration industry.

Getting more equipment into the drying chamber is always a challenge. The typical household electrical system cannot support the amount of equipment needed to dry the structure quickly and efficiently, ensuring a nonstop search for equipment that provides both performance and low amp draw. The Phoenix Centrifugal Air Mover utilizes a 1/3 horsepower motor. Maximum amp draw on high speed is 2.8 amps. Minimum amp draw on low speed is a mere 2.4 amps. This means that it is now possible to fit as many as four centrifugal air movers onto a typical 15 amp household circuit.

The CAM housing is washable, durable, chemical resistant, and multipositionable.

Phoenix CAM Pro AC228 \$296.00

Call for quantity pricing.

RESTORATIO

PHOENIX RESTORATION EQUIPMENT



Xactimate Code WTR DRY

ETL Listed - Tested for product safety standards.

Xactimate Code WTR DRY

Stackable CAM

Stackable CAM PRO

- 2-Speed, 1/3 Horsepower Motor with automatic-reset thermal protection
 - 2.6 Amps on High Speed ٠
 - 2.0 Amps on Low Speed
- 20% more CFM/Amp than current CAM .
- Maximum Velocity 2800 FPM (1050 CFM) .
- **Balanced Exhaust Airflow**
- Durable, rugged, chemical resistant housing, fan wheel, and control design •
- Ergonomic carry handle and power cord storage •
- Non-marking, anti-skid, rubber feet
- Stack up to four units high
- On-board GFCI outlet and circuit breaker (Pro model only)

The Phoenix Stackable CAM and CAM Pro offer improved class-leading performance and efficiency, delivering 1050CFM (2800FPM) at only 2.6 Amps on high speed and 2.0 Amps on low speed, and also provides the addition of an innovative stackable cabinet design. Featuring multiple contact points and interlocking side grills, the Phoenix Stackable CAM Pro can be stored safely and securely up to 4 units high, freeing up valuable warehouse space. With its efficient low amp draw design and onboard GFCI, the Phoenix Stackable CAM and CAM Pro gives you maximum airflow on a circuit, allowing up to four CAM units to operate on a standard 15 amp household circuit on high speed (or up to 6 on low speed). The housing is durable, washable, and chemical resistant. Both the Stackable CAM and CAM Pro feature multiple operating positions and, like all Phoenix air movers, are ETL Listed, UL Certified for both US and Canada.

Stackable CAM AC294 \$284.00 *Call for quantity pricing.* Stackable CAM Pro AC295 \$315.00 *Call for quantity pricing.*



Air Mover Shelves

Maximize storage space and keep your dryers and air movers safe and secure with this sturdy aluminum shelf for mounting in trailers or cube vans. Dimensions for the six air mover shelf are 48" tall x 20" deep x 55.5" long. Dimensions for the four air mover shelf are 48" tall x 20" deep x 37.5" long.

> Air Mover Shelf (holds 6) AT74 \$438.34 Air Mover Shelf (holds 4) AT72 \$424.00

Xactimate Code WTR DRY

American Engineering Patented Technology Industry-Leading Innovation

No. 1 Extraction Tools in the Industry

Since 1997, the Xtreme Xtractor has been and still is the most powerful Extraction Tool on the Market for the most important stage of restoration –

- XTRACTOR: Patented Suction Roller Self-propelled, Variable Speed, Steerable Extracts Forward and Reverse
- VACPAC: Portable, Truckmount Performance 10" Vacuum Suction Rating Automatic Pump Out Dual Vac Motors

and VacPa

3

(T).

ED.

AADEIN



Revolutionary High Volume, High Velocity Air Movers -

The AAM's patented "focused" airflow revolutionized evaporative drying.

The unique stackability and class-leading airflow of the CAMs also make them an industry favorite.

Ultra-Portable HEPA Air Scrubber -

The GuardianR is smaller, lighter, uses less amps and \$99 replacement HEPA filters.



CAM





Triad Air Mover



The Triad is the first air mover in the industry to utilize "Thrust Fan" technology. Using this technology, the Triad offers the most critical elements for best evaporation results, high static pressure, high airflow volume and high velocity. Also, no longer do you need to compromise evaporation rates due to power limitations. Eight Triads can easily be daisy-chained on a 12 Amp circuit! This significantly increases faster evaporation potential!

DRIEAZ

The Velo air mover breaks performance barriers with unique patent-pending airflow technology.

Xactimate Code WTR DRY Triad Air Mover AC226 \$377.00 Triad AFD AC225 \$622.00 Call for quantity pricing.




The Velo's broad-path high velocity airflow drives amazing results - from an air mover that's half

the height of snail shell units and draws just 1.9 amps! With the Velo, you can rapidly dry the largest area ever - or tackle special challenges with any of the unit's versatile options.

• Less than half the power consumption

Velo[™] Air Mover - Standard

- Daisy chain up to 6 units
- Rugged rotomolded housing with flex handle






WTR DRY

OmniDry Focal Point Axial Air Mover

Axial fans have revolutionized water restoration and the Focal Point is the next evolutionary step in axial fans. That's because its patent pending technology produces air velocities at least 40% greater than competitive products! The Focal Point is a 2-speed fan that draws only 2.5 amps so multiple units can be used on the same circuit. It delivers a focused 3,000 CFM air stream and sustains these velocities over 22.5 feet! This highly focused airflow can be used in the popular "top down" drying systems as well as be directed to problem areas such as walls, subfloor, carpet and pad. AC246 \$361.18

Xactimate Code WTR DRY+

Phoenix Axial Air Mover



PHOENIX

- Two-Speed Motor Capable of 3,000 CFM
- Draws Only 2.5 Amps
- Daisy Chain Up to 4 Units
- Lightweight and Stackable
- Hour Meter, Circuit Breaker & GFCI
- Low Noise, Quiet Operation

- Polyethylene Housing
- Washable and Chemical Resistant

AC245 \$415.00

Call for quantity pricing.

Call for quantity pricing.

Axial Air Mover Stand

The Axial Air Mover Stand attaches to the Omnidry and Phoenix Axial Air Movers to provide 360° range of motion. Especially useful in top down drying systems to direct air towards ceilings as well as any other angle you need to direct high velocity airflow to problem areas. Air mover not included.



ቚ AC250 \$169.00





Xactimate Code WTR DRY+

RESTORATION

AIRMOVER

DRIEAZ

PROUDLY MADE

NEW!

VIELOLAURAOVIER

FASTEST DRYING IN THE INDUSTRY

The Velo™ airmover breaks performance barriers with unique patent-pending airflow technology!

» PLUS - SLEEKEST DESIGN » ULTRA-LOW AMPS » FIVE-POSITION VERSATILITY

The Velo's broad-path high velocity airflow drives amazing results - from an airmover that's half the height of snail shell units and draws just 1.9 amps! With the Velo, you can rapidly dry the largest area ever or tackle special challenges with any of the unit's 5 versatile positions.


- » LESS THAN HALF THE POWER CONSUMPTION use twice as many airmovers per circuit for double the drying power!
- » DAISY CHAIN UP TO 6 UNITS PER 15-AMP CIRCUIT WITH GFCI OUTLET
- » COMPACT Fit twice as many airmovers on every truck and stash an extra Velo anywhere!
- » 5 DRYING POSITIONS for walls, ceilings, hallways, staircases, cabinets, crawlspaces
- » RUGGED ROTOMOLDED HOUSING WITH FLEX HANDLE tested lifting four times the weight of the unit 5000 times without failure (and handle covered by lifetime limited warranty)
- » LIGHT ENOUGH TO CARRY 2 OR EVEN 4 VELOS AT ONCE or up to 6 easily with a handtruck!

F504	POWER	1.9 AMPS
\$295 SUGG. LIST (US)	MOTOR	.25 HP
XACTIMATE® CODE: WTR DRY	SPEEDS	1-SPEED










COMPETITOR

SAHARA

drying time

(White=Dry)









WWW.DRI-EAZ.COM



DRIEAZ



Ace TurboDrver[®]

The two-speed Ace TurboDryer is an axial fan that is ideal for creating the necessary airflow for "top down" drying systems. Its 7-position versatility means that you can use it in a wider variety of situations than snail type air movers. You can dry carpet, subfloor, drywall, hardwood floors, baseboards, ceilings and more! Plus, you can use as many as 10 per circuit! Produces Up to 2,250 CFM

- Draws Just 1.5 Amps!
- Easy Stacking for Storage and
 - Transport

AC603 \$445.00

Call for quantity pricing.

Xactimate Code WTR DRY-







Jet CXV TurboDryer[®]

Aerodynamically designed for the highest velocity airflow at 3,200 CFM with incredibly low amp draw! Builtin angles maximize laminar airflow for the fastest wall and floor drying. Double wall construction means it's significantly quieter than other air movers.

- Low amps 1.5, 2.0 And 3 amp speeds
- Run 200' without an extension cord
- · Quick access for cleaning
- Easy stacking

WTR DRY+

- · Built-in stand & non-skid rubber feet
- · Daisy-chain up to 8 units

AC661 \$459.00

Call for quantity pricing. Xactimate Code

Studebaker AirPath[™]

The AirPath's aggressive, patented 360° air stream makes it the fastest drying system in the industry! You'll easily dry one room while the next one's being cleaned. The AirPath has a 1 HP motor that delivers a high velocity 40 MPH airflow! It can be tilted to dry stairs, has a two-speed switch, is highly portable with locking wheels for drying hard floors and is even stackable!

- Draws 7.5 Amps
- 1 HP Motor with 2-Speed Switch
- High Velocity 40 MPH Airflow!
- Patented 360° Outlet Grill Design
- Uniformly Directs Air Across Floor
- Wheel Locks for Hard Floor Drying
- Stackable Rotomolded Housing

AC611 \$595.00 Call for quantity pricing.

NEW Dri-Eaz Dri-Pod Air mover

The Dri-Pod air mover from Dri-Eaz is designed to deliver a high volume of air in a 360° pattern. Perfect for delivering air throughout a room with one small unit!

> AC616 \$165.00 *Call for quantity pricing.*

www.interlinksupply.com



This one-speed air mover will ventilate confined spaces through up to 125 feet of Vortex Ducting. The Vortex uses a 12" axial fan blade to pull musty air out of or propel fresh air into inaccessible areas. It's also an ideal choice for drying large open areas like gyms, concrete pads, hallways, etc.

- Drives Static Pressure up to 3.2" for **High-Powered Ventilating**
- Draws 7.4 Amps
- Powerful 1.0 HP motor
- Stackable for Storage
- Operate Standalone or with Vortex Ducting

AC73 \$615.00

Call for quantity pricing.

Xactimate Code WTR DRY++

PROCHEM.


All the Performance, 1/2 the Size!







Prochem Presents a New Standard in Air Movers

Ice Cubes are used To Measure the CFM/Volume Range of the Trident Photographed by a FLIR Infrared Camera



Ice Cubes (dark blue) were placed in 5 foot increments to show distance from front of air mover.





The Triad outperforms the centrifugal air mover at the IICRC standard 10 - 14 foot range providing superior drying results. Further, the Triad provides these results using only 1.48 Amps versus 3 Amps of the centrifugal air mover.

Measurements were taken over 10x using ASHRAE standards for consistency and data validity.

Low 1.48 Amp Draw Allowing up to 10 Air Movers on a 15 Amp Circuit Most Efficient Air Mover Available Utilizing NEW Thrust Fan Technology Advanced Engineering Delivers Optimized CFM, Static Pressure, and Velocity Producing High Evaporation Rates Not Just for Crawlspaces! Three Standable Positions Makes it Easy to Direct the Air Where You Need it

Find us on Facebook











204

Dehumidifiers

\$1485.00

WTR DHM OR

WTR DHM>

227

80 lbs.

64 PT/Day

33° to 100° F

6.4 Amps

PRICE

XACTIMATE

CODE

CFM RATING

WEIGHT

AHAM (80° / 60% RH)

RANGE

POWER

MODEL

USE

\$1495.00

WTR DHM OR WTR DHM>

170

82 lbs.

35 PT/Day

ட

to 100°

33° t

5 Amps

Phoenix R125 LGR (New, AC296)

DriZair® 1200 LGR (AC84)

\$1635.00

WTR DHM>

170

82 lbs.

75 PT/Day

ш

33° to 100°

5.5 Amps

Phoenix R150 LGR (New, AC297)

Evolution® LGR (AC52)

Phoenix R175 LGR (AC236)

\$1832.00

WTR DHM>

230

105 lbs.

92 PT/Day

33° to 105° F

6.3 Amps

\$1999.00

WTR DHM> OR WTR DHM>>

350

132 lbs.

110 PT/Day

ш

33° to 100°

8 Amps

Prochem Trident LGR (AC224)

\$1849.00

WTR DHM OR

WTR DHM>

160

92 lbs.

70 PT/Day

ட

33° to 100°

5 Amps

Dehumidifier Comparison

\$2260.00

WTR DHM>>

325

102 lbs.

130 PT/Day

33° to 100° F

8.5 Amps

\$2375.00

WTR DHM>>

290

131 lbs.

28 PT/Day

ш

to 105°

33°1

7.4 Amps

\$834.00

WTR DHMB

300/230

40 lbs.

ī

ш

33° to 125°

1.6 Amps

Phoenix Solution LGR Performance Amplifier (AC238)

Phoenix 200 MAX LGR (AC237)

Dri-Eaz LGR 7000XLi (AC629)

DriZair® LGR 2800i (AC83)

Phoenix R200 (AC230)

www.interlinksupply.com

\$2549.00

WTR DHM>>

380

130 lbs.

135 PT/Day

ш

33° to 125°

7.2 Amps

\$2669.00

WTR DHM>>>

380

130 lbs.

61 PT/Day

33° to 125° F

8.9 Amps

Phoenix 270HTx LGR (AC291)

DriZair® LGR 3500i (AC623)

Phoenix 200 HT LGR (AC235)

\$3140.00

WTR DHM>>>

400

160 lbs.

170 PT/Day

33° to 100° F

0.5 Amps

\$3579.00

WTR DHM>>>

504

175 lbs.

76 PT/Day

ш

33° to 110°

12 Amps

\$2699.00

WTR DHM>>

380

165 lbs.

30 PT/Day

33° to 100° F

8 Amps

\$2207.00

WTR DHM>>

325

105 lbs.

125 PT/Day

33° to 110° F

8.3 Amps

\$10,999.00

WTR HMD>

900/300

265 lbs.

344 PT/Day

-10° to 140° F

20 or 40 Amps 230V

Phoenix 1200 Desiccant (AC232)

Phoenix 1800 Desiccant and 4800 Desiccant available by special order. See representative for details.

\$3378.00

WTR DHMD

385/75

105 lbs.

116 PT/Day

-10° to 140° F

2x 11 Amps

Phoenix D385 Portable Desiccant

(AC240)

Phoenix 300 LGR (AC239)



























































































Dehumidifiers 205



Xactimate Code WTR DHM or WTR DHM>

DRIEAZ DrizAir[®] 1200 LGR Dehumidifier

This commercial grade refrigerant dehumidifier combines high performance with a compact and portable design. It has many of the features of larger Dri-Eaz dehus with a high-tech look.

- Maximum Water Removal 15 Gallons/Day
- Removes 64 Pints/Day at AHAM
- 227 CFM, Draws 6.4 Amps
- Super Convenient Size
- Hot-Gas Bypass For Fast Defrost
- Rugged Rotomolded Housing
- Electronic Touch-Pad Controls

- Rigid Handle-Designed for Stacking
- Semi-Pneumatic Wheels for Easy Transport
- 32" x 20" x 19.5", 80 Lbs.
- Built-In Ring for Attachment of Ducting

AC84 \$1485.00 3M High Airflow Replacement Filters AC84A \$22.92

Call for quantity pricing.



PHOENIX[®] Phoenix R125 LGR Dehumidifier

Smallest, lightest, and most affordable LGR Dehumidifier on the market! The R125 is the first 65 pint LGR Dehumidifier and offers high quality restoration drying performance at an entry-level price. It utilizes new patent-pending LGR design technology that produces maximum grain depression, removing water long after conventional dehumidifiers stop. As a result, structure, contents, and materials dry better, allowing you to get to your next job faster. This new LGR also benefits you by being energy efficient by only using 5.0 Amps of electricity.

AC296 \$1495.00 \$0% MERV-7 AC236A \$6.00

65% MERV-11 AC236B \$19.00
 OdorKlenz-Air Cartridge AR88 \$59.00

Call for quantity pricing.

WTB DHM or WTB DHM>

Xactimate Code WTR DHM or WTR DHM>



Low Grain Refrigerant (LGR) dehumidifiers are designed to remove more water from the same amount of air than commercial grade refrigerant units, and they excel in environments with low specific humidity. The Evolution packs premier LGR technology into a versatile design.

- Maximum Water Removal 15 Gallons/Day
- Removes 70 Pints/Day at AHAM
- 160 CFM, Draws 8 Amps
- Hot-Gas Bypass For Fast Defrost
- Centrifugal Pump-Out
- Rugged Rotomolded Housing

- Electronic Touch-Pad Controls
- Steel Fold Down Handle
- Semi-Pneumatic Wheels for Easy Transport
- 33.5" x 20.7" x 20.7", 92 Lbs.

AC52 \$1849.00 3M High Airflow Replacement Filters AC52A \$19.96 Mainton Marklenz-Air Cartridge AR83 \$59.00

Call for quantity pricing.



PHOENIX Phoenix R150 LGR Dehumidifier

This new LGR features a durable roto-molded cabinet, superior balance, stackability and portability. Plus, at only 82 pounds and a compact footprint of only 20" x 17" you will be able to take this dehumidifier anywhere. Patent-pending GTR[™] technology gives you higher grain depression and extends the operating range to 110°F. The focused Airflow Outlet directs air downward across the wet surface and accepts 10" lay-flat ducting so you can direct air-flow wherever you need it.

AC297 \$1635.00

65% MERV-11 AC236B \$19.00
 OdorKlenz-Air Cartridge AR88 \$59.00

RESTORATION

Xactimate Code WTR DHM>

American Engineering Patented Technology Innovation in LGR Performance



The Phoenix R-Series

The Lightest, Most Compact, Highest Performing LGR Dehumidifiers on the Market Today –

GTR™ Technology (R125/150) A New Breed of LGR Dehumidifiers

ByPass[™] Technology (R175/R200) *Hi-Temp LGR Performance*

Superior Air Filtration

Multiple Ducting Options



The Choenix Stainless Series

The Proven™ Workhorse of Restoration Drying – The term "LGR" was created to describe the unique drying capabilities of the original Phoenix 200. After almost a decade, the 200 MAX, an improved version of that unit, remains an industry favorite.

The HT Series with ByPass Technology – Water removal up to 125°F, sleek stainless cabinet design, downward focus exhaust airflow are just a few innovative features that the HT Series has to offer.

Patented ByPass Technology (200HT)

innovative

Patented Automatic ByPass Technology (270HTx) – Automated Graduated Settings as Temperature Changes

exceptional

LUR



proven

It's a Phoenix

PERFORMANCE



Dehumidifiers 207



Xactimate Code WTR DHM>

PHOENIX Phoenix R175 LGR Dehumidifier

This LGR (low grain refrigerant) dehumidifier removes a maximum of 168 pints and 92 pints at AHAM, 30% more than competitive units! The R175 draws only 6.1 amps and has a solid-state multi-feature control panel with a lighted hour meter, pump purge control and defrost light. The telescopic handle, large recessed wheels and beveled corners make the R175 highly maneuverable on the job without dinging woodwork and corners! The roto-molded cabinet keeps the R175 looking great for years and the units are stackable for easy transport and storage. It has multiple ducting options, too!

AC236 \$1832.00

 Filter, MERV-11, 65%
 AC236B
 \$19.00

 Accurate
 State
 State
 \$59.00

Call for quantity pricing.



Xactimate Code WTR DHM> or WTR DHM>>



Xactimate Code WTR DHM>>



Xactimate Code WTR DHM>>

PROCHEM. Prochem Trident LGR Dehumidifier

The Prochem Trident LGR dehumifier produces up to 110 pints per day AHAM for large restoration jobs and delivers 350 CFM which provides incremental surface airflow and additional drying. A thermostat controlled defrost ensures maximum performance and efficiency. The option to duct your intake and/or exhaust provides drying versatility. An adjustable dolly handle provides convenient transportation, and you can easily stack two Triad air movers on top for fast job set-up. Uses 14"x14"x1" filters.

AC224 \$1999.00

PHOENIX[™] Phoenix R200 Dehumidifier

The Phoenix R200 is a new breed of LGR dehumidifier. No larger than a typical "medium" class LGR, the R200 has engineered components capable of producing "extra-large" performance. The R200 delivers 125 pints per day (AHAM), while drawing only 8.3 amps, in a 20" x 20" footprint that weighs only 105lbs. The proven LGR design is surrounded by a durable roto-molded high impact plastic to create a dehumidifier that is smaller and lighter than competitive units. In addition to the performance benefits and compact size, the R200 has patented bypass technology for higher temperature operation, increased airflow to 325 CFM, multiple ducting options, R-410A refrigerant, and impressive air filtration with a pleated media MERV-11 filter.

AC230 \$2207.00

 Filter, MERV-11, 65% AC236B
 \$19.00

 OdorKlenz-Air Cartridge
 AR88
 \$59.00

Call for quantity pricing.

DRIEAZ DrizAir® LGR 2800i

With top performance across the board, even at high temperatures and in low grain conditions, this dehumidifier sets a new industry standard. It uses the latest sensor technology to monitor and display inlet and outlet RH and temperatures, and automatically adapts to varying job conditions to maximize LGR performance and water removal at high temperatures up to 120 degrees. Use the optional V-Max adapter to direct high velocity processed air across floors to accelerate drying. Used together with the HygroTrac remote monitoring system (not included), the 2800i transmits this information to a secure website for viewing from any computer with internet access.

AC83 \$2699.00

V-Max 2800i Flow Adapter AC627 \$125.00 ColorKlenz-Air Cartridge AR84 \$89.00






LGR 7000XLi DRIEAZ

The LGR 7000XLi delivers industry-leading performance and legendary Dri-Eaz reliability plus patent pending features your customers demand. To achieve the 7000's amazing performance, Dri-Eaz engineers developed Advanced Crossflow Technology™ to maximize energy utilization. At the same time, the unit's built-in sensors constantly monitor real time performance data to automatically calculate ideal operating parameters - such as fan speed and cycle duration - in real-time.

AC629 \$2,260.00

Xactimate Code WTR DHM>>



Directs the warm, dry air produced by the LGR2800i, LGR3500i, and the LGR7000XLi directly over the floor surface. (not shown) AC627 \$125.00



3M[™] HAF (High Air Flow) Filters

3M[™] HAF (High Air Flow) filters are standard on the Evolution LGR, DrizAir 1200, LGR 2000, LGR 7000XLi, and LGR 2400 dehumidifiers. Standard with all Dri-Eaz dehumidifiers.

AC84A \$22.92



Xactimate Code WTR DHM>>



PHOENIX Phoenix 200 MAX LGR Dehumidifier

The Phoenix 200 MAX removes more water and has more grain depression than other refrigerant dehumidifiers while requiring just 7.4 amps! This unit delivers substantially drier air and dries areas to much lower specific humidity levels than conventional dehumidifiers. The 200 MAX provides significant air filtration (with even higher optional filtration) to improve air quality and insure optimal performance. And, multiple ducting options allow for ducting both the intake air and the filtered and dehumidified supply air. This makes it possible to easily combine the 200 MAX with a HEPA air scrubber, air conditioner or desiccant dehumidifier. The Phoenix 200 MAX is one of the most effective and most versatile dehumidifiers available.

OdorKlenz**Air**®

OdorKlenz-Air Cartridges for Dehumidifiers. See page 213.

AC237 \$2375.00 Filter, MERV-11, 65% AC255 \$9.50 Filter, MERV-8, 30% AC254 \$4.00 Filter, MERV-14, 95% AC256 \$95.00 Solution Cartridge AR89 \$89.00 Duct Intake/Exhaust 12"x25' AC252 \$65.00 Duct Ring 10" AC257 \$2.85

Call for quantity pricing.



Xactimate Code WTR DHMB

PHOENIX Phoenix Solution LGR Performance Amplifier

By utilizing outside or air conditioned air, the Phoenix Solution Performance Amplifier widens the effective range of the Phoenix LGR Dehumidifiers, improving water removal rates up to 100%! Utilizing cooler air to aid in the dehumidifying process means that the dehumidifier will continue to be efficient to 140 degrees, meaning you can utilize the higher temperatures for better drying rates and you don't have to drag equipment out of the damaged area to control the temperature - which means faster and better drying! Attaches easily to the top of your Phoenix 200 LGR MAX or 200 HT Dehumidifier.

All products not available at all locations. Pricing subject to change. Visit www.interlinksupply.com for current prices.

AC238 \$834.00

DRIEAZ ADVANCED LGR PERFORMANCE LGR 7000 XLi



BEATS OTHER COMPETITIVE UNITS. PERIOD.

Breaking the performance barriers as the new category leader, the LGR 7000XLi removes more water than any other dehumidifier in its category!

To achieve the 7000's amazing performance, Dri-Eaz engineers developed the Advanced Crossflow Technology to maximize energy utilization. At the same time, the unit's built-in sensors constantly monitor real time performance data to automatically calculate ideal operating parameters - such as fan speed and cycle duration - in real-time.

The result is XL category-busting performance in a unit the size of an Evolution and weighing only 107 pounds! With its outstanding performance at AHAM and saturation, plus 40% better low-grain performance than competitive units, the 7000XLi is truly the top performer.

- » ADVANCED CROSSFLOW TECHNOLOGY maximizes efficiency even in low grain environments. Ensures best performance across range.
- » SELF-MONITORING SYSTEM. Built-in sensors monitor performance perameters allowing for automatic fan speed adjustments.
- » BUILT-IN HUMIDISTAT and plain-language control panel messages



- » SEALED LARGE-CAPACITY PUMP BASIN large enough to handle the water from an unintentional defrost after a power outage or other unexpected shut-down.
- » ERGONOMIC DESIGN. Taller handle for easier use on stairs, folds down for storage. Integrated cord and hose storage.
- » VERSATILE APPLICATION standard 12 in. ductable outlet.
- » LEGENDARY ROTOMOLDED HOUSING practically indestructible - resists dents and dings - stackable for storage - saves room in warehouse.

The LGR 7000XLi control panel displays inlet and outlet temp and RH in real time. No obscure codes are used here! Plain English text (and three other languages) provides clear operational information.



The unit's design also greatly simplifies cleaning and maintenance. Simply remove four bolts and the cover easily lifts off to fully expose the coils and the heat exchange block for easy cleaning.

The 7000XLi also includes a builtin humidistat for set-and-forget humidity level control.



» BEST PERFORMER » SMART CONTROLS » TRUE TESTED LGR » RUGGED BUILD » EASY CLEANING



8.3 AMPS, 115V

LGR 7000

MODEL F412 POWER WATER REMOVAL AHAM (80°F/60%RH) WATER REMOVAL MAX 235 PINTS | 111 LITERS / DAY (MAX. AT SATURATION)

LGR WATER REMOVAL 40% MORE THAN COMPETITIVE UNITS DIMENSIONS DRAIN HOSE POWER CORD CONSTRUCTION

PROCESS AIR (MAX.) 325 CFM, FLOOR-LEVEL OUTLET 33.5 × 20 × 20 IN. | 85 × 51 × 51 CM USE WEIGHT 107 LBS. | 49 KG 40 FT. | 12.2 M 25 FT. | 7.6 M DURABLE ROTOMOLDED POLYETHYLENE SHELL.

130 PINTS | 61.5 LITERS / DAY









WWW.DRI-EAZ.COM

210 Dehumidifiers



Xactimate Code WTR DHM>>

PHOENIX Phoenix 200 HT LGR Dehumidifier

This is the first dehumidifier designed to give outstanding performance under the harsh conditions of high temperatures. Most dehumidifiers experience a drastic reduction in efficiency when temperatures approach and exceed 90 degrees. The Phoenix 200 HT LGR Dehumidifier maintains maximum water removal capacity through ambient temperatures up to 120°! This means faster drying because higher temperatures speed evaporation, and you don't need to remove drying equipment to control temperature in the drying area. The 65% MERV-11 filter removes 90% of seven-micron particles – improving the air quality of the affected area and ensuring continual optimum performance. Multiple ducting options allow you to duct both the intake air and the filtered, dehumidified exhaust air.

200 HT LGR AC235 \$2549.00 Filter, MERV-11, 65% AC255 \$9.50 Filter, MERV-8, 30% AC254 \$4.00 Filter, MERV-14, 95% AC256 \$95.00 OdorKlenz-Air Cartridge AR89 \$89.00
 Duct Intake/Exhaust 12"x25' AC252 \$65.00
 Duct Ring 10" AC257 \$2.85

Call for quantity pricing.



Xactimate Code WTR DHM>>>





Xactimate Code WTR DHM>>>

M PHOENIX Phoenix 270HTx LGR

The Phoenix 270HTx is one of the most effective and versatile drying devices available. The Phoenix 270HTx features more water removal (161 pints per day@AHAM) and higher grain depression than other refrigerant dehumidifiers, while drawing only 8.9 amps of electricity.

The 270HTx features Phoenix's patented bypass design, which is now enhanced to compensate for temperature automatically. By sensing and adjusting to temperature changes in the drying chamber, the 270HTx maximizes water removal over an extended operating range without the need for manual adjustments. At higher temperatures, where typical LGRs lose effectiveness, the Phoenix 270HTx automatically adjusts to continue removing moisture. This offers several advantages to the restorer, including faster evaporation rates, quicker drying, and elimination of the need to remove or modify equipment for temperature control.

Phoenix 270HTx LGR AC291 \$2699.00 30% MERV-8 AC254 \$4.00 65% MERV-11 AC255 \$9.50

Call for quantity pricing.



DrizAir® LGR 3500i

Flagship performer for larger jobs, this dehumidifier boasts industry-leading water removal of 170 pints per day at AHAM in an easily portable package. Used together with the HygroTrac remote monitoring system (purchased separately), the 3500i transmits this information to a secure website for viewing from any computer with internet access.

- Removes 170 pints at AHAM, plus outstanding LGR performance
- · Monitors and displays inlet and outlet temp and RH
- Digital display provides helpful plain-English status messages, not codes
 - Legendary Dri-Eaz rugged roto-molded design, as always, made in the USA

DrizAir® LGR 3500i AC623 \$3140.00 3M Filtrete HAF AC83A \$32.88 OdorKlenz-Air Cartridge AR84 \$89.00 V-Max Flow Adapter AC627 \$125.00

American Engineering Innovative Technology Ultra-Low Grain Drying

Portable Pesiceants that Pry All Year

The Perfect Combination of Features and Performance to Achieve Low Grain Output Year Round – Phoenix Desiccants continue to remove water regardless of climate conditions.

Extended Operating Range (-10°F to 140°F)

Easy to Use, Durable, Portable, Reliable

Multiple Ducting Options - ideal for almost any Speciality Drying Application

Operates Vertically and Horizontally (D385)

Constant Run and Humidistat Controlled Modes (1200)

ADEIN

Industrial Desiceants and Complete Frying Systems

exceptional

Large Jobs Call for Large Equipment –

Like all Phoenix Desiccants, these Industrial Desiccants are easy to use, durable, weather resistant, and reliable on the job site.

4800: Available in Electric or Propane Reactivation

Lightest (1700 lbs.) and Most Efficient 5000 CFM Class Desiccant

Rugged Exterior Designed for Harsh Climates

1800: Turn-key Mobile Response Trailer

innovative

Versatile enough to do Residential or Commercial Jobs

Propane Reactivation (onboard 120 gal DOT rated tank)

Only Requires 115V 16 Amps for Operation

JE PERFORMANCE It's a Phoenix

proven

ED.



Dehumidifiers



Xactimate Code WTR DHM>>>

PHOENIX Phoenix 300 Dehumidifier

The Phoenix 300 Dehumidifier is designed to maximize the water removal capacity from a single 110-V, 15-amp circuit. The multiple ducting options on the Phoenix 300 allows for ducting both the intake air and the filtered and dehumidified supply air. This makes it possible to easily combine the Phoenix 300 with a HEPA air scrubber, air conditioner or desiccant dehumidifier. Like all Phoenix units, the 300 features a stainless steel cabinet, internal pump with 30 feet of hose, and a five-year warranty. Phoenix dehumidifiers feature significant air filtration. Even the standard 57% MERV-8 filters remove over 90% of seven-micron particles (the size of a human red blood cell). This filtration dramatically improves the air quality in the areas being dried and assures continued optimal performance of the refrigeration system.

Phoenix 300 AC239 \$3579.00 Standard 30% Merv-8 Filter AC258 \$20.50 High Efficiency 95% Merv Filter AC259 \$80.00

Call for quantity pricing.



RESTORATION EQUIPMENT Phoenix D385 Portable Desiccant Dehumidifier

The Phoenix D385 is a portable desiccant dehumidifier that features a true four-hole configuration for really effective drying! It is great for drying out hardwood floors, stone, structural materials and anything else where you need to have really low humidity to complete the drying process. The Phoenix D385 provides a wide operating range (10°F-140°F), has a water removal capacity of 116 pints per day and is designed to operate both vertically and horizontally. It requires two separate 15 amp circuits to operate and only draws 11 amps off of each circuit. The D385 is easy to transport and set up – it is no bigger than a refrigerant dehumidifier, and is just as portable.

AC240 \$3378.00 65% MERV-11 AC255 \$9.50 Ducting for reactivation/exhaust - 6" AC240A \$34.00

Call for quantity pricing.

PHOENIX Phoenix 1200 Desiccant Dehumidifier

The Phoenix 1200 is an energy efficient and high performance desiccant that removes up to 344 pints (43 gallons) of water per day at AHAM. Ideal for most drying conditions and when very low RH is required to dry the most challenging structural materials such as hardwood floors, concrete slabs, etc.

The 1200 is a 230-volt, single phase unit with selectable 25 or 40 amp draw and has the robust construction and portability restorers require. It offers both a constant run or humidistat controlled mode as well as dual 8" process outlets so you can run dry air to the interior as well as an attic or crawl space.

Phoenix 1200 AC232 \$10,999.00 Call for quantity pricing.



Protect-It Dehumidifier Tray

Prevent damage from leaking dehumidifiers with this durable, polyethylene tray. Provides 7 gallons of emergency overflow protection while raised feet allow for airflow beneath. Inside dimension: 25" x 25"

AC8397 \$40.00 10+ \$36.00

Call for quantity pricir

Clear Plastic Drain Tube

Clear Plastic Drain Tube for dehumidifiers.

1/4 ID x 3/8 OD

👞 PHOS0406 \$.34/ft.



RESTORA



Xactimate Code WTR HMD>

www.interlinksupply.com

213 **AFD/HEPA Air Scrubbers**



Xactimate Code WTR NAFAN

DRIEAZ

DefendAir® HEPA 500

This air scrubber/negative air machine was designed specifically for the professional restorer. With user-friendly and versatile features, the HEPA 500 is ideal for handling indoor air quality needs on every restoration job, including sewer/black water, mold, and fire damage. The HEPA 500 addresses indoor air quality quickly and efficiently and helps restore any environment to a pre-loss condition. The DefendAir HEPA 500 uses HEPA filter media with an efficiency rating of 99.97% against 0.3-micron oily aerosol particles, and 250-500 CFM, the typical airflow level demanded on restoration jobs.

Draws 3 Amps

- 2-Stage Filter System
- Filter Indicator Light
- Ductable: Intake: 12". Outlet: 8"
- Built-in MICROBAN® Product Protection

DefendAir HEPA 500 AC35 \$999.00 Primary HEPA Filter AC35A \$155.00 First Stage Filter AC36F2 \$9.25 Left Carbon Filter AC36F5 \$42.50 DOP First-Pass Filter (4 pk) AC36F6 \$66.25 Schooling School Strate School School



Phoenix Guardian R500 Pro HEPA System



The Phoenix Guardian R500 HEPA features 500 CFM and a true HEPA system. At only 1.9 Amps you don't need to worry about power or blowing a circuit. With a slimmer and lighter profile than the competition you will be able to easily store and carry the R500. It also features an onboard GFCI and comes with multi-ducting options for improved flexibility.

> Guardian R500 Pro HEPA System AC299 \$974.00 Pleated Filter for Phoenix HEPA - 1"x18"x18" AC299A \$7.00 HEPA Filter for Phoenix HEPA - 2.5"x18"x18" AC299B \$99.00 Carbon/Potassium Permanganate Filter for Phoenix HEPA AC299C \$42.00

Xactimate Code WTR NAFAN

Restoration Vehicles

INTERLINK FLEET SALES Box Trucks



6 Exterior access cabinets

- 12' Cargo ramp
- Interior shelving
- · Cab access sliding door
- Gelcoat exterior
- 42" Curbside cargo with double step

Build Your Own starting at \$39,995

Payments as low as \$635/mo

• 2 Spotlights at rear of truck and 2 spotlights on curbside of truck

· Lasco trans roof • 65.000 BTU heater Chicago style heavy duty bumper · Custom cab over attic for storage • Undercoated ship lapped pine floor • Double narrow 48" rear door • 14, 200 GVWR 2 internal halogen dome lights • 6.0L Vortec engine Cruise control Keyless entry Chevrolet Rear locking differential Chrome appearance package Express Chassis • Power windows and locks AM/FM CD player Build Your Own starting at \$37,995 Payments as low as \$604/mo lly Loade 14' Box Trucks 6.0 L Engine Cruise control • Full length rear bumper • 12,300 GVWR · Rear locking differential Exterior spotlights Chrome appearance package · Fixed and adjustable shelving Interior halogen lighting For complete specs and details, contact Interlink Fleet Sales.

Call for financing program details 1-800-655-1207 or E-mail us at: info@interlinkfs.com | www.interlinkfinancialservices.com

214 AFD/HEPA Air Scrubbers

Xactimate Code

WTR NAFAN





Phoenix Mini-Guardian HEPA System

A must for mold remediation as well as fire and many water restoration jobs! The Mini-Guardian's 3-stage filter design with true HEPA filtration will remove virtually all hazardous particles from the air and an optional fourth stage filter will absorb a wide range of odors and gasses.

The Mini-Guardian features variable air flow control and delivers a true 415 CFM to clean one air change of a 12 x 14 foot room in less than four minutes while drawing less than 2 amps! It's perfect for jobs where space is a premium. The Mini-Guardian is equipped to act as an air scrubber and negative air machine—even at the same time! It also features a durable, stainless steel cabinet, hour meter, ductable intake and exhaust, and wheeled cart design.

> Mini Guardian HEPA AC243 \$1225.00 HEPA Filter 14x24 AC271 \$162.00 Carbon/Potassium .05 Filter AC261 \$60.00 Carbon/Potassium .5 Filter AC272 \$60.00 Reusable Carbon Filter AC273 \$95.00 Reusable Carbon Filter AC274 \$1.50



Xactimate Code WTR NAFAN>



Phoenix Guardian HEPA System

The Phoenix Guardian HEPA System was designed exclusively for the restoration industry as the first portable air scrubbing device. It dramatically improves air quality on mold remediation as well as fire and water restoration jobs.

The HEPA system removes virtually all airborne particles, and the optional 4-stage filter removes airborne odors and chemicals. The 1,400 CFM capacity can control up to 21,000 cubic feet, and the multiple ducting options allow you to create negative or positive airflow while simultaneously scrubbing the air in the containment area. Also, ducts can be used to draw and scrub contaminated air out of hard-to-reach areas. Helpful in all restoration situations, no restoration professional should be without one!

> Guardian HEPA System AC241 \$1799.00 HEPA Filter 24"x24" AC263 \$230.00 Carbon/Potassium Filter 7.5 AC264 \$90.00 Reusable Carbon Filter AC265 \$131.00 Carbon/Potassium Blend 5 gl AC266 \$93.00 Spun Poly Pre-Filter AC267 \$3.25 Duct Intake 18"x25' AC260 \$112.00 Poly/Cotton Pre-Filter AC268 \$8.75 Duct Ring 14" 10.5"x12" AC269 \$5.75 OdorKlenz-Air Cartridge 24"x24" AR71 \$236.50



RESTORAT

Coil Cleaner

DRIEAZ

Dri-Eaz Coil Cleaner is a heavy duty foam detergent coil cleaner in the convenience of an aerosol can. It can also be used on almost any type of refrigerant coil or radiator, including those used in window air conditioners, rooftop HVAC units, and auto radiators.

CR27AE \$11.02



Microguard Equipment Protectant


Designed to provide gentle cleaning action to all plastic and rubber surfaces and leave a protectant shine. Restores the surface and helps you make a positive impression on your customers.

馬 CR29QT \$12.22



215 **AFD/HEPA Air Scrubbers**





conjunction with the Triad Air Mover.

> Learn more on page 198.

PROCHEM Prochem Triad AFD (Air Filtration Device)

The Triad AFD is a HEPA air filtration device that works in conjunction with the Triad air mover. The Triad AFD cleans the air of allergens, dander, dust, dust mite debris, mold spores, pollen and other particulates. The Triad AFD attaches to the top of the Triad air mover producing a multi-purpose product that can generate profits on every restoration job. Plus, utilizing only 1.48 amps you still have plenty of power left over for additional air movers and dehumidifiers. The multi-functional capabilities allow ducting of the filtered air to other locations or utilize the air flow to produce incremental drying. Finally, the Triad AFD was designed to incorporate smooth contours inside and out to allow for quick and easy clean-ups between jobs.

> Triad AFD AC225 \$622.00 HEPA Filter AC225A \$156.51

OdorKlenz-Air Cartridge AR70 \$129.50 Pre-Filter AC36F2 \$9.25

etc. Based on the technology behind the original OdorKlenz-


trauma, and water damage), ProFinisher has its own unique

blend of active components specially designed to target

chemicals and odors associated with refinishing projects.

Air Cartridge (used for the mitigation of odors caused by fires,

OdorKlenz<u>Air</u>®



OdorKlenz-Air® Cartridges

OdorKlenz-Air can be immediately deployed in portable air scrubbers and dehumidifiers to begin cleaning the environment. OdorKlenz-Air is the most environmentally friendly

odor process available. It removes and destructively absorbs the airborne odor-causing molecules without releasing chemicals into the air like hydroxyl, ozone, spraying or thermal fogging processes.

OdorKlenz-Air® ProFinisher can be installed into portable air scrubbers and deployed on job sites negatively impacted by odors created by the reconstruction or refinishing process OdorKlenz-Air® Dehumidifier Cartridges can be installed into dehumidifiers and deployed on job sites negatively impacted by odors caused by flooding and water loss. OdorKlenz-Air helps remove odors and corrosive gasses associated with water restoration jobs sites. Setting up the system at the beginning of the job will drastically improve the environment and make cleaning and restoration easier.

OdorKlenz-Air Cartridge 16"x16"x1" (use with AC35, AC225) AR70 \$129.50 OdorKlenz-Air Cartridge 24"x24"x2" (use with AC241) AR71 \$236.50 ■ ProFinisher 16"x16"x1" (use with AC35, AC225) AR78 \$99.00 ProFinisher 24"x24"x2" (use with AC241) AR79 \$179.00 ▶ Dehumidifiers 10"x11"x1" (use with AC52) AR83 \$59.00 Dehumidifiers 15"x16.625"x1" (use with AC83, AC623) AR84 \$89.00 including: painting, cleaning, abatement, Dehumidifiers 11.5"x11.5"x1" (use with AC296, AC297, AC236, AC230) AR88 \$59.00

Dehumidifiers 15.5"x19.5"x1.75" (use with AC235, AC237, AC291) AR89 \$89.00



Particle Counter & Data Logger

This Particle Counter and Data Logger is the solution to justify your Air Filtration Devices/Negative Air Machines. Monitoring and documenting the performance of these machines has been difficult due to expensive meters meters available. This low cost unit lets you see what your equipment is doing, so you can provide that information to the adjuster and/or the building owner. The LCD screen provides small (>0.5 micron) and large (>2.5 micron) particle concentrations along with a dynamic bar graph showing instantaneous particle activity. Use it as a hand held meter or leave it on the job to provide continuous data logging and graphing - up to one week. The rechargeable battery can provide up to 6 hours of continuous use.

216 Vacuum Cleaners



PULLMAN-HOLT Model 45 Dry HEPA Vacuum

The Model 45 is a powerful dry vacuum with true HEPA filtration for mold remediation or other filtration critical work. The unit features a 2 HP by-pass motor that delivers 110 CFM for superior pick-up. This is combined with an extra large capacity, individually certified HEPA filtration system that filters 99.97% of particles at 0.3 microns. The Model 45 is surprisingly quiet, has a super durable blow-molded poly canister, a low center of gravity and a positive lock, full swivel hose connection system. Includes set of tools and 25' power cord. 10 gallon capacity.

> Dry HEPA Vacuum AV70 \$529.00 HEPA Filter PPB702340 \$162.31 HEPA FilterAssembly PPB260619 \$228.82 Paper Bag (each) PPB700408 \$3.20 Dacron Filter Bag PPB000517 \$17.66 Foam Filter PPB703966 \$6.05

PULLMAN-HOLT Model 390ASB Dry HEPA Vacuum

HEPA

This durable, stainless steel dry vacuum is built for power, maneuverability and dependability and has HEPA filtration for mold remediation or other tasks that require true HEPA filtration. The incredibly strong 1.5 HP motor of the 390ASB allows for superior pickup, while the low profile design makes it easy to move through otherwise compromising spaces. It also has convenient on-board tools and cord storage. 4 gallon capacity.

Dry HEPA Vacuum AV76 \$495.00 HEPA Filter PPB160534 \$83.48 Paper Bag (each) PPB600900 \$3.87 Motor Intake Filter PPB160538 \$1.84 Opt. 14" Power Head PPB100309 \$129.02 Vacuum Attachment Kit PPB160666 \$80.00



PULLMAN-HOLT Model 86ASB Dry HEPA Vacuum

The Model 86 is a dry only HEPA vacuum that is designed to work in tight areas, on scaffolding or on any job site where a compact yet rugged steel vacuum is required. Comes with a true HEPA filter making it ideal for mold remediation or other jobs that require a minimum efficiency of 99.97% at 0.3

microns. The heavy gauge steel tank is powdercoated for a tough finish. Includes complete set of tools and 25-foot power cord. 5 gallon capacity.

> Dry HEPA Vacuum AV74 \$639.00 HEPA Filter PPB526520 \$233.58 Pre-Filter PPB527302 \$1.77 Spacer Sleeve PPB700344 \$15.40 Dacron Filter Bag PPB000517 \$17.66 Paper Bag (each) PPB700408 \$3.20



PULLMAN-HOLT

Model 102ASB-12P Wet/Dry HEPA Vacuum

This heavy-duty vacuum features a 2 HP, twostage, long life motor that handles everything from dry, light particulates to wet, heavy debris. Comes equipped with a virtually indestructible poly tank and a drop in HEPA filter that is individually certified to retain 99.97% of particles at 0.3 microns - true HEPA! Also includes a complete accessory tool kit with 10' hose, 2-piece metal wand, floor brush, floor squeegee tool, dusting brush and crevice tool.

Wet/Dry HEPA Vacuum AV72 \$1079.00 HEPA Filter PPB16009 \$269.23 Spacer Sleeve PPB700306 \$13.37 Paper Bag (each) PPB524253 \$3.66 Dacron Filter Bag PPB000517 \$17.66 Pre-Filter PPB700017 \$5.88

HEPA Vacuums and Vacuum Equipment See pages 179-181.



www.interlinksupply.com

Filters and Cartridges

217	7
-----	---

RESTORATION MACHINE	FILTER/CARTRIDGE	PRODUCT #	SIZE	PRICE	
Dri-Eaz HEPA 500 (AC35)	Prefilter	AC36F2	16" x 16" x 1"	\$9.25	X
	HEPA	AC35A	15.75" x 15.75" x 2"	\$155.00	
	Activated Carbon	AC36F5	19" x 15.75" x 2"	\$42.50	х
	Filter DOP Stage 2	AC36F6	15.875" x 15.875" x 1"	\$66.25	х
	OdorKlenz-Air Cartridge	AR70	16" x 16" x 1"	\$129.50	х
	ProFinisher	AR78	16" x 16" x 1"	\$99.00	Х
Dri-Eaz Defendair EX Air Scrubber	Prefilter	AC36F2	13.75" x 12.5"	\$9.25	Х
	HEPA	AC36F1	13.75" x 12.5"	\$200.00	Х
Dri-Eaz Drizair 1200 LGR (AC84) & Drizair 7000XLi LGR (AC629)	3M Filtrete HAF	AC84A	11.8" x 11.8" x .8"	\$22.92	Х
Dri-Eaz Drizair 2800i LGR (AC83)	3M Filtrete HAF	AC83A	16.5" x 15" x 2.25"	\$32.88	Х
	OdorKlenz-Air Cartridge	AR84	15" x 16.625" x 1"	\$89.00	Х
Dri-Eaz Drizair LGR 3500i (AC623)	3M Filtrete HAF	AC83A	15" x 16.625" x 1"	\$32.88	Х
	OdorKlenz-Air Cartridge	AR84	15" x 16.625" x 1"	\$89.00	х
Dri-Eaz Drizair 2400	3M Filtrete HAF	AC51A	11.8" x 15.9" x .8"	\$24.79	x
Dri-Eaz Drizair 80 DX	3M Filtrete HAF	AC76C	9.9" x 12.3" x .8"	\$21.04	x
Dri-Eaz Evolution LGR (AC52)	3M Filtrete HAF	AC52A	11" x 10" x .8"	\$19.96	x
	OdorKlenz-Air Cartridge	AR83	10" x 11" x 1"	\$59.00	x
Dri-Eaz HVE 3000 (AC614)	HEPA Filter (4-pack)	AC614A		\$70.00	
Dri-Eaz LGR 2000	3M Filtrete HAF	AC54A	13.8" x 13.8" x .8"	\$24.13	x
Phoenix 200 HT LGR (AC235) and Phoenix 270HTx (AC291)	30% MERV-8	AC254	15.5" x 19.5" x 1.75"	\$4.00	x
	65% MERV-11	AC255	15.5" x 19.5" x 1.75"	\$9.50	~
	OdorKlenz-Air Cartridge	AR89	15.5" x 19.5" x 1.75"	\$89.00	x
Phoenix 200 MAX LGR (AC237)	30% MERV-8	AC254	15.5" x 19.5" x 1.75"	\$4.00	x
	65% MERV-11	AC255	15.5" x 19.5" x 1.75"	\$9.50	^
	95% MERV-14	AC256	15.5" x 19.5" x 1.75"	\$95.00	
					v
Phoenix 200 LCD evision	OdorKlenz-Air Cartridge 30% MERV-8	AR89 AC253	15.5" x 19.5" x 1.75" 15.75" x 15.75" x 1.75"	\$89.00 \$9.50	X X
Phoenix 200 LGR, original		AC258			^
Phoenix 300 LGR (AC239)	30% MERV-8		19.38" x 19.38" x 3.75"	\$20.50	
Phone in Archie Marc (A0044)	95% MERV-14	AC259	19.38" x 19.38" x 3.75"	\$80.00	
Phoenix Arctic Max (AC244)	65% MERV-11	AC255	15.5" x 19.5" x 1.75"	\$9.50	
Phoenix D385 Desiccant (AC240)	65% MERV-11	AC255	15.5" x 19.5" x 1.75"	\$9.50	
Phoenix Guardian HEPA (AC241)	Filter	AC263	24" x 24"	\$230.00	
	Carbon/Potassium, 7.5 lb.	AC264	23.5" x 23.5" x 1.75"	\$90.00	X
	Reusable Carbon Frame	AC265	-	\$131.00	
	Carbon/Potassium, 5 GL	AC266	-	\$93.00	
	Spun Polyester Pre-Filter	AC267	23.5" x 23.5" x 1"	\$3.25	X
	Polyester/Cotton Pre-Filter	AC268	23.5" x 23.5" x 1"	\$8.75	
	OdorKlenz-Air Cartridge	AR71	24" x 24" x 2"	\$236.50	X
	ProFinisher	AR79	24" x 24" x 2"	\$179.00	X
Phoenix Guardian R500 Pro HEPA (AC299)	Pleated Filter	AC299A	18" x 18" x 1"	\$7.00	
	HEPA Filter	AC299B	18" x 18" x 2"	\$99.00	
	Carbon/Potassium Filter	AC299C	18" x 18" x 1"	\$42.00	
Phoenix Firebird (AC242)	65% MERV-11	AC255	15.5" x 19.5" x 1.75"	\$9.50	
Phoenix Fury (AC293)	65% MERV-11	AC255	15.5" x 19.5" x 1.75"	\$9.50	
Phoenix Mini-Guardian HEPA (AC243)	30% MERV-8	AC253	15.75" x 15.75" x 1.75"	\$9.50	X
	Carbon/Potassium .05	AC261	15.5" x 15.5" x 1.75"	\$60.00	
	HEPA	AC271	14" x 24"	\$162.00	
	Carbon/Potassium, 7.5 lb.	AC264	23.5" x 23.5" x 1.75"	\$90.00	X
	Reusable Carbon Filter	AC273	16"x16"x2"	\$95.00	
	Polyester	AC274	23.5" x 23.5" x 1"	\$1.50	x
Phoenix R125 LGR (AC296), Phoenix R150 LGR (AC297), Phoenix R175 LGR (AC236) and Phoenix R200 LGR (AC230)	30% MERV-7	AC236A	12" x 12" x 1"	\$6.00	x
	65% MERV-11	AC236B	12" x 12" x 1"	\$19.00	х
	OdorKlenz-Air Cartridge	AR88	11.5" x 11.5" x 1"	\$59.00	Х





IDENTIFY and SET UP: SM (8" x 14") AC015 \$330.00

SM Carry Bag AC015A \$26.67

Water Claw Flood Tools

Water Claws are designed for quick and easy water extraction in preparation for the final drying process. The Water Claw's speed, performance and profitability in doing most flood jobs WITHOUT removing carpet and pad has been proven on thousands of extraction jobs. The Water Claw can also be used to quickly evacuate black water floods allowing you to more easily remove and carry out carpet and pad. The technician simply steps on the Water Claw, allowing it to remove incredible amounts of water all the way to the subfloor, pulls the handle back to break the suction and repositions the unit, a process that takes about six seconds!

■ MED (10" x 17") AC016 \$412.00 ■ MED Carry Bag AC016A \$31.12 ■ LG (12" x 21") AC018 \$495.00 ■ LG Carry Bag AC018A \$35.56



FlashXtractor Flood Tool

The FlashXtractor removes up to 35% more water than competitive tools in controlled tests. The simple design, spring loaded handle and light weight reduces operator fatigue. The telescoping handle and seven different height positions make it ideal for a person of any height. Designed with efficiency and durability in mind, the FlashXtractor introduces some of the most cutting edge technologies available in mold production. The FlashXtractor can easily withstand having a GMC Extended Cab truck drive over the top of it. The FlashXtractor comes with a 2 Year Comprehensive Warranty.

#AC005 \$297.00

Water



Xactimate Code WTR EXTW



FlashSpotter Spotting Extraction Tool

If you are looking for a way to effectively remove more spots and stains and eliminate spotting wick-back, the Water Claw FlashSpotter will transform the way you deal with problem spots and spills. The FlashSpotter is ideal for dealing with pet urine, large liquid spills, soap residues, food spills and more. It allows for sub-surface extraction from the carpet pad up, allowing you to use greater quantities of your favorite spotter or pet odor solution when required to rectify the problem area.

馬 AC004 \$119.95

Water Claw Spot Lifter

Patented #6513192B1

The Water Claw Spot Lifter offers results never before seen for the complete removal of spills and odors in carpet, carpet backing and the pad. Ideal for pet urine (or on large spills of any kind such as soda pop, soap residues, food spills, etc.), simply use large volumes of your favorite pet odor treatment and then completely flush out the chemical along with the contaminant from the carpet and the pad, without disengaging the carpet!

馬 AC012 \$139.95

Wet Vacuum Tool

Remove water from hard floors. This heavy duty S-wand creates a firm seal even on irregular floor surfaces to remove water and leave flooring practically dry. Fits $1\frac{1}{2}$ " hose cuff.

➡ Wet Vacuum Tool AX10 \$132.95 ➡ Squeegee Blades (2) AX10B \$9.99

> AX10 Xactimate Code WTR EXTH

www.interlinksupply.com





Xactimate Code WTR EXTW



WTR EXTW

PHOENIX Hydro-X Xtreme Xtractor and Vacuum Pac

The key to faster drying is getting as much water out of the structure as possible-while it's in liquid form! The Hydro-X Xtreme Xtractor is a "ride on" extraction tool with a patented suction roller that provides both suction AND compression to remove astounding amounts of water on both forward and reverse passes.

That's why it removes so much more water than other tools and gualifies for "special extraction tool" rates up to three times higher than regular extraction tools!

One technician can operate the steerable, selfpropelled, variable speed unit and extract a

1,200 square foot structure with carpet and pad in under 2 hours!

The Hydro-X Xtreme Xtractor can be used with portable and truck mount extractors. But, for best results, add a Hydro-X Vacuum Pac to the Xtreme Xtractor to outperform the suction of the biggest truck mounts at a fraction of the cost. Plus, the Vacuum Pac can be hand carried anywhere in the structure and can even be used separate from the Xtreme Xtractor with other extraction tools, such as standard wands, Water Claws, etc.

Hydro-X AC231 \$3599.00 Vacuum Pac AC233 \$3599.00 Hydro-X Suction Chamber Cover (allows use of wand, Water Claw or Flash Xtractor) **AC234** \$71.00

Call for quantity pricing.



DRIEAZ **Rover High Volume Extractor**

The Dri-Eaz Rover is a high volume "ride-on" extractor that provides outstanding water extraction ability from all carpet types because of its revolutionary vacuum/compression hybrid design. It works as well on padded residential carpet as it does low profile glue down or uneven looped pile carpet.

The Rover's intuitive joystick makes it easy to move the unit forward, backward, around tight corners, even in a 360-degree circle. The extraction head features a wider path for 15% more coverage than the competition and a replaceable polymer glide makes every pass easier. Not only is it amazingly easy to use but independent tests show that the Rover is the most effective water removal unit of its kind! So easy to use your crews won't want to use anything else!

NEW HVE 3000 Portable Flood Pumper and Inline Truckmount Booster

Robust, durable and powerful, the HVE 3000 flood pumper lets you remove water from flooded structures guickly and effectively. Designed with robust restoration features, the unit can also be

used as an inline pumpout to boost truckmount performance on long hose runs, enhancing your



Interlink Financial will finance all of your restoration equipment. www.InterlinkFinancialServices.com

AC608 \$3709.00 Call for quantity pricing.

RESTORATION





homes.

access to difficult-to-reach areas and accelerating your production. Pair the HVE 3000 with the Rover HVE, a wand, or other manual extraction tool and use to remove excess water in large or multi-level units like apartments, hotels, schools, hospitals, factories, offices, and large residential

AC614 \$2995.00 HEPA Filter (4-pack) AC614A \$70.00



220 Water Extraction



Super Pump-Out

The Super Pump-Out system bypasses your truckmount or portable's waste tank to discharge flood and waste water to a sanitary sewer on site. You can eliminate shut-downs to empty your waste tank when performing flood extraction and may never empty your waste tank again! Place the unit in-line between your extractor and the wand. Waste water enters the unit where it is filtered and then pumped out. The heavy duty, high volume pump is capable of 90 GPM and the flow control valve lets you manage the amount of water entering the waste tank.

AC12F \$2849.00



The Pumpout V115 HYDRO-FORCE

Pre-Filter and Pump Waste Water Wherever You Want It! Now you can set up The Pumpout V115 on every job to pre-filter and pump waste water wherever you want it. You set up The Pumpout V115 in-line with your vacuum hoses. Waste water is pre-filtered and then ejected via garden hose directly to a toilet or other sanitary sewer. This means you never have to go out to the truck to clean filters or empty your waste tank!

The Pumpout V115 operates on household current and is dual wand capable. It is made of durable aluminum and comes with a carrying handle. The ejector pump will work as long and hard as you do-you can't overwhelm it! It also makes an outstanding pumpout for flood restoration.

AC12H \$1095.00



RESTORATION

Titan H2O



Specifically built to extract water, the newest member of the Titan family, the Titan H2O, is a specialist in its field. HydraMaster has designed this machine exclusively for the professional water damage restoration contractor. It has everything you need to remove water in a hurry, but it's 75% easier to operate than a traditional truckmount and requires 50% less maintenance. The Titan H2O has the power you need for major flood work and water removal in a hurry. With a liquid-cooled 32.5HP engine and over 400 cfm, there's more than enough power to handle extra-long hose reaches, dual wands and achieve quick drying.

MH63 \$16,335.00



Big Gulp Truckmount Flood Extractor



Simplify high-powered flood extraction with the truckmount built just for flood extraction - no solution lines or controls to worry about, just easy-to-monitor gauges and simple controls.

- Simple, push-button operation
- Reliable 35 HP Briggs and Stratton commercial engine delivers top performance and low maintenance
- Time-tested Gardner Denver 410 Trilobe blower produces 16" Hg and 600 CFM
- Dual 2.5-inch vacuum ports with full power to support dual-wand extraction
- Huge 120-gal. stainless steel waste recovery tank
- Convenient auto pumpout option provides 50 GPM waste disposal
- · Best warranty in the industry 2 years parts and labor

Big Gulp 4500 (rectangle tank) MD03 \$17,365.00 Round Tank also available.

Big Gulp 3500 MSBG3500A \$15,595.00

Water Extraction 221



MD02 \$3140.58



Flood King: The Portable Solution For Water Restoration Jobs

This innovative design has increased the efficiency of the airflow by top mounting dual 3-stage vacuums, eliminating restricted airflow. Powerful, yet efficient, the Flood King provides exceptional water recovery while only drawing 13 Amps on a single power cord. Dual dump pumps continuously remove waste water at 10.5 gallons per minute through a standard size garden hose, increasing your productivity.

U.S. PRODUCTS

Floor and Wall Drying Systems



TurboVent® 48 - InterAir Drying System

Dry walls with the power of a Sahara HD or previous Sahara Pro-HP TurboDryer®. Attach the TurboVent 48 directly to the snout to deliver a 48" wide column of air. Ideal for drying wet wall and ceiling cavities.

Complete system includes:

- 1 One 48" TurboVent
- 1 One 24" Shock Cord w/hook ends

AC69D \$215.00





Xactimate Code WTR WALLD

TurboVent® - InterAir Drying System

Attach the TurboVent to your Sahara HD or previous Sahara Pro-HP TurboDryer and force air into difficult-to-dry areas like cabinets, cupboards and walls.

Complete system includes:

- 1 Snout Adapter Assembly
- 1 50-ft Length of 4" Vinyl Ducting
- 3 Mini TurboVents
- 5 Vinyl Duct Caps
- 9 Metal Duct Clamps
- 1 Wheeled Duffel Bag

AC69A \$510.00

Sto & Go Vortex Ducting

Protect, store and transport with ease. Twenty-five feet of collapsible 12-inch ducting with a built-in protective case. Connect one or more sections of ducting to the Vortex Axial air mover for powerful ventilation. Packs into a convenient carry case.

AC73B \$289.00



TurboDuct - Fits All Dryers

Ventilate or dry confined spaces like closets, crawlspaces or attics with the TurboDuct. Attach the TurboDuct to the snout of a Sahara HD or previous Sahara Pro-HP for 15 feet of 10" diameter ducting.

AC69B \$370.00









UNIVERSAL FIT. Easily attaches to an air mover or E-TES.

NEW Flexidry Wall Cavity Dryer

The all NEW Flexidry makes it faster and easier to dry wall cavities. The Flexidry comes with eight reinforced openings that are spaced 16" apart to match stud cavities. The 3/4" hose barbs and rubber hoses are user replaceable and can be customized to fit the particular drying situation. Multiple Flexidry units can be attached together for long runs down hallways or long walls. The Flexidry can even bend around corners. The universal cinch-tight opening will accept any centrifugal air mover or E-TES/TEX box. The cinchtight opening uses industrial Velcro straps to cinch around the air mover opening, reducing airflow loss and keeping the Flexidry firmly locked in place. Comes with a convenient carry bag for storage and transportation.

Xactimate Code WTR WALLD





Injectidry Adaptidry

The Adaptidry simultaneously disperses intense drying power to multiple areas in a room through its multi-vent system. It creates more pressure or vacuum within walls without drilling holes, making it more effective than other vent systems. Fits 12", 14", 16" and 18" duct rings.

5-Port Adaptor Kit AC8335 \$599.95

Xactimate Code WTR WALLD

9-Port Adaptor Kit AC8337 \$800.00 5-Port Adaptor Housing Only AC8339 \$170.00 9-Port Adaptor Housing Only AC8341 \$190.00



Injectidry Wall Vent

For use with Injectidry's Adaptidry system. Different sizes for customizing configuration.

> 1 Foot Wall Vent AC8347 \$69.00 2 Foot Wall Vent AC8349 \$79.00 4 Foot Wall Vent AC8351 \$99.00

Injectidry 4" Y Ducting

Used to add additional Wall Vents when needed. AC8353 \$15.00



Direct-It In System

Simply place on the snout of any snail type air mover to blow air into spaces that need drying, like under cabinets. Sets up in minutes. Includes 150' of hose line, adapters to fit holes as small as 5/8", (17) 5/8" wall penetrators and (17) hose cuffs.

Xactimate Code WTR WALLD

Complete System AC8357 \$449.00



Direct-It In Air Mover Adapter

The Direct-It In is placed on the snout of air movers to blow air into spaces that need drying. It attaches to any standard air mover for positive use. The best system for drying under cabinets, and sets up in minutes. Adapter only.



Silencer

The Silencer is made of ABS plastic and quiets the drying system by about 25%. It takes some of the impeller noise out in addition to attenuating the air rush sound. Attaches to the 2 in. OUT trunkline and sets up in seconds. The Silencer attaches to either the main AIR IN or AIR OUT Hoses.

AC8309 \$100.00

AC8359 \$295.00



Xactimate Code WTR WALLD

Direct-It Universal Air Mover Adapter

The Direct-It is newly designed to adapt axial fans, air scrubbers, etc. Adapts to equipment with 12", 14", 16" and 18" duct rings for either positive or negative drying! Includes 150' of hose line, adapters to fit holes as small as 5/8", (17) 5/8" wall penetrators and (17) hose cuffs.

Complete System AC8361 \$395.00



Direct-It Air Mover Adapter

The Direct-It is newly designed to adapt axial fans, air scrubbers, etc. Adapts to equipment with 12, 14, 16, 18 inch duct rings for either positive or negative drying! Adapter only.



Xactimate Code AC8363 \$295.00



Direct-It In Hoseline

WTR WALLD

Spare or replacement Direct-It In 1 1/4" hoseline. 50 feet.

AC8367 \$150.00





The Interceptor In-line HEPA Filtering System

Provide HEPA filtration to air going into or coming out from beneath cabinets, walls, ceilings and floors. Only by processing all air negatively can a HEPA system be achieved. All air is processed before going through the blower in either negative or positive drying modes, thus never contaminating equipment.

AC8303 \$400.00 Replacement HEPA Filters AC8305 \$100.00




Protect your Injectidry by preventing bulk water from passing through it when drying in a negative mode. Collects hidden bulk water that may be trapped in ceilings, walls, floors, or cabinets that you are drying. Features built-in anti-collapse ring.

AC8307 \$130.00

Floor and Wall Drying Systems 223



Xactimate Code WTR WALLD



AirWolf Air Mover AC600 \$609.00

OmniDry Wall and Cavity Drying System

The OmniDry Wall and Cavity Drying System uses pressurized air to make drying wall cavities and tough to dry areas easier and less frustrating than ever before! This tool allows you to easily direct air to the most difficult places; hard-to-reach areas like wall cavities, behind cabinets and sinks and around built-in furniture like bookshelves.

The 21 air outlets are what make this drying system so effective. All you have to do is bore 1/2 inch holes where you need them to begin drying. And the on board "plug-off"

Mat System to "push/pull" dry hardwoods


for the fastest and most thorough drying.

The AirWolf/WolfPack can dry out a

system allows you to only direct air out of the outlets you need, so all of the air goes exactly where you want it. This lightweight, highly portable system will save money, time and headaches!

Features:

- · Lightweight, Compact and Stackable
- · Fast Setup, Easy to Use
- 21 Outlets for More Drying Capacity
- On Board "Plug Off" System
- Delivers Warm Air for Better Drying



drying fast from beneath, the AirWolf/ WolfPack system can help reduce or eliminate cupping and associated refinishing costs. This means no sanding! Now that's a valuable service to offer your customers.

DRIEAZ

- Up to 800 CFM and 7.75" of Static Pressure
- Powerful 1.0 HP Motor
- Stack the AirWolf for Storage • Carrying Case Included for WolfPack
- Attachments

DRIEAZ



hardwood floor in as little as 3 days! By **WolfPack Attachments**

Designed specifically for hardwood flooring, this specialty tool/equipment pack includes: (3) TurboVents, (4) Ducts 2.5'x4", (1) Duct w/AirWolf Boot 4'x 4", (1) T-Joint 4" x 4" x 4", (1) Coupling 4" x 4", (6) L-Channel Diverters, (1) Dehumidifier Inlet Adapter, (2) Metal Duct Clamps, (1) Poly Foam Gasket 10 ft, and Wheeled Duffel Bag.

WolfPack Attachments AC602 \$619.00



DRIEA

DriForce InterAir Drying System

The DriForce dries walls without damage by forcing high-pressure air into the wet cavities for drying with minimal demolition. You only need to make tiny 1/4-inch holes at baseboard level to introduce 60 inches of static pressure from the DriForce! It's perfect for hard-to-reach areas like behind cabinets, tubs, under stairwells, etc.

Xactimate Code WTR WALLD

www.interlinksupply.com

Features:

- Force Air In or Vacuum Air Out
- Dry Up to 90 Linear Feet of Wall
- Up to 60 Inches of Static Pressure!
- Averages Just 3 Amps
- Complete System
- · Fits In Two Wheeled Duffels for Easy Transport

DriForce System AC58 \$2110.00 DriForce Accessory Kit AC583 \$900.00 **HEPA Filter AC57 \$399.00**

Injectidry Products... The ability to dry almost anything.



HP60...HP PLUS.. WALL AND CEILING... FLOOR DRYING PACKAGES... ACCESSORIES

TEMPORARY ELECTRICAL BOXES





AIRMOVER...SCRUBBER ADAPTERS

GANN MOISTURE METERS







1-800-257-0797



www.injectidry.com

Floor and Wall Drying Systems





Air Mover and DriForce Sold Separately





Dry out water-damaged hardwoods from above and save thousands compared to removal and replacement! The Rescue Mat System uses the power of a high-pressure blower like the DriForce to create negative pressure to vacuum water vapor right through and around the cracks surrounding the floorboards for a faster, more thorough, drying.

- Set Includes 4, 46" x 30" and 2, 23" x 30" Mats
- Setup is Fast and Simple with Just One Hose Connection per Mat
- Two Separate Sizes for Mix-and-Match Versatility
- Gasket-Edge Provides a Powerful Seal
- Complete System with Rescue Mats, Hoses, Connectors, etc. AC581 \$609.00 Rescue Mats Only AC582 \$439.00 Reservation Tape AC8399 \$11.99



Injectidry HP60i - Wall and Ceiling Drying Package

The ultimate hidden moisture drying system, the Injectidry HP60i specifically targets high risk areas of hidden moisture such as walls and ceilings, even those coated with watertight finishes like PVA paint and vinyl wallpaper coverings, double-sheeted fire walls, party walls, sound barriers, insulation, walls behind cabinets and fixtures, under staircases and floors. Uses a truly industrial Regenerative Blower that forces air into wall cavities under pressure, drying walls faster than ever before from the inside out.

Xactimate Code WTR WALLD MI20 \$3095.95 Injectidry HP60 Blower MI24 \$1995.00 Wall & Ceiling Pkg Only AC8306 \$895.00



Injectidry HP60FDP - Floor Drying Package

You can restore, rather than replace, expensive hardwood floors with the Injectidry Floor Drying System. The heart of the system is the truly industrial Regenerative Blower that can deliver the pressures required to draw moisture from hardwood floors. Set-up is extremely quick, easy, efficient and, most of all, effective! You'll save your customers thousands and demonstrate your level of competence and professionalism to adjusters. Comes with everything you need to dry hardwood floors.

Xactimate Code WTR WFI MI22 \$3396.00 HP60 Blower MI24 \$1995.00



NEW Injectidry HP-Plus-01 - Wall and Ceiling Package

The new, significantly quieter and 20% more efficient HP-PLUS (industrial regenerative 3P blower works on any standard household 115V 15A circuit). Configured in Wall, Ceiling & Cabinet Drying package. Drying capacity of 122 Lb FT as packaged.

Xactimate Code WTR WALLD Injectidry HP Plus Wall and Ceiling MI26 \$3395.00 Injectidry HP Plus Base Unit MI30 \$2295.00 Wall and Ceiling Package Only AC8306 \$895.00



NEW Injectidry HP-Plus-FDP -Floor Drying Package

The new, significantly quieter & 20% more efficient HP-PLUS. This system utilizes an industrial regenerative 3-phase blower on any standard household 115V - 15A circuit with VFD technology. Configured in Floor Drying Package.

Xactimate Code WTR WFI Injectidry HP Plus Floor Drying MI28 \$3695.00 Injectidry HP Plus Base Unit MI30 \$2295.00



DIRECTED HEAT DRYING GIVES YOU HOT AIR WHERE YOU NEED IT

We all know that heat rises. That is why we focus heat to the areas that need it and not to the areas that don't. As you can see from the infrared photo of the drying scenario above. The heat stays contained against the wet wood floors. Drying hard wood floors faster will dramatically reduce the chance of replacing the floor. Even if the wood floor is cupping, heat will help the wood floor to get back to pre-loss condition.

GIVE YOUR CUSTOMER THE BEST CHANCE OF SAVING THEIR HOME.



86.7°F

FLIR

ORDER YOURS TODAY.

FLIR[®] is a trademark of FLIR Systems, Inc.

See pages 184-186





Floor and Wall Drying Systems 227



Quick Connect Manifold

Injectidry Quick Connect Manifold works with HP60 products.

PIQCM01 \$13.00



Tubing Connectors

3/8" × 3/8" Tubing Connectors. 100 per package.

PIRH07A \$54.00



Quick Connect Main Y

Injectidry Main Quick Connect Y works with Direct-It and HP60 products.

PIQCT02 \$36.00



Carry Bag

Heavy duty nylon constructed multipurpose bag. 41" x 29"

AC8377 \$29.00



Female Adapter

Adapter for connecting Injectidry hoses to your extraction unit. Remove as much water as possible before connecting the Injectridry blower.

AH67 \$10.99





Vac-It Panels

Vac-it Panels remove moisture trapped deeply in difficult to dry materials such as hardwood floors, headers and plaster walls. Simply tape around the edges of the panels, then hook up the tubes and hoses. (Taping the edges is the only way to ensure a consistently good seal and minimize the trip hazard). Can also be used with the Interceptor HEPA System when indoor air quality is a concern.

Multi-Port Panel, 46"x30" (Large or Small Hoses) 6/Pk AC8314 \$500.00 8 Point Panel (Use 8 Small Hoses only) 10/Pk AC8317 \$550.00 Variety Panel Kit ((1) 8 Point, (6) Multi-Port-U Panel, (1) Clear 2' x 2' (1) U-Kit AC8318 \$700.00 Panel U Shaped Kit AC8327 \$130.00 Vac-It Panels Clear Lrg Single AC8316 \$496.00 Preservation Tape (60 yds/180 ft) AC8399 \$11.99



Interlink Supply is your one stop for all instruments and meters. We have everything from pH meters to humidity/temperature meters and infrared cameras.

Learn more on pages 233-250.



www.interlinksupply.com





SureTest Circuit Analzyer

The SureTest Circuit Analyzer is a tool every restoration contractor should have. The proper operation of your restoration equipment relies on an adequate supply of electrical power. Overloaded circuits and tripped circuit breakers can waste valuable time in the restoration process. With the SureTest Circuit Analyzer you can check each outlet to determine the available voltage and amperage to be sure your equipment will operate properly and continue to operate until the job is completed.

AC128 \$306.81



Breaker Buddy II

Stop "experimenting" with finding separate circuits and avoid tripping breakers completely. Simply plug Breaker Buddy II into two separate outlets; green light indicates use of two separate circuits. Great for dual cord machines or when using separate electric heater.

AX68 \$69.74



Shockbuster

Protect yourself from electrocution in wet environments by making hazardous outlets safe. Insert Shockbuster into outlets where your equipment is plugged in and this GFCI adapter will instantly detect ground faults caused by current leakage and immediately shut off power.

AX126 \$17.80



Extension Cord

These 12-gauge, non-scuff black power cords meet all OSHA requirements. They are 3 conductor grounded and are safe for outdoor use. 15 amps, 125 volts, 1875 watts.

■ 25' AX32 \$29.61 ■ 50' AX33 \$52.15



Mini Power Center

This power center allows you to access your customer's 220 volt power supply to create two GFCI protected 20 amp circuits to run additional drying equipment. For indoor use only. Includes power cord. Adapters sold separately (next page).

AC8391 \$390.00





Electrical Converter - 3 and 4 Prong

The 4-Prong Electrical Converter helps save you time and money by stopping your hunt for two outlets on separate circuits. With the 4-Prong Electrical Converter, you simply plug into a single 230V, 30 amp outlet, and the converter splits a single outlet into two 115V outlets. This helps prevent circuit breaker blowouts and a time-consuming search for the breaker box.

II 3-1

3-Prong AC8298 \$98.99
 4-Prong AC8297 \$98.99

Electrical/Power Boxes



NEW G-Unit - Complete Kit

Includes 30 Amp, 240V Temporary Power Box, with Bag, Generator Adapter / Extension Cord 30Ft, and adapters for 4 Prong Dryer, 3 Prong Dryer, 4 Prong Range and 3 Prong Range. Only 28lbs for the entire kit.

Xactimate Code WTR POWD

AC8481 \$899.00 Range Adapter 4-wire AC8483 \$99.00 Range Adapter 3-wire AC8484 \$99.00 Dryer Adapter 4-wire AC8485 \$99.00

Dryer Adapter 3-wire AC8486 \$99.00 Power Cord/Generator Adapter AC8487 \$169.00 Air Conditioner Adapter* AC8489 \$99.00 Hardwire/Panel Adapter AC8491 \$99.00

➡ Yellow (cord not included) AC8393 \$562.00

*For use in hotels and apartments with 20amp 240V plugs - 32 usable amps @ 120V



Temporary Power Boxes

These power distribution centers allow you to tap into your customer's 240 volt power supply to provide up to six GFCI protected 20 amp circuits for your drying equipment. Lets you add up to 40 more air movers or 20 more LGRs! Adapters and cords sold separately.

Xactimate Code WTR POWD





4 Prong Dryer Adapter

30A w/ 50A Female Twist End, 2', 4 Wire. Use with: AC8391/ AC8393/AC8395.

AC8385 \$134.00



3 Prong Dryer Adapter

30A Dryer Adapter w/ 50A Female Twist End. Comes with separate 120V plug to establish around. For use with: AC8391/AC8393/ AC8395.

AC8387 \$180.00



4 Prong Range Adapter

50A w/ 50A Female Twist End. For use with: AC8391/AC8393/ AC8395.

AC8386 \$134.00



Stainless Steel, Heavy Duty Cage (cord not included) AC8395 \$700.00

3 Prong Range Adapter

50A w/ 50A Female Twist End. Comes with separate 120V plug to establish ground. For use with: AC8391/ AC8393/AC8395.



Power Cord

25', 6/3, 8/1 SOW Cord w/ 50A Female Twist End and Blank End for Hardwiring. For use with: AC8393/AC8395.

馬 25' AC8389 \$219.00 馬 50' AC8390 \$329.00 ■ AC8388 \$190.00 100' AC8392 \$566.91

DESCRIPTION	50 AMP 240 SS	50 AMP 240, YELLOW	G-UNIT COMPLETE PACKAGE	MINI POWER CENTER
Part Number	AC8395 (BOX ONLY) \$700.00	AC8393 (BOX ONLY) \$562.00	AC8493 (BOX w/CASE ONLY) \$399.00	AC8391 (BOX W/POWER CORD) \$390.00
Power Cord(s)	25ft -AC8389- \$219.00 50ft -AC8390- \$329.00 100ft -AC8392- \$566.91	25ft -AC8389- \$219.00 50ft -AC8390- \$329.00 100ft -AC8392- \$566.91	AC8487 - \$169.00 Included (30ft)	(Attached) Included (20ft)
3 Prong Dryer Adapter	AC8387 - \$180.00	AC8387 - \$180.00	AC8486- \$99.00 Included	AC8387 - \$180.00
4 Prong Dryer Adapter	AC8385 - \$134.00	AC8385 - \$134.00	AC8485- \$99.00 Included	AC8385 - \$134.00
3 Prong Range Adapter	AC8388 - \$190.00	AC8388 - \$190.00	AC8484- \$99.00 Included	AC8388 - \$190.00
4 Prong Range Adapter	AC8386 - \$134.00	AC8386 - \$134.00	AC8483- \$99.00 Included	AC8386 - \$134.00
Carrying Case	N/A	N/A	Included	N/A
Complete Package Price	\$1557.00 (w/25' cord)	\$1,419.00 (w/25' cord)	(AC8481 Complete Package) \$899.00	\$1,028.00
120v outlets	6	6	8	8
Weight - BOX ONLY	34 lbs	28 lbs	10 lbs	20 lbs (box and cord)
Weight - COMPLETE PACKAGE	64 lbs (w/25' cord)	58 lbs (w/25' cord)	28 lbs	33 lbs
U.L according to manufacturer	U.L. 1640 For U.S. and Canada	U.L. 1640 For U.S. and Canada	U.L. Listed for U.S. and Canada	U.L. Rated for indoor use.
Hardwire/Panel Adapter	N/A	N/A	AC8491- \$99.00 OPTIONAL	N/A
Plug type:	Max/Usable (80%)	Max/Usable (80%)	Max/Usable (80%)	Max/Usable (80%)
50 AMP 240v Range	100/80 AMPS @ 120v	100/80 AMPS @ 120v	60/48 AMPS @ 120v	40/32 AMPS @ 120v
40 AMP 240v Range	80/64 AMPS @ 120v	80/64 AMPS @ 120v	60/48 AMPS @ 120v	40/32 AMPS @ 120v
30 AMP 240v Dryer	60/48 AMPS @ 120v	60/48 AMPS @ 120v	60/48 AMPS @ 120v	40/32 AMPS @ 120v
20 AMP 240v AC unit	N/A	N/A	40/32 AMPS @ 120V w/AC8489 AC Adapter - \$99.00	N/A

230 Dry Vapor Odor Control





VAPORTEK SCS Clip and disk

Attach the SCS disk to a fan for instant, broad deodorization, or place in storage chambers to help deodorize contents! Works great with E-TES or TEX boxes!

SCS Clip (1 ea.) AR41C \$2.41
 SCS 3X Industrial Disk (1 ea.) AR41 \$3.67
 SCS - SOS Disk (1 ea.) AR41S \$3.67

EZ-Twist Refillable Odor Controller



The EZ-Twist is an adjustable odor neutralizer for small areas where quick, safe and long-lasting deodorization is desired. Designed for spaces up to 2,000 cubic feet, the EZ-Twist dispenses a natural, deodorizing dry vapor through the use of unique, replaceable element technology. Sold in packs of 12.

VAPGRTEK

 EZ-Twist Black Housing AR43B
 \$36.00

 EZ-Twist Ivory Housing AR43I
 \$36.00

 EZ-Disk Classic Neutral AR43-00
 \$30.00

 EZ-Disk Classic Neutral AR43-05
 \$30.00

 EZ-Disk Cedar AR43-06
 \$30.00

 EZ-Disk Cedar AR43-06
 \$30.00

 EZ-Disk Cedar AR43-06
 \$30.00

 EZ-Disk Potpourri AR43-10
 \$30.00

 EZ-Disk Orchard AR43-20
 \$30.00

 EZ-Disk Orchard AR43-20
 \$30.00

 EZ-Disk Forest AR43-25
 \$30.00

 EZ-Disk Herbal AR43-30
 \$30.00

 EZ-Disk Winter AR43-35
 \$30.00

 EZ-Disk Cherry
 AR43-40
 \$30.00

 EZ-Disk Vanilla
 AR43-45
 \$30.00

 EZ-Disk Lavender
 AR43-50
 \$30.00

 EZ-Disk Lavender
 AR43-55
 \$30.00

 EZ-Disk Mint
 AR43-65
 \$30.00

 EZ-Disk Cirnnamon
 AR43-65
 \$30.00

 EZ-Disk Citronella
 AR43-70
 \$30.00

 EZ-Disk Meadow
 AR43-75
 \$30.00

 EZ-Disk Ocean
 AR43-80
 \$30.00

 EZ-Disk S.O.S.
 AR43-85
 \$30.00

 EZ-Disk Currant
 AR43-90
 \$30.00

 EZ-Disk Linen
 AR43-90
 \$30.00

AR39S



Heavy Duty Stand Alone Cartridge

Place this unit in an air duct or in front of a carpet dryer and allow the air flow to carry the vapors to a large area. It contains an odor-neutralizing industrial membrane capable of treating areas up to 20,000 cubic feet. Rotating end caps can be adjusted to give exactly the right output. When treatment is complete, rotate end caps closed to conserve for later use.

3X Industrial - 270 hours usage AR46 \$80.00
 S.O.S. (Smoke Odor Solutions) AR46S \$80.00
 Cartridge Stand/Stabilizer AR46A \$11.00



Optimum 4000/Restorator Cartridges

Fits Restorator and Optimum 4000. Good for 270 hours usage.

Neutral Cartridge AR48A \$70.00
 Berry Cartridge AR48B \$70.00
 Lemon Cartridge AR48C \$70.00
 Orchard Cartridge AR48D \$70.00
 Forest Cartridge AR48E \$70.00
 Cinnamon Cartridge AR48F \$70.00
 Lavendar Cartridge AR48G \$70.00



Restorator

The compact Restorator is an ideal unit for deodorizing without the hazards of thermal fogging or ozone treatment. Unlike ozone and fogging treatments, the Restorator uses non-toxic essential oils and neutralizing compounds and can even be used in occupied structures! The Restorator is a perfect unit for homes, vehicles and areas up to 20,000 cubic feet. Simply install a cartridge and turn it on. Cartridges are rated for up to 270 hours of service. Also uses Optimum 4000 Cartridges.

Restoration Machine AR38 \$270.00 eutral Cartridge AR48A \$70.00 SOS Cartridge, Ideal for fires and tobacco AR39S \$76.00 Berry Cartridge AR48B \$70.00 SOS Cartridge, Ideal for fires and tobacco AR39S \$76.00

> Xactimate Code CLN DODRMEM

> > Visit our showroom or call in an order. See cover for information.

www.interlinksupply.com

VAPORTEK Simple Solutions for Tough Odors

Proven Odor Elimination!

Vaportek technology provides safe, effective treatment for all types of odors confronted by cleaning/restoration professionals.









VaporShark

Restorator



YOU <u>WON'T</u> SEE WARNINGS LIKE THESE ABOUT VAPORTEK PRODUCTS!

Ozone Deodorization:

- Only qualified, trained employees should be involved in the setup of an ozone treatment or in the ventilating and testing that ensures reduction to safe levels before the structure is reoccupied.
- Brief insured about ozone characteristics and the importance of not exposing people or animals to the high levels of ozone present during treatment.
- Place appropriate safety signs on all entry points. Make sure that people, animals (especially birds and possibly fish) are removed from the airspace to be treated. Certain types of plants may be "burned" by ozone. Natural rubber is damaged by ozone.
- Use of ozone in an overly damp environment can cause the formation of hydrogen peroxide and resultant bleaching of sensitive textiles or leathers.
- When re-entering structure, wear a properly maintained NIOSH-approved Organic Vapor Respirator. Turn off or unplug ozone generator and leave structure for 10-15 minutes...
- Re-enter structure (wearing OV respirator), open all possible doors and windows and ventilate thoroughly for a minimum of 30-60 minutes. Use fans and other equipment to ensure rapid and turbulent air movement during the ventilation process...

Thermal Fogging:

- Be sure to evacuate the area prior to fogging.
- Application personnel should wear respiratory protection.
- All fires, open flames and similar sources of ignition shall be eliminated from the space utilizing flammable fumigants...when utilizing flammable fumigants, electricity shall be shut off except circulating fans may be used provided such equipment does not create an ignition hazard.
- It is imperative to inform the fire department or other local authorities before fogging; as the extremely small particles and smoke-like appearance of the escaping fog might result in panic in the area, and the summoning of the fire department needlessly.
- Post "Danger" signs after fogging to meet legal requirements, reduce the risk of injury, and provide emergency information, phone numbers, etc...

TREAT ATMOSPHERE, CONTENTS & STRUCTURE SIMULTANEOUSLY

Vaportek's unique odor-control systems employ proprietary compounds of select natural oils that are hermetically sealed into specially formed membranes. The membranes permit the oils to breathe through the surface of the envelope, allowing a safe "dry vapor" to be diffused into the air.

When the molecules of the Vaportek compounds volatize into the air, they react with the odor-producing elements of the odorous molecules, neutralizing or making them inactive by their interaction. With its high mobility in air and the ability to penetrate porous substances such as wallboard, wood, carpeting, cement, insulation and other surfaces, the "dry vapor" technology is able to permanently neutralize imbedded odors.

VAPORTEK...the #1 choice! TRY US FIRST...WE'RE ALL YOU'LL NEED.

- No evacuation of people, pets or plants necessary during treatment.
- No respirators, special equipment or training necessary to operate.
- Does not harm textiles or remove pigment from leather.
- Does not cause oxidation.
- Does not decompose or disintegrate rubber and rubber-based fabrics and materials.
- ✓ Does not introduce moisture into the area.
- No danger of combustion.
- ✓ No potentially dangerous re-entry or recovery period.



Vaportek's products comply with the current global emphasis on protecting our environment:

"Environmentally preferable products and services have a lesser or reduced effect on human health and the environment when compared to other products and services that serve the same purpose."

The compact, easy-to-use "dry vapor" systems were originally developed for use in the healthcare industry and, since 1979, continue to provide proven, "Simple Solutions for Tough Odors" in a variety of markets — including janitorial, bioremediation, disaster recovery, automotive, pet, hospitality and more!

Environmentally Preferable Odor Control!

Dry Vapor Odor Control





The Vapor Shark provides immediate relief and can be used in occupied structures! The Vapor Shark uses natural, nontoxic essential oils and neutralizing compounds in patented membrane cartridges that breathe a penetrating dry vapor into the air to destroy odors. They will not harm people, plants or animals or affect fabrics or other materials!

Vapor Shark - Treats up to 50,000 cubic feet AR49 \$678.00 Industrial Membrane AR49M \$41.00 SOS Membrane, ideal for fires and tobacco AR49S \$41.00 Lemon Membrane (use with 3X Industrial) AR49L \$41.00 Vaporshark Combo W/5 3X Mem AR49-COMBO-3X \$846.00



For treating large areas, the Portable Industrial holds up to 10 odor-neutralizing industrial membranes and treats areas up to 200,000 cubic feet! Ideal for large scale odor problems.

Portable Industrial Unit AR42 \$1380.00 Membrane. Industrial - 270-1080 hours AR44 \$67.00 Membrane, Lemon - 270-1080 hours AR44L \$67.00 Membrane, S.O.S. - 270-1080 hours AR44S \$67.00

Odorklenz-Air® Cartridges

OdorKlenz-Air[®]

OdorKlenz-Air is a revolutionary, non-invasive, odor restoration process that can rapidly restore a property that has odor issues caused by fire, flood, trauma, or more to a workable and livable environment. OdorKlenz-Air can be immediately deployed in portable air scrubbers and dehumidifiers to begin cleaning the environment. OdorKlenz-Air is the most environmentally friendly odor process available. It removes and destructively absorbs the airborne odor-causing molecules without releasing chemicals into the air like hydroxyl, ozone, spraying or thermal fogging processes.

OdorKlenz-Air® ProFinisher can be installed into portable air scrubbers and deployed on jobsites negatively impacted by odors created by the reconstruction or refinishing process including: painting, cleaning, abatement, etc. Based on the technology behind the original OdorKlenz-Air Cartridge (used for the mitigation of odors caused by fires, trauma, and water damage), OdorKlenz-Air ProFinisher has its own unique blend of active components specially designed to target chemicals and odors associated with refinishing projects. OdorKlenz-Air ProFinisher does not release any chemicals, masking agents, or reaction products to the environment.

OdorKlenz-Air® Dehumidifier Cartridges can now be installed into dehumidifiers and deployed on jobsites negatively impacted by odors caused by flooding and water loss. OdorKlenz-Air helps remove odors and corrosive gasses associated with water

restoration jobs sites. The number of chemicals and pollutants in the air after a flood, sewage back-up, or water loss can be substantial and unsafe. Setting up the system at the beginning of the job will drastically cleaning and restoration easier.

Solution Contraction and Contraction and Contraction C Solution Cartridge 24"x24"x2" (use with AC241) AR71 \$236.50 ProFinisher 16"x16"x1" (use with AC35, AC225) AR78 \$99.00 ProFinisher 24"x24"x2" (use with AC241) AR79 \$179.00 ▶ Dehumidifiers 10"x11"x1" (use with AC52) AR83 \$59.00 **IDENTIFY and SET UP: IDENTIFY and SET UP: Set UP: Non-Addition and Set UP: Non-Addition a** improve the environment and make Is Dehumidifiers 11.5"x11.5"x1" (use with AC296, AC297, AC236, AC230) AR88 \$59.00 Dehumidifiers 15.5"x19.5"x1.75" (use with AC235, AC237, AC291) AR89 \$89.00 Cartridge for Phoenix Guardian R500 - coming soon.

Fogging and Ozone





A) Puremist Wet Fogger

Designed to apply water-based deodorizers and disinfectants (that are EPA approved for fogging) for both open area and sub-surface applications. You control the settings for very fine particle sizes ideal for deodorizing and disinfecting or heavier particle sizes for duct sealing or applications where heavy wetting is desired. Variable output of 0 to 18 oz. per minute, adjustable flow control valve, flexible 32' directional hose and a poly supply tank.

AS40 \$388.03

B) Electric Hot Fogger

The electric Hot Fogger creates a dry fog, similar in particulate size to the smoke created by fire, and small enough to penetrate residual smoke molecules. This dry fog follows the path of smoke, neutralizing odor as it goes. Can be used as a solvent sprayer by simply removing the heating barrel. Comes with a durable aluminum solution tank.

AS42 \$235.80

Hydro-Zone Ozone

Generator

This compact ozone

generator delivers 2.65

grams/hour for ozone



AS31 \$1146.48

concentrations of 7.95 PPM and is effective for eliminating smoke and other difficult odors in areas up to 40,000 cubic feet! It uses high-density ceramic and stainless steel electrodes to produce ozone so there are no plates or UV tubes to maintain. Plus, the Hydro-Zone has a 30-hour programmable timer, power supply overload protection and is tested and proven to maintain proper ozone levels!

Warning Sign - Ozone

Make sure that premises remain vacant when ozone is in use and protect yourself from liability. 50 pack.

LM78 \$7.95



Model 115A AS34 \$948.82 Odors from smoke damaged 330A Sonozaire AS35 \$1631.16 630A Sonozaire AS36 \$2141.75



Sonozaire Ozone Generators

By generating a stream of odordestroying ozone from the oxygen in the air, the Sonozaire units convert smoke odors into harmless, odorless CO2 and water vapor.

Model 5G AS37 \$1350.00 carpets, etc. are banished forever as the odor molecules are actually destroyed! Then, the unused ozone simply reverts back to ordinary oxygen, leaving no perfume or unpleasant fragrance behind. The Model 115A generates 2 grams/ hour while the Model 5G generates 5 grams/hour, making it ideal for really tough jobs.





C) Electro-Gen 2000 Fogger

PRORESTORE

233

The Electro-Gen 2000 was designed with safety and performance in mind. It uses water based Unsmoke Thermo 2000 formulations, a safer alternative to petroleum based products. The Electro-Gen 2000 is equipped with a thermostat controlled temperature sensor. The sensor reduces the risk of operator error and 'droplet fallout' during fogging operations by disabling the fog switch until proper operating temperature is reached. The Electro-Gen 2000 delivers over 7,000 Cubic feet of fog per minute.

AS46 \$410.02

D) Hydroxyl Titan Generator

The 365nm to 385nm UVA Rays emitted from Titan's TiO² Photocatalytic Lamps pass through a Permanent Anatase TiO² Coated Super Reactor Screen which is designed to hold the maximum amount of highly reactive nano sized anatase titanium dioxide, and as a result, electron hole pairs are formed that react with H²O and O² in the air and produce free electrons and hydroxyl radicals that when dispersed by the fan will decompose organic and inorganic gases and air pollutants into carbon dioxide and water.

AS47 \$1384.00

CATEGORY	ITEM NUMBER	DESCRIPTION	DATA LOGGING	AIR TEMPERATURE (°F)	RELATIVE HUMIDITY	DEW POINT	GRAINS PER POUND (GPP)	SURFACE TEMP (IR)	SURFACE TEMP (CONTACT)	MOISTURE SENSOR	PINLESS (WME%/ Relative) depth of Sensing (inches)	PIN-TYPE (WME%/ RELATIVE)	DRYWALL SCALE	INFRARED CAMERA	POWER SENSING	POWER CONTROL	PRICE
	AC117	DATALOGGER TEMP & HUM W/ USB	1	-40°-158°	0-100%	1	OPT										\$89.99
	AC1217	DATALOGGER W/DISPLAY TEMP/RH	1	-40°-158°	0-100%												\$139.99
	AC1211	HYGRO-THERMOMETER BIG DIGIT		14°-140°	10-85%												\$42.99
	AC28	HYGRO-THERMOMETER PEN		14°-122°	10-90%												\$79.99
S	AC113	HYGRO PRECISON PSYCHROMETER		-22°-199°	0-100%	1											\$199.99
Thermo-Hygrometers	AC114	PSYCHROMETER		-22°-199°	0-100%	1	1										\$359.99
gron	AC121	PSYCHROMETER + 30:1 IR		14°-140°	0-100%	1		1	1								\$269.99
Ă,	AC1213	PSYCHROMETER+IRTHERMOMETER GPP		14°-140°	0-100%	1	1	1	1								\$369.99
Ê	AC617	HYGROMETER PSYCLONE		32°-180°	0-100%	1	1		OPT								\$462.00
The	AC8228	HT-3000		-4°-158°	0-100%	1	1										\$301.00
	AC8230	HT-4000		-40°-255°	0-100%	1	1										\$495.00
	AC279	THERMO HYGROMETER HUMIPORT 05		-4°-122°	5-95%	1	1										\$335.00
	AC278	THERMO HYGROMETER HUMIPORT 10		-4°-122°	0-95%	1	1										\$355.00
	AC277	THERMO HYGROMETER HUMIPORT 20		-4°-122°	0-95%	1	1										\$485.00
	AC792	MOISTURE TEST TOOL		==		-	-			1							\$18.50
ure	AC71	WETCHEC MOISTURE METER								1							\$29.90
Moisture Sensors	AC61	HYDROSENSOR I								1							\$185.00
Σø	AC60	HYDROSENSOR II LARGE								1							\$215.00
	AC123	MOISTURE METER, PINLESS									0-99% 3/4"						\$149.99
s	AC1223	METER PINLESS MO257									0.0-100.0 3/4"-1.5"						\$209.99
Pinless	AC8223	TECHSCAN									5-30%/0-100 3/4"						\$375.00
- -	AC110	MOISTURE METER AQUANT									0-999 1/2"						\$411.09
	AC793	DETECTOR 4 IN 1 MULTIFUNCTION									0-333 1/2	8-22%					\$35.50
	AC72	MOISTURE TEST METER										10-28%					\$47.50
	AC122	MOISTURE METER, POCKET										6-44%					\$96.99
Pin-Type	AC714	PROTIMETER MINI										6-90%					\$235.00
į	AC714 AC8226	J-LITE										6-30%					\$235.00
	AC8220																
		BD-10 MOISTURE METER BD-2100										6-40%/0-100	1				\$295.75
	AC8210	MOISTORE METER BD-2100 METER PIN/PINLESS	1								0.00.0.0/4#	6-40%/0-100	~				\$423.36
ss And Pin- Type	AC131	METER PIN/PINLESS									0-99.9 3/4"	6.0-94.8%					\$319.99 \$419.99
And	AC1221										0-99.9 3/4"	6.0-99.9%					
ss An Type	AC1231	METER WIRELESS PIN/PINLESS	1								0-99.9 3/4"	6.0-99.9%					\$849.00
Pinle	AC8208	TECH CHECK PLUS									0-300 3/4"	6-60%	1				\$509.00
	AC99	SURVEYMASTER SM		000 1700	0.1000/						0-999 3/4"	7-99%					\$599.00
Combination Meters	AC127	PSYCHROMETER, IR, PINLESS, PIN		-20°-170°	0-100%	1	<i>✓</i>				0-99.9 3/4"	0-99.9%					\$529.00
Ř	AC1227	METER MOISTURE 8-IN-1 MO295	1	-20°-170°	0-100%	1		<i>✓</i>			0-99.9 3/4"	0-99.9%					\$579.00
tion	AC1229	METER MOISTURE 8-IN-1 MO297	1	-20°-170°	0-100%	1	<i>✓</i>	1			0-99.9 3/4"	0-99.9%					\$679.00
bina	AC8204	NAVIGATOR PRO	1	-40-255°	0-100%	1	1				0-100 3/4"	5-60%	1				\$984.50
mo	AC625	QUICKNAV - F471 3-IN-1		-40°-255°	0-100%	1					0-300 3/4"	5-60%	1				\$1,055.00
0	AC1001	MMS2 BASIC METER	1	32°-122°	0-100%	1	<i>✓</i>	1	1		60-1000 3/4"	8-99%					\$1,090.00
	AC120	WATER DAMAGE RESTORATION KIT		-22°-199°	0-100%	1	1				0-99% 3/4"	6-44%					\$439.99
	AC127K		1	-20°-170°	0-100%	1	<i>✓</i>	1			0-99.9 3/4"	0-99.9%					\$899.00
Meter Kits	AC710			32°-180°	0-100%	1	1		OPT		0-999 3/4"	7-99%					\$1,095.00
eter	AC8202	NAVIGATOR PRO RP	1	-40°-255°	0-100%	1	1		-	<u> </u>	0-100 3/4"	5-60%	1				\$1,346.40
Ž	AC1009	MMS2 RESTORATION KIT	1	32°-122°	0-100%	1	1	1	1		60-1000 3/4"	8-99%					\$1,399.00
	AC118K	KIT WD 15, METER, DATALOGGER	1	-20°-170°	0-100%	1	1	1			0-99.9 3/4"	0-99.9%		1			\$2,419.00
	AC118B	KIT WD I7, METER, DATALOGGER	1	-20°-170°	0-100%	1	1	1			0-99.9 3/4"	0-99.9%		1			\$2,819.00
Remote Monitoring	AC223	CREW CHIEF	1	0°-130°	0-100%	1	1					7-25%			1	LMT	\$3,772.61
Rer. Moni	MB100	RFC KIT	1	0°-150°	0-95%	1	1		1			6-85%			1	1	\$1,998.00

Take Control of Your Job Site with the Remote Field Commander



Designed by

OmniPro



Remote Field Commander

In a coffee shop, with a customer, or spending time with your family, using the Remote Field Commander Package allows you to monitor and control your restoration jobs remotely and spend time being more productive and doing the things you want. Measure air and surface temperatures, relative humidity, moisture and more all from wherever you are.

The RFC can be programmed to do all of this and more...

- Turn air mover on/off based on humidity/GPP
- Turn dehumidifier on/off based on humidity/GPP
- Turn off Injectidry or E-TES when wood floors reach dry standard
- Turn equipment off or exhaust fan on at high air temperature
- Send alarms when dry conditions are met (complete), power outage, or equipment unplugged/turned off
- Turn equipment on/off at specific times or use the built in timer to control equipment
- Force on/off
- Validates jobs with charting software



BASE STATION

- Communicate with up to 14 sensors and power controller via radio frequency
- Logs all measurements and sends data via cellular to smart phones and also to an internet server for programing and monitoring
- Monthly service charge for cellular service and software chartering apply

REMOTE POWER CONTROLLER

- Wireless switch turns equipment on/off
- Measures current draw (amperage)



REMOTE SENSOR

Measures:

- Air temperature
- Surface temperature
- Relative humidity
 - Moisture content
 - GPP

CHART YOUR JOBS

- Give the insurance adjuster a detailed analysis of what you did on the job site
- Analyze your jobs



RFC PACKAGE

The RFC Package includes:

- 1 Remote Field Commander Base Station
- 3 Remote Power Controllers
- 6 Remote Sensors
- 1 Power Cord
- 1 USB Cable
- 8 Batteries
- 16 Stainless Steel Screws
- 1 Hard Carrying Case

RESTORATION

www.interlinksupply.com



How much money does your company lose when equipment is left behind?

Invisi-Tag[®] has the solution! By using RFID (Radio Frequency Identification) technology you will never be left wondering if you have all of the equipment you need for a job. Simply apply one of the RFID tags to each piece of equipment and you will be able to instantly create lists and know what equipment is in the van. No more driving back to the office to pick up left-behind equipment. The amount of money saved in loss of productivity will easily make your investment in the Invisi-Tag[®] system worthwhile.

Not only does Invisi-Tag[®] manage all of your equipment, it will also keep track of the amount of time the equipment is on the job site. The software even allows you to create detailed reports for each job. A must have for reporting and cost analysis.



NEW Invisi-Tag[®] Truckmount Unit

The Truckmount Unit is a dedicated system mounted in your high volume and most profitable vehicles. The dedicated system will allow for

effortless and automatic recording of each piece of equipment at every step in the restoration process. Imagine never having your employees responsible for paper based equipment recording again! (System includes: Truckmount Unit, Android tablet, Invisi-Tag® Software, 10 Metal and 10 Non-metal tags.)

Enhanced Software

The Enhanced software has features that allow you to allocate specific equipment to the customer, record a time log of each piece of equipment used at a job, a color notification for picking up equipment, and consolidated reporting from start to finish on any given job.

> Truckmount Unit - AC8421 \$3,899.00 Portable Unit - AC8425 \$4,195.00



NEW Non-Metal RFID Label Tag

Non-metal RFID Label tags are used on non-metal items, and are perfect for equipment such as air movers, axial air movers, small dehumidifiers, shop vacs, etc.

Label Tag 4"x1" (each) AC8432 \$2.50 Label Tag 4"x1" (roll of 1000 tags) AC8433 \$990.00 Label Tag 4"x2" (each) AC8434 \$2.50 Label Tag 4"x2" (roll of 1000 tags) AC8435 \$990.00

NEW Metal Onan RFID Tag



1"x.25"x.25"

The Metal Onan Tag can be applied to any metal surface, such as metal dehumidifiers, air scrubbers, desiccants, etc.

AC8439 \$7.00



NEW Invisi-Tag® Portable Unit

The Portable Unit allows your team the VERSATILITY to be mobile with this cutting edge technology. The portable allows

your team to automatically record items in your warehouse, in any vehicle and especially at customer locations. (System includes: Portable Unit, Android Tablet, Invisi-Tag[®] Software, 10 Metal and 10 Nonmetal tags.)

Enterprise Software

The Enterprise software allows all your information and reports to be consolidated and accessible at any given time. Imagine instantly viewing all your equipment productivity, locations and hours used directly from your Smartphone or tablet on our Invisi-Tag[®] Cloud platform from anywhere



Does not include any data plan coverage.

*\$20 per month per tablet service charge.

Truckmount Unit - AC8422 \$4,299.00 Portable Unit - AC8426 \$4,495.00



NEW Polymer Tape

Polymer Tape is used to reinforce RFID tags attached to equipment. The tape bonds to itself and secures anything it is wrapped around.

> Black Tape AC8430 \$7.00 Clear Tape AC8431 \$7.00

Inventory Control

Invisi-Tag® is THE solution for maintaining control of your inventory. You can see in an instant what equipment is in your warehouse without you having to manually count every item. Imagine how much time and money can be saved when your technicians unload the truck and you can immediately see what equipment you have. You can instantly allocate that equipment to another job without ever having to count equipment again.



A) WetChec Moisture Meter

DRIEAZ

AC71 \$29.90

Give this simple and inexpensive moisture detector to techs and use it as a marketing giveaway to adjusters and policyholders to help them understand what's wet and what's dry. Also perfect to give to referral sources—it's much more memorable than a business card!

B) Hydrosensors



Use a Hydrosensor to prove to the customer and the adjuster (and see for yourself) the real extent of flood damage. Hydrosensors pierce through carpet and pad, and detect moisture levels as low as 17%. Stainless steel construction and retractable nickel-plated points.

Hydrosensor I "The Original" AC61 \$185.00
 Hydrosensor II Collapsable AC60 \$215.00

C) Big Digit Hygro-Thermometer

Perfect for leaving for the building owner to see the drying progress. The 1" digits displayed on Large LCD (3.1" x 2.4") provide simultaneous measurements of humidity and temperature and has a temperature range of 14 to 140°F (-10 to 60°C) and humidity range of 10% to 85% RH. Complete with built-in tilt stand, wall mounting bracket, and 1.5V AAA battery. Dimensions: 4.3" x 3.9" x 0.78"

D) Pocket Thermo-Hygrometer

AC1211 \$42.99

The quick and easy way to determine and document the conditions you find on water losses — this inexpensive and handy instrument measures temperature and humidity simultaneously! Contains both maximum and minimum memory functions for both humidity and temperature.

馬 AC28 \$79.99



E) Extech Precision Psychrometers

Slim design psychrometer with rubberized sides and easy to read dual backlit display, simultaneously displays Humidity/ Temperature, Humidity/Dew Point and Humidity/Wet Bulb readings. Also has data hold, min/max functions, low battery indicator and auto-off.

Psychrometer AC113 \$199.99
Also measures GPP AC114 \$359.99

F) Delmhorst HT-3000

DELMHORST

Whatever business you're in, a Delmhorst moisture meter will help ensure the quality of your work and minimize costly problems. The HT-3000 is an effective way to control the effects of humidity for various applications. Use the HT-3000 in conjunction with one of our moisture meters to determine the air quality and identify the presence of moisture.

AC8228 \$301.00

G) Delmhorst HT-4000



Delmhorst is proud to introduce the HT-4000, a stand-alone thermo-hygrometer for flooring installers and restoration contractors alike. The HT-4000's advanced RH/T sensor acclimates quickly to ambient temperature and humidity, using the same technology as our popular Total Check[™] and Navigator Pro[™] 3-in-1 moisture meters. For contractors who prefer having separate meters to one combination meter, the HT-4000 is the perfect solution. The meter's sensor is also detachable, making the HT-4000 ideal for testing a concrete slab according to the ASTM F2170 standard.

AC8230 \$495.00











Humidity and 30:1 InfraRed Thermometer

- Built-in InfraRed Thermometer for non-contact temperature measurement to 932°F
- IR Thermometer: 30:1 distance to target ratio
- Large triple LCD backlit display
- 2% RH accuracy
- Min/Max, Data hold and Auto power off functions
- Built-in USB port (Windows® compatible PC software and cable included)

AC121 \$269.99 Also measures GPP AC1213 \$369.99

I) GE® Protimeter Psyclone Thermo-Hygrometer



Provides fast, accurate readings of ambient climatic elements. Efficiently calculates and displays in large format the GPP, specific humidity, temperature (air and surface), dew point and more. Full range retractable probe protects the sensor when not in use.

AC617 \$462.00

J) IR Laser Thermometer



Fast, easy and accurate! Determine surface temperature of various pieces of equipment as well as differences of surface temperature during the process of water damage restoration. Compact unit has data hold and max features as well as automatic power-off. One 9-volt battery included.

馬 AC107 \$94.50



K) Humiport 5

PHOENIX RESTORATION EQUIPMENT

The Humiport 5 is the optimum balance between cost, accuracy and response time. The large LCD display is easy to read, and is accurate to 3% for relative humidity. The unique thumb wheel accurately selects desired data and the HOLD button allows you to record readings.

AC279 \$335.00

L) Humiport 10

PHOENIX RESTORATION EQUIPMENT

Features an easy-to-read backlit LCD display that reads temperature, RH, dew point and grains per pound. The fixed probe on this model offers 2% accuracy.

AC278 \$355.00

M) Humiport 20



This Thermo-Hygrometer has a detachable probe with a four-foot coiled cord so you can test hard-to-reach areas. The large LCD display is easy to read and displays temperature, dew point, RH and grains per pound.

AC277 \$485.00

Visit our showroom or call in an order. See cover for information.





A) Psychrometric Calculator M PHOENIX

A psychrometric calculator is an essential tool for the water restoration professional. Being able to precisely establish moisture content information is crucial to a successful water

The Phoenix Psychrometric Calculator allows you to calculate the dew point and specific humidity so you can determine the best drying strategy to use. Designed to be easy-to-use and accurate, you'll never have to bother with psychrometry charts. All you have to do is set the temperature and relative humidity, and it will tell you the specific humidity and dew point.

AC70P \$4.25

B) Psychrometric/Dehumidifier Calculator

The fast, easy and highly accurate way to calculate data associated with water damage restoration. Features 7 unique calculations, including determining number of air movers needed per square foot and amount of LGR dehumidifier pint removal needed.



restoration job.

AC70D \$44.00

C) Datalogger For Temperature And Humidity

This datalogger records relative humidity and temperature throughout the drying process. Download the data and produce graphs of temperature, relative humidity and dew point to document and justify your water restoration charges, check to see if equipment was working well or turned off and to verify your daily readings. You can program the sampling rate anywhere from 2 seconds to 24 hours – storing up to 16,000 readings. Easy to use USB connection.



AC117 \$89.99

www.interlinksupply.com



Display

Easily records 16,000 humidity and 16,000 temperature readings with a user programmable sample rate. Has a built-in USB interface for easy



setup and data download. Selectable data sampling rates allow you to set the recording rates anywhere between 1 second to 24 hours. Threshold alarms can be set for relative humidity (RH) and temperature.



AC1217 \$139.99

E) Pinless Moisture Meter



Use this non-invasive meter to monitor moisture in wood and other building materials. You can select from 10 wood types and measurement ranges, and measure to a depth of 0.75" below the surface. The LCD displays percent moisture of wood or material being tested.

馬 AC123 \$149.99

RESTORATION



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Restrictions apply.



G) Delmhorst TechScan



DELMHORST



J) Sonin Moisture Measure Tool

MIM**e**r

Determine the presence of excess moisture in a wide variety of surfaces. Simply press the metal contacts into the surface to determine the extent of the moisture problem. Excellent for showing customers that a moisture problem exists. 9-volt battery not included.

馬 AC792 \$18.50

K) Sonin 4-In-1 Multi-Function Detector

A great tool that every restorer should have. Moisture probes measure moisture from 8-22% in a variety of materials, a voltage sensor locates live wires behind walls up to 2" deep, a metal sensor locates metal behind walls and a stud sensor locates wooden studs.



➡ AC793 \$35.50

L) Moisture Test Meter

This is a useful and inexpensive tool designed to indicate excess moisture in a variety of materials on an analog scale. The metal contacts at the end of a 3' coiled cable detect moisture present in difficult to reach locations. Useful in water restoration, urine detection, etc.





AC72 \$47.50

building materials with virtually no surface damage. Relative pinless moisture reading for non-invasive measurement from 0.0 to 100.0 with

Non-invasive measurement moni-

tors moisture in wood and other



depth from 0.78" (20mm) to 1.6" (40mm) below the surface and automatic calibration (in dry air) when meter is powered on. Complete with 3 AA batteries and pouch case.



AC1223 \$209.99

Visit our showroom or call in an order. See cover for information.

locate high moisture spots with TechScan's advanced RF technology and user-adjustable alarm. Need to take read-

screen for more convenient viewing using the HOLD feature.

AC8223 \$375.00

H) Protimeter Aquant



The Protimeter Aquant is a non-invasive meter used to assess and monitor the relative moisture level of building materials such as plaster, drywall, masonry, concrete and fiberglass. It even detects moisture behind floor and wall coverings such as wallpaper, ceramic tile and vinyl flooring! It features an adjustable auto off, zero out for temperature compensation, audible tone, dual display LCD and color changing LED scale.

Just what the restoration industry needs: versatile and


non-destructive, the all new TechScan combines innovative


features with easy operation. Quickly cover large areas and

ings in hard-to-reach areas? Just freeze your readings on

馬 AC110 \$411.09

I) Pinless Moisture Meter (MO257)









EXTECH A) Pocket Moisture Meter

This versatile Pocket Moisture Meter can be used on wood, wall board, sheet rock, card board, plaster, concrete, and mortar. Replaceable threaded measurement electrode pins make for a long life of this meter. Self-contained, pocket sized and belt clip.

AC122 \$96.99

B) Delmhorst J-Lite



- Microcontroller circuit for increased reliability and accuracy
- 12 bright LEDs -- great for reading in direct sunlight or dark areas and give the most precise readings of any LED meter available today
- Moisture content range from 6% 30%
- Industry-only three year warranty
- J-Lite is rugged, easy to use and economical

AC8226 \$148.00 See Delmhorst accessories below.

C) Delmhorst BD2100

DELMHORST

Measuring, recording and tracking the moisture content of structural materials is critical to demonstrate that the building is being dried properly; justify equipment rental charges and to protect yourself from future liability that can result from improper drying. The Delmhorst BD2100 is a penetrating meter with three scales for wood, drywall, plaster, insulation, concrete, paint, etc. It offers three scales, which allow you to evaluate virtually every material for water penetration.

> AC8210 423.36 See Delmhorst accessories below.



D) Delmhorst BD-10



- Popular analog readout
- Wood Scale 6% to 40% moisture range. Use for flooring and building material such as wood studs, floor joists, subfloors
- Reference Scale reads from 0 to 100 on a relative basis. Use on non-wood materials such as concrete, plaster, and insulation
- Connector to attach 21-E or #26-ES electrode for deep penetration
- The BD-10 is our most popular model offering the flexibility of two scales at a reasonable price

AC8224 \$295.75 See Delmhorst accessories below.

E) Combination Pin/Pinless Moisture Meter

Combination pin and pinless moisture meter. Measure relative readings from 0 – 99.9 and moisture % with a 6 – 99.9% scale. Pinless mode measures to a depth of ³/₄". Simple to use with both a backlit LCD display and tri-color LED bar graph displays.



AC131 \$319.99

F) NEW Protimeter Mini

The Protimeter Mini is a compact, general purpose pin type moisture meter used for assessing moisture conditions in buildings. It can be used for making rapid moisture assessments in a wide range of building materials including wood, masonry, drywall, plaster and concrete.



Hammer Electrode AC8218 \$117.26 Scontact Pins (used with AC8218) AC8220 \$2.04 Retainer (used with AC8218) AC8254 \$2.25 Retainer (used with AC8218) AC8221 \$2.07

Delmhorst Accessories

DELMHORST

Electrode for Insulation AC8216 \$86.76 3.25" Pins (used with AC8216) AC8252 \$10.19 **IDENTIFY OF THE STATE OF THE S**



When disaster strikes...





...Will you be prepared?

Using a moisture meter is the only sure way to sign off with confidence that the structure is dry in even the most demanding water loss. Delmhorst has been the leader in moisture measurement for 65 years and our meters are supported by a service team solely focused on customer satisfaction.



Proudly made and serviced in the U.S.A.



www.delmhorst.com







Combination Pin/Pinless Meter

Get the best of both worlds with noninvasive or contact moisture measurements in wood and other building materials with pinless technology creating virtually no surface damage, or use traditional pin type measurement directly from the meter or a remote pin probe (included). Measure relative moisture and percent of moisture in wood, particle board, carpeting, ceiling tiles and more.

> AC1221 \$419.99 Uses probes listed below.



EXTECH

Wireless Pin/Pinless Meter

Detachable pin/pinless sensors transmit data to the display and can be viewed from a remote location up to 65 feet from the measurement point. Receive readings from eight remote sensors and view on the full color graphic display. The receiver can record data from up to 40 remote sensors simultaneously on an SD card. Transmits moisture and humidity data to your FLIR infrared camera's thermal image. Complete with 3.7V rechargeable battery, wireless moisture, sensor, external pin probe, replacement pins, telescoping handle, (4ft/1.2m), AC adaptor, protective cap, 2G SD card, and case.

Wireless Pin/Pinless Meter AC1231 \$849.00 Wireless Moisture Sensor AC1231A \$199.99 Remote Moisture Pin Probe AC1231B \$69.99 Telescoping Handle 4' AC1231C \$54.99 Telescoping Handle 9.8' AC1231D \$94.99 Telescoping Handle 16.4' AC1231E \$139.99 Pins (20 pack) AC1231F \$20.99



Delmhorst Tech Check Plus

We know that building inspections aren't always in ideal conditions - Well, here's your solution! The easy to use 2-in-1 TechCheck Plus was designed with simplicity in mind and helps to make even the most demanding inspection simple.



AC8208 \$509.00



3

Surveymaster By Protimeter

Our best selling meter includes both penetrating (pins) and non-penetrating methods of measurement in a single meter. With the penetrating method (pin mode) you can determine if the moisture is surface or sub-surface. The nonpenetrating method (pinless mode) allows you to find moisture up to 1" below the surface and is not adversely affected by surface moisture.

> **AC99** \$599.00 See accessories below.

5) Protimeter Accessories PROTIMETER Hammer Electrode (left) AC102 \$232.28 Hammer Probe Pins (for AC102) AC102A \$8.37 Ferrule Nut (2, for 1" needle) PGE0501 \$5.09 Grey Pin Cap PGE2000 \$6.36 1" Replacement Needle (20) PGE500 \$28.60 5" Deep Wall Probes PGE5018 \$62.51 Heavy Duty Moisture Probes PGE5060 \$54.91 Calibration Check Device PGE5086 \$12.71 Zip Case - SurveyMaster PGE5350 \$11.98 Hygrostick PGE4750 \$89.86 Floor Humidity Sleeves (20 pk.) AC101C \$61.68



NEW SystemSURE Plus - ATP Monitoring System[™]



Xactimate® code:

WTR TESTATP

SystemSURE Plus uses state-of-the art electronics with improved functionality, but still maintains its small hand-held design and affordability.

- Checks bio-contaminate levels on surfaces
- Verifies effectiveness of disinfectants, sanitizers, and purifiers
- Substantiates improvement in bio-contaminate levels
- · Eliminates adjuster doubts

ATP Meter AC8461 \$1195.95 ATP Surface Swabs (100 pk) AC8463 \$219.00 Liquid Test Swabs (100 pk) AC8466 \$239.00 ATP Calibration Kit AC8468 \$250.00

www.interlinksupply.com



A) Water Damage Restoration Kit

A complete solution for the restoration contractor. Use the combination moisture meter/thermal hygrometer to capture all ambient conditions as well as moisture levels in one meter. Includes essential probes to measure moisture levels under baseboards, in between walls, and in hardwood and plywood subfloors. Use USB Humidity/Temperature datalogger for GPP calculations.

- Monitor moisture in wood and building materials with virtually no surface damage
- Included Pin Probe, Hammer Probe, Deep Wall Probe, and Base Board Probe for contact moisture readings
- Patented InfraRed Thermometer with laser pointer for noncontact surface temperature measurement
- Built-in RH/Temperature probe measures Relative Humidity, Air Temperaure, plus Grains Per Pound (GPP), Dew Point (DP), and Vapor Pressure

Restoration Kit AC127K \$899.00
 Hammer Probe AC127A \$139.99
 Hammer Probe Pin AC127D \$4.25
 Extention/Deep Wall Probe AC127B \$84.99
 Baseboard / Spatuala Probe AC127C \$84.99
 Pinless Moisture Psychrometer + IR AC127 \$529.00
 Moisture Pin Probe AC127E \$69.99

Restoration Kit i5, Meter, Datalogger AC118K \$2419.00 Restoration Kit i7, Meter, Datalogger AC118B \$2819.00

B) Water Damage Restoration Kit **EXTECH**

Specifically designed for water damage restoration contractors. Monitor job site conditions, progress, and insurance company reporting. Includes: Pinless Moisture Meter, Pocket Moisture Meter and Precision Hygro-Thermometer. Comes with the case for easy storage and transportation.

馬 AC120 \$439.99

C) Pinless Moisture Psychrometer + IR Thermometer MO295

8-in-1 meter includes all the great features of the AC127 (MO290) plus the ability to manually store/recall up to 20 labeled readings.



➡ AC1227 \$579.99

D) Pinless Moisture Psychrometer + IR Thermometer with Meterlink MO297

This unit continues to add features to The AC1227 (MO295) and includes Meterlink to display your readings on an infrared camera. Meterlink allows you to wirelessly transmit moisture



and humidity data to your FLIR high-definition infrared camera to incorporate meter readings with thermal images.



AC1229 \$679.00



What you can't see matters most.

Now available to order.

The new Protimeter MMS2 represents the next generation in moisture meters. The MMS2 is easy to use, multi-functional, and allows full building moisture diagnosis.

- Integrated pin moisture measurement
- Non-invasive moisture detection
- Surface IR temperature with built-in laser pointer
- Fast response relative humidity and temperature
- Color screen with easy-to-use menu interface





imagination at work

Warranty against manufacturing faults is standard at 24 months from the day of purchase. An addition 3 months warranty is given free when you register your new MMS2 at www.registeryourmeter.com

PIN MOISTURE METER PINLESS MOISTURE METER HYGROMETER PSYCHROMETER URFACE TEMPERATURE PROJ

www.MMS2meter.com



E) Quicknav



Developed exclusively for Dri-Eaz, the QuickNav incorporates a pin mode, a scan mode, and a thermo-hygrometer in a single handheld unit. Instantly calculates dew point, grains per pound, and vapor pressure. The QuickNav kit includes the QuickNav meter, a rugged carrying case, the 21-E insulation electrode, the 2-E short pin electrode, and the exclusive 2-E/SPLIT electrode with alligator clips for checking under cabinets and other hard to reach areas.

AC625 \$1055.00

F) Delmhorst Navigator Pro

DELMHORST

The Navigator Pro is the state-of-the-art in moisture measurement technology for the water restoration pro! This three-in-one meter integrates pin and pinless technologies in one instrument. With an optional hammer probe you can take all required measurements including RH, temperature and moisture content of virtually any material. Plus, the Navigator Pro corrects for materials temperature! In addition, the Navigator Pro offers outstanding data logging capability so you can document that you are drying correctly to justify your charges and protect yourself from liability.

> Navigator Pro AC8204 \$984.50
> Probe 5/16" AC8212 \$66.25
> Pins AC8250 \$1.27
> Two Probe Blades AC8214 \$178.50
> RH Temperature Sensor AC8240 \$66.25 RH/T Cable AC8242 \$51.00
> 2" Concrete Sleeve (20) AC8246 \$40.75

Interlink Financial will finance all of your restoration equipment. www.InterlinkFinancialServices.com



G) Delmhorst Navigator Pro -Restoration Package

The Navigator Pro is the state-of-the-art in moisture measurement technology for the water restoration pro! This three-in-one meter integrates pin and pinless technologies in one instrument. With the hammer probe you can take all required measurements including RH, temperature and moisture content of virtually any material. Plus, the Navigator Pro corrects for materials temperature for TES operators!

Restoration Package Contents: Includes Meter, 26-ES electrode, 2-E electrode, 21-E electrode, PC/KIT software application program, (1) RHT-C1 cable and carrying case. Great for the restoration contractor who needs to provide documentation.

Restoration Package AC8202 \$1346.40



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Restrictions apply.

NTERI





A) Protimeter Technician's Kit



When surveying buildings for moisture problems, or evaluating damage due to fire or flood, having the right tools close at hand and easily accessible allows you to quickly complete a professional diagnosis. Protimeter kits provide a convenient, durable solution for carrying your moisture measurement needs. The Protimeter Restoration Kit and Technician's Kit include the latest Protimeter instruments, as well as the heavy duty hammer probe.

- Protimeter Surveymaster instrument •
- Protimeter Psyclone hydrometer
- Heavy-duty Hammer Probe
- 4 spare hammer pins
- 5" insulated Deep Wall Probes
- Heavy duty pin moisture probe
- Calibration check device

Technician's Kit AC710 \$1095.00

B) NEW Protimeter MMS2



The Protimeter MMS2, the latest addition to GE's Protimeter product line, is a 4-in-1 instrument, ergonomically designed for easy one-handed operation in measuring moisture in materials in buildings and related structures. It can measure surface moisture and moisture below a surface, as well as acting as a hygrometer to measure ambient air humidity. The addition of an infra-red thermometer allows the difference between dew point and surface temperature to be calculated, as well as a wide range of other important psychometric parameters.

- Full building moisture diagnostics .
- Fast responding hygrometer speeds up building surveys ٠
- Intuitive user interface with color screen
- Ambient relative Humidity and temperature measurement
- Equilibrium humidity measurement in concrete floors
- Psychrometric calculations
- Data logging

Restoration Kit AC1009 \$1399.00 Meter AC1001 \$1090.00

C) Extech AN100 CFM Thermo-Anemometer

The Extech AN100 Thermo-Anemometer offers simultaneous display of ambient temperature and air flow or air velocity. Up to 8 easy-to-set area dimensions can be stored in the internal memory of the Extech AN100 Thermo-Anemometer. The Extech AN100 Thermo-Anemometer has an air velocity range from 0.9 to 67.2 mph (or equivalent) and features a 20-point average function for air flow and a super large LCD backlit display. The low friction 2.83" D ball bearing vane wheel on 3.9 ft cable produces a 3% velocity accuracy. Other features of the Extech AN100 Thermo-Anemometer include data hold, min/max readings, and an auto power off. The internal temperature sensor measures ambient temperature from 14 to 140°F.

EXTECH

AC119 \$186.99

D) Reed LM-8000 Multi-Meter

The Reed LM-8000 is a 4-in 1 multi-function anemometer, humidity meter, light meter and type-K digital thermometer.

AC292 \$159.00

E) Differential Pressure Manometer

Get low range/high resolution gauge or differential pressure and 11 selectable units of measure with this Manometer. Max/Min/Avg recording and relative time stamp are a few of its main features. It also has data hold and auto power off functions and a large LCD display with backlighting. Includes Windows® compatible software with cable, 9V battery, two connection hoses, 100V-240V switching AC Adaptor, and hard carrying case. (+/- 0.5psi range)



Manometer AC1203 \$199.99





F) Laser Distance Meter

Get laser measurement accuracy down to 0.06 inches and historical storage that recalls the previous 20 records (measured or calculated results). Measures from 2" to 164' and automatically cacluates area and volume. The continuous measurement function with min/max distance tracking updates every 0.5 seconds. Carrying case and 2 AAA batteries included.



🛋 AC1201 \$149.99

I) pH Indicator Test Tape

This special tape will change color and indicate the pH of any water-based solution. Measure the pH of a spot on carpet by wetting the spot and quickly pressing the tape onto the spot.

👞 AX20 \$18.68


J) Water Hardness Test Tape

The test tape changes color for the rapid estimation of water hardness. Allows you to easily tell when your water softener should be recharged.

AX112 \$16.25


K) Gas Leak Detector

Handheld and highly sensitive, the Pocket Air Check makes finding gas leaks as easy as using a flashlight. Locates leaks in pipes, valves, fittings and tanks and operates up to 8 hours on 2 – AA batteries. Be sure your propane system is operating safely!



L) NEW Particle Counter & Data Logger

This Particle Counter and Data Logger is the solution to justify your Air Filtration Devices/Negative Air Machines. Monitoring and documenting the performance of these machines has been difficult due to expensive meters available. This low cost unit lets you see what your equipment is doing, so you can provide that information to the adjuster and/or the building owner. The LCD screen provides small (>0.5 micron) and large (>2.5 micron) particle concentrations along with a dynamic bar graph showing instantaneous particle activity. Use it as a hand held meter or leave it on the job to provide continuous data logging and graphing - up to one week. The rechargeable battery can provide up to 6 hours of continuous use.



RESTORATION

G) NEW Rolatape - 2 Wheel

Measure square footage quickly and conveniently. Simply roll this great tool over the carpet, width and length. Multiply and you have square footage. Our rolling tape measure is calibrated in tenths of a foot for easy calculations.

馬 AC41A \$50.74

H) Extech Digital pH Meter



Determine the pH of a stain or cleaning agent with ease now it's all digital! Flat surface electrode allows for wide applications including on-the-spot surface measurements. Features waterproof design with rubberized housing for nonslip grip.

Digital pH Meter AU45 \$99.99
 pH 4 Buffer Solution AU46 \$12.00
 pH 7 Buffer Solution AU47 \$11.99
 pH 10 Buffer Solution AU48 \$12.00

249

FLIR i-Series Point and Shoot Thermal Imaging Cameras





FLIR i-series cameras are incredibly easy to use, designed for entry-level users, but outfitted with robust functionality that make them assets in the tool kits of experienced thermal professionals as well. From a large LCD screen to the foolproof focus




to the intuitive, simple menu navigation, see how i-series is designed for minimum hassle, maximum usability.

Xactimate Code for all IR cameras: WTR THERM

Model #, Part #	i3, AC132	i5, AC118	i7, AC130					
Resolution	60 x 60	100 x 100	140 x 140					
Total Pixels	3,600	6,400	14,400					
Thermal Sensitivity	<0.15°C	<0.1°C	<0.1°C					
Accuracy	+/- 2% or 2°C							
Temperature Range	-4°F to 482°F (-20°C to 250°C)							
Field of View	12.5° x 12.5°	17° x 17°	25° x 25°					
Screen	2.8" Color LCD							
Price	\$1195.00	\$1595.00	\$1995.00					

FLIR e-Series Thermal Imaging Cameras





Everything we build into the rugged, new E-Series is designed to make diagnosing building issues easier, more productive and effective. Like 320×240 resolution at 60 Hz for real-time capture so you don't miss a thing, a bright touchscreen with plenty of tools to help you fine-tune and analyze images quickly, Wi-Fi connectivity to transfer images and data to mobile devices for further analysis, reports, and immediate sharing with the people who've hired you to find energy waste, HVAC issues, electrical problems and more. Build your business and your credibility with E-Series bx.

Xactimate Code for all IR cameras: WTR THERM

Model #, Part #	E30 bx, AC133	E40 bx, AC134	E40 bx, AC134 E50 bx, AC135		
Resolution	160 x 120	160 x 120	240 x 180	320 x 240	
Total Pixels	19,200	19,200	76,800		
Thermal Sensitivity	<0.1°C		<0.045°C		
Accuracy		+/- 2%	or 2°C		
Temperature Range	-4°F to 248°F	-4°F to 248°F	-4°F to 248°F	-4°F to 248°F	
	(-20°C to 120°C)	(-20°C to 120°C)	(-20°C to 120°C)	(-20°C to 120°C)	
Lens Options		Standard	25° x 19°		
Zoom		2x Continuous Digital 4x Continuous Digital 4x Continuo			
Color LCD Tough Screen		3.5" (32	0 x 240)		
3 MP Video Camera w/		X	X	X	
Lamp		~	Λ	~	
Price	\$2995.00	\$3995.00	\$5995.00	\$7995.00	



oisture Meter

FLIR Thermal Imagers Extech Test & Measurement Tools

The Tools for Success For All Your Restoration Needs

Extech & FLIR arm you with the tools you need to quickly identify, measure and document water damage, helping you focus on effective cleaning and restoration.

M0290-RK

FLIR i7

FLIR E60bx

M0270

68.2

20.9

EXTECH

EXTLCH

15.0





FLIR i7: Put thermal imaging cameras in more hands than ever. FLIR i7 is a lightweight and cost-effective tool to locate and document water damage and monitor the drying process.



FLIR E60bx: With superior resolution, intuitive touchscreen, Wi-Fi connectivity, and other innovative features, FLIR E60bx equips you with professionalgrade performance and results.



MO257: Pinless Moisture Meter's non-invasive measurement monitors moisture in wood and other building materials with virtually no surface damage.



MO270: Reach farther with this innovative moisture meter featuring full-color moisture graphing, METERLiNK, and a detachable wireless sensor module for remote use on telescoping handles to 5m.



FLIR cameras are now equipped with METERLiNK[™], an exclusive wireless technology that records moisture meter readings at a job site directly onto your infrared images. METERLiNK™ connects your FLIR E or T-Series cameras with the Extech MO297 Moisture Meter via Bluetooth. You can now add Temperature, Humidity, Moisture Content and GPP Readings right onto your infrared images and reports.







Video Borescope/Wireless Inspection Camera



See what you're missing! There are times that you need to see for yourself what's going on inside walls, behind cabinets, inside ductwork or in other constricted, difficult to access areas. That's where Provision Borescopes come in! The 39" flexible gooseneck cable bends in every direction to allow precise viewing and maintains its fixed position until readjusted. Two built-in bright LED lights illuminate dark areas so you can check for mold, wet materials and other problems.

- Memory card for capturing images (JPEG) or video (AVI) for viewing on your PC
- Detachable wireless 3.5" color TFT LCD display can be viewed from a remote location up to 32ft (10m) from the measurement point
- Captured videos and images can be viewed on the wireless monitor or transferred to your PC via the microSD card or USB cable
- NTSC or PAL operation with menus in 10 languages
- Ideal applications: water restoration, HVAC and refrigeration, electrical inspection, automotive, pest control
- Complete with 4 AA batteries, microSD memory card, SD adaptor, USB cable, extension tools, video cable, AC adaptor, magnetic base stand and storage case

Borescope AC129 \$299.90 Extension, 38" AC129A \$69.99 Wireless USB Video Receiver AC129B \$129.00



AC8399 \$11.99

Preservation Tape

This vinyl tape is designed to adhere plastic sheeting to almost any surface without leaving a messy residue. Excellent for use with ZipWalls and Injectidry Vac-it Panels. 2" x 180' roll. 72' longer than the competitor's.



AC8402 \$17.99

EZ-ier Tape

Build containment barriers on finished and unfinished surfaces in no time. EZ-ier Tape is a double-faced tape with one side masking tape

and the other side high tack cloth tape. Strong hold even against negative pressure but removes easily and completely! 2" x 60' roll.





#AR04

Filmtech Protection Films

When your carpet or hard surface needs to be protected against continuous heavy usage, choose FILMTECH Carpet Protection Films or Hard Surface Protection Film for maximum protection. They provide strength, superb puncture and tear resistance, and with our special adhesive backing, will maintain a smooth walking surface without lifting at the edges or in the middle of your path. Simply roll out the film for long lasting, durable protection. The heavy-duty applicator was designed as a professional tool! Solid steel construction will hold up to repeated use. Innovative "sliding jaw" for easy loading of wide rolls.

> Carpet Protection Film - Clear, 24" x 200' AR02 \$43.89 Carpet Protection Film - Clear, 36" x 200' AR02A \$68.03 Hard Surface Protection Film - Blue, 24" x 200' AR03 \$43.89 Protection Film Applicator - 24" AR04 \$124.26



Safety and Caution Products See page 118.

www.interlinksupply.com

Containment **253**





Layflat Ducting

Send air wherever you need it to go! Strong, 4.5-mil poly ducting for nearly any application. Use as much as you need for various sized jobs. Available for 14", 10" and 8" ducts. 500 feet per roll.

> ■ 16.375" x 500 ft. (for 10" duct) AC251A \$118.32 **IO** Duct Ring AT54 \$12.50 13" x 500 ft. (for 8" duct) AC78 \$245.00 Let a state the second state of the second sta **I4**" Duct Ring AT56 \$12.95



Phoenix Window Adapter

Now you can easily and properly duct drying equipment outside the affected structure. It quickly adapts to most double hung and sliding windows without the use of plywood, cardboard or messy tape!

With its adjustable size openings and quick release cords, the Phoenix Window Adapter is adjustable from 23" to 36" window openings (connect two units for larger openings) and accepts up to 12" wire-form flex and 14" lay-flat ducting. Durable stainless steel frame and water resistant canvas keeps moisture from infiltrating the drying space, even if it is raining outside.

AC229 \$59.00





Foam Wedges

Foam Wedges are used to fill gaps around windows when venting moisture with the lay flat ducting or between floor and carpet at the sides of heat exchangers for air seal and improved float.





Poly Film

Heavy duty plastic sheeting for use with the ZipWall® system to create containment areas.

AX210 4ML 10' x 100' \$36.54 AX216 6ML 10' x 100' \$61.95 AX220 4ML 20' x 100' \$86.52 AX226 6ML 20' x 100' \$104.16



Connectors Better Connections, Better Airflow!

D-Ring Layflat Duct

Make sure you keep a tight connection with these time saving rings. Package of 72 (18 of each size: 18", 12", 8", 6")

.	6"	AC8401A	\$4.11
	8"	AC8401B	\$4.11
	12"	AC8401C	\$4.11
	18"	AC8401D	\$4.11

Poly Film Knife

Cut poly film to size quickly and easily. Blade has four usable sides.

🛋 AX230 \$8.74



Sand Bags

Used to hold carpet on tack strips,

and for tenting of wood floors and

seal carpet around heat exchangers

other specialty drying situations. Can

also be used to direct air flow. Made

from plastic lined heavy-duty polyes-

a convenient carrying handle.

ter. Holds ten pounds of sand and has

Spray Adhesive

AT64 \$19.95

Ideal for joining sections of plastic sheeting when creating containment. Creates a temporary or permanent bond for multiple uses.

AX250 \$6.69

Adjustable door rods are used to hold hoses up off the carpet to allow air flow through doorways to float hallway carpet and speed drying. Also effective for creating barriers with plastic sheeting.

Door Rod 23"-40" Wide AT50 \$11.95 Door Rod 42"-72" Wide AT51 \$13.95

Door Rods









Zipwall[®] Containment System

Containment is critical. It can speed up drying time with conventional or heated drying systems. It can contain mold spores during a remediation, as well as contaminants from a fire restoration. With the ZipWall[®] system, one person can erect a no-damage containment system in just minutes. No ladders, tape, staples, glue or furring strips are needed. Patented, the ZipWall[®] system securely attaches sheeting at the top of the pole between the interlocking head and plate. The twist-locking telescoping pole lets you raise the sheeting without a ladder. Spring loading at the top lets you lift the pole to tuck the sheeting underneath for easy setup and adjustment. It also maintains tension on the barrier, compensating for movement if the poles are bumped, or used with positive or negative air.



ZipWall[®] 4-Pack Plus Kit

The most popular ZipWall kit. This kit has everything that the professional needs. (4) Spring Loaded Poles, (4) Sets of Parts (head, plate, tether, GripDisk[™]), (2) Foam Rails (2) Standard Zippers, and a Carry Bag

> ZipWall 4-Pack Plus Kit AX05K \$333.14 2 pack, 12' Extension Poles AX05 \$149.79 2 pack, 20' Extension Poles AX03 \$245.62 Non-Skid Replacement Plates (2) AX05G \$14.86 Carry Bag AX05B \$63.39



ZipPole™ 2-Pack

Add to your low cost ZipWall barrier system two poles at a time. These steel spring loaded poles extend from 4' 2" to 10'. Includes: Two 10' ZipPole[™] steel spring loaded poles, 2 heads, 2 plates, 2 Grip Disks[™], and 2 tethers.

AX05N \$79.95



ZipPole[™] 4-Pack Kit

The ZipPole[™] is a low-cost steel product. About half the cost of the original aluminum poles, the ZipPole[™] product is strong, lightweight and compact. The kit gives you everything you need to make a 30 foot long barrier. ZipPole[™] spring loaded poles have a baked-on finish and weigh just 1.5lbs each.

AX05O \$179.95

PHOENIX



Quick Chamber

The Phoenix Quick Chamber, designed with the restoration professional in mind, is an easy way to create an effective drying chamber that will completely contain a water loss affected area within minutes. This containment can be accomplished practically anywhere in the structure (e.g., hallway, doorway, etc.) simply by sealing open thresholds and passageways. The Quick Chamber not only incorporates durability in its construction and installation, but flexibility in its application. It has been specifically designed to be installed by one person, so an effective drying chamber can be set up by an individual rather than a team. Once installed, the Quick Chamber will restrict moisture transfer into and out of the water loss affected area. This will also stop secondary damage at the beginning of the job, and later enhance the dry-down by preventing moist air from migrating into your drying chamber.

AC275 \$628.00

ZIPWALL

Containment 255



Zipwall[®] Zippers

Creates easy access to contained areas.

ZipWall® Zippers AX05A \$17.63 ID Zippers AX05L \$20.99 HD Zippers (12 pk.) AX05M \$105.95 (Includes 12 HD Zippers, 12 Flap Hooks and 1 Zipper Knife)



Zipwall[®] Foam Rails

This 5' bar with foam edge is attached to a ZipWall® pole and presses the plastic sheeting to the ceiling (or wall with Side Clamp) for an extremely tight seal. Package of 2.

馬 AX05F \$53.49



Zipwall[®] Side Clamp

Use the Side Clamp with a Foam Rail to create a tight vertical seal against walls. Clips to pole to hold Foam Rail in place. Package of 2. AX05D \$51.98



ZipRail[™] Dual Seal Accessory

The ZipRail[™] Dual Seal lets you create a dust-tight seal along the entire floor and ceiling without tape. Used with your existing ZipWall® barrier system, the new ZipRail accessory uses our patented twist-locking spring loaded pole and two 4' Foam Rail crossbars mounted top and bottom to push the plastic sheeting tight to the ceiling and the floor. The ZipRail Dual Seal is the fast and easy way to get the best performance from your ZipWall dust barrier system.

AX05P \$95.95



ZipRail[™] 3

Includes:

- ZipRail contains one 10' ZipRail pole and two 4' Foam Rail™ crossbars
- ZR3 contains three 10' ZipRail poles and six 4' Foam Rail™ crossbars

AX05Q \$273.46

www.interlinksupply.com



Standard ZipDoor[™] Kit

The standard ZipDoor kit is a great way to create a dust barrier when all you need to seal is the doorway. And, it's reusable too. Includes: 1 Standard ZipDoor, 1 roll of ZipWall double-sided tape, and 2 preinstalled Heavy Duty zippers.

AX05V \$35.96



Commercial ZipDoor[™] Kit

The commercial ZipDoor kit is a great way to create a dust barrier for larger doorways in hospitals and commercial space. And, it's reusable too. Includes: one 4' x 8' ZipDoor and 1 roll of ZipWall double-sided tape. Two Heavy Dutyzippers are pre-installed on the ZipDoor.

AX05W \$45.99



ZipWall Tape

Cover any opening, built-in or fixture using plastic sheeting and ZipWall doublesided tape. It's like traditional painter's ape on one side, while the other side has

In adhesive specially designed to hold lastic sheeting.

> 1" x 60' roll #AX05T \$10.46 2" x 60' roll #AX05U \$16.85

Floor Adapter

The Floor Adapter replaces the rubber foot on the SLP10 and SLP12 poles and the 10' and 12' aluminum Spring Loaded Poles. This lets you to attach a Foam Rail[™] to the bottom of the pole. Mount Foam Rails on both ends of the pole to seal the floor and the ceiling without tape.

> For 12' Pole AX05Y \$9.09 For 10' Pole AX05X \$9.09

Zipwall[®] Grip Disk

The Grip Disk holds poles securely in place on slippery flooring such as sealed/polished wood, marble, vinyl, some tile, etc. Package of 2.


馬 AX05C \$7.31

Zipwall[®] Head Plate and Tether AX05I \$17.94

Zipwall[®] Head/Keyhold Snaps AX05H \$10.17











Anywhere you need containment, use the ZipWall barrier system. No ladders, no tape, no hassles!

SMART

- For heated drying systems
- Ideal for mold remediation
- Ideal for fire restoration
- Works with positive/negative air

FLEXIBLE

- Pole heights up to 20'
- Zippers for work site access
- Accessories for air-tight walls, ceilings and floors

The best dust barrier system is now even better.



NEW ZIPWALL® PRODUCTS



- ZipRail[™] Dual Seal Accessory Seal the ceiling and floor No tape or ladders. Sets up in seconds
- Span 4', reach up to 10' high
- Overlap to create a continuous seal
- Available in single and 3 packs
- Each ZipRail Dual Seal includes 1 spring-loaded pole, 2 Foam Rail™ crossbars

Reusable ZipDoor[™] Kit

- Turn a doorway into a dust barrier.
- One person can install it in minutes
- Standard Kits for doors up to 3' x 7'
- Commercial Kits for doors up to 4' x 8' (flame retardant)
- 2 heavy-duty zippers preinstalled 4 mil plastic
- Can be repositioned for up to one hour
- Reuse again with ZipWall double-sided tape

- ZipWall Double-Sided Tape Seal anything with plastic sheeting easily.
- Roll sizes: 2" x 60' and 1" x 60'
- Side 1 is like painter's tape... side 2 is really strong
- Paper tape... no knife or scissors needed
- 14 day release



Personal Protective Equipment (PPE)





Protective Coveralls

These limited use microfilm protective coveralls protect workers against dusts, soot and other soils. Features a zippered front, attached hood, boots and elastic wrists.

Medium AX97	\$5.11
馬 Large AX97A	\$5.11
👞 X-Large AX97B	\$5.11
AX97C	\$5.11
SX-Large AX97D	\$5.11
AX-Large AX97E	\$5.11
👞 5X-Large AX97F	\$5.11

Chemical Resistant Gloves

These nitrile gloves are excellent for handling solvents or any liquid cleaning agent. Flock lined for comfort and durability, these gloves will be able to be reused many times. Sold as a pair.

X-Large AX94XL \$3.87
 Large AX94LG \$3.87
 Medium AX94MD \$3.65
 (12) X-Large AX94XLPK \$59.45
 (12) Large AX94LGPK \$59.45
 (12) Medium AX94MDPK \$57.68

Full Face Respirator

This full-face respirator is ideal for maximum protection when working with solvents, toxic chemicals or in mold and other microbial contamination



situations like black water floods. The fivestrap suspension system assures a balanced, comfortable fit. And a panoramic lens allows unobstructed vision.

> Full Face, Medium AX88A \$157.24 Full Face, Large AX88B \$157.24



HEPA Respirator Cartridges

Organic vapor respirator cartridges with HEPA Filter. Top of the line respirator cartridges that will keep you safe in the worst conditions. One pair (2 mold cartridges.)

■ HEPA Cartridge AX92A \$28.48 ■ Respirator Cartridge AX92 \$14.16



Hazmat/Flood Boots

These completely waterproof boots are designed to fit over existing shoes. Made of latex rubber with a textured sole to reduce slipping. Durable enough to reuse, inexpensive enough to be disposed of.

Large (fits size 7-9) AX13A \$7.94
 X-Large (fits size 10-12) AX13B \$7.94
 XX-Large (fits size 13+) AX13C \$7.94

www.interlinksupply.com

258 Personal Protective Equipment (PPE)



Vinyl Disposable Gloves

Perfect for a wide variety of cleaning and restoration operations these 5-mil vinyl gloves are strong and economical. They contain no natural rubber and are lightly powdered for worker comfort. 100 per box.

Medium AX93MD \$6.99
 Large AX93LG \$6.99
 X-Large AX93XL \$6.99
 XX-Large AX93XXL \$6.99



Glove 13-Mil

These 13-mil heavy duty latex gloves are great for restoration. The extra thickness provides the protection needed for heavy duty restoration.

Medium AX943MD \$20.83
 Large AX943LG \$20.83
 X-Large AX943XL \$20.83



Disposable Nitrile Gloves

These thin, 4-mil, lightly powdered nitrile gloves for lightduty chemical and liquid resistant applications provide superior durability and are three times more puncture resistant than thicker vinyl and latex rubber gloves. 100 ambidextrous gloves per box.

Medium, blue AX941MD \$12.95
 Large, blue AX941LG \$12.95
 X-Large, blue AX941XL \$12.95
 XX-Large, blue AX941XX \$16.95
 Medium, black AX942MD \$17.99
 Large, black AX942LG \$17.99
 X-Large, black AX942XL \$17.99
 XX-Large, black AX942XX \$17.99



Leather Work Gloves

A great glove for demo or other rough duty. Made from full-grain pigskin and DuPont Kevlar threading, these multipurpose leather work gloves are incredibly durable and comfortable to wear.

ቚ Large AT63 \$7.99



Safety Goggles

Always protect your eyes! For allaround eye protection against chemical or liquid splash when working with harsh or potentially damaging chemicals of any kind!





Safety Glasses

4-way adjustable temples for a perfect fit and clear, undistorted vision. Fits over prescription glasses and meets ANSI Z87, 1-1989 standards.

馬 AX89 \$2.99



Safety Glasses

Protect your eyes from harmful materials. These amber lenses protect your eyes from UV rays while enhancing your UV perception.

Clear Lens AX91A \$5.68
 Mirror Lens AX91B \$4.85
 Amber Lens AX91C \$5.99

Personal Protective Equipment (PPE) 259



Deluxe Respirator

Protect yourself when working with solvents or other problem chemicals. The deluxe respirator is made with soft silicone rubber that fits the face and stays with it throughout facial movements and speech. This respirator is extremely comfortable, flexible, durable and distortion resistant. Cartridges not included.

Deluxe Respirator AX88 \$53.75 Cartridges, Solvents AX92 \$14.16 Image HEPA Cartridges AX92A \$28.48



Respirator Facepiece

This respirator is much more comfortable than the typical respirator. Made of soft, pliable, hypo-allergenic rubber, the strategic lateral position of the inhalation valves and cartridges increases the viewing area while providing a cooling wash of air over the face.

Respirator Facepiece AX90 \$20.54 Lattridges, Solvents AX92 \$14.16 ■ HEPA Cartridges AX92A \$28.48



N95 Disposable Respirator

The N95 Disposable Respirator is the latest NIOSH approved molded-cup style filtering respirator. As a universal, one-size respirator, (with exhalation valve) it is designed to fit most face shapes and sizes while providing outstanding respiratory protection. Box of 10

恥 AX901 \$15.50



Dust Masks

Protect your workers from dusts and fine particulates found in fire and other restoration situations. A must for every restoration technician! 50 pack.

> AX96 \$8.79



ChemMAX[®] 1 Protective Garment

front, attached hood, boots and elastic wrists.

ChemMAX 1 is constructed with a unique polyethylene barrier film and a non-woven, continuous filament polypropylene. ChemMAX 1 garments bar many harmful contaminants from penetrating to inner clothing. Available with serged, bound and heat

sealed seams for added barrier protection. Features a zippered

Hard Hat

Protect workers on the job and project a professional image with these durable white plastic hard hats with ratchet suspension.

AX06 \$18.99



Polypropylene Coveralls

Light duty dust coveralls features a zippered front, attached hood, boots and elastic wrists.

Medium AX67	
Large AX67A	\$1.47
 X-Large AX67B	
 2X-Large AX67C	\$1.59
 3X-Large AX67D	\$1.71
4X-Large AX67E	\$1.84
5X-Large AX67F	\$1.96



Medium AX69 \$8.98 \$8.98 Large AX69A X-Large AX69B \$8.98 2X-Large AX69C \$9.40 3X-Large AX69D \$9.99 4X-Large AX69E \$10.74 5X-Large AX69F \$11.82

Serged Seam Serged and Bound Seam Medium AX70 \$11.78 Large AX70A \$11.78 X-Large AX70B \$11.75 2X-Large AX70C \$12.37 3X-Large AX70D \$13.11 4X-Large AX70E \$14.10 5X-Large AX70F \$15.51





Heat Sealed Seam Medium AX71 \$36.15 Large AX71A \$36.15 X-Large AX71B \$36.15 2X-Large AX71C \$37.96 3X-Large AX7D \$40.23 4X-Large AX71E \$43.25 5X-Large AX71F \$47.58 RESTORATION

Serged

260 Restoration Accessories



Hydro-Force Vapor Cleaning Machine

The Hydro-Force® Vapor Cleaning Machine is THE commercial steamer for non-wipeable surfaces. Gets soot off masonry, tile and grout, linoleum, concrete — any hard surface. A wide variety of attachments makes it easy to clean surfaces, appliances and other contents for residential or commercial jobs.

With water temperature of 250° and a working pressure of up to 70 PSI, this machine cuts through soot and grease, or for flood jobs, mold, mildew, aged-on contaminants and many other stubborn substances. Allowing you to clean for up to two hours on one threequart tank of water, the heavy-duty stainless steel body of this tough machine will take serious punishment while the easy-to-use attachments adapt to any job. Includes 7' hose and 15' electric cord.

MB07 \$795.29 MB07



NEW Guster™ Demo-Bar

The Guster Demo-Bar is designed by a contractor with more than thirty years experience. There is no demolition hand tool on the market today that can compare to the strength and versatility of The Guster. 48" tall.

馬 AR99 \$69.95



Kett Saw

Now you can cut heavy 5/8" drywall, fiberglass, plastic sheet and other construction panels and automatically vacuum up the dust as you cut. The Kett Vacuum Panel Saw features a cast aluminum vac saw head to connect to your shop vac or in-plant collection system. It features a spring-loaded blade guard and cuts up to 1-1/16" deep using a 3-1/2" carbide abrasive or high-speed steel saw blade.

■ Kett Saw AR66 \$495.00 ■ Kett Blade AR66A \$10.00

Dri-Eaz Perforation Roller

The roller is designed to perforate painted surfaces, floor finishes, and other water vapor barriers, to allow the evaporation of moisture that has been trapped inside. The Perforation Roller speeds the rate of evaporation in floors and walls and the long handle makes it easy to use!

馬 AR01 \$139.00

RESTORATION

ScraVac Mold Tool

This ingenious tool attaches to your HEPA vac for removal of mold from a variety of building surfaces. Narrow profile to reach hard to access areas. Insures capture of small particles on horizontal and vertical surfaces. Clean and disinfect after every use!

AX240 \$75.00



Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items. Restrictions apply.

www.interlinksupply.com

Restoration Accessories





Treated Dust Cloth

This 18" x 24" disposable dust cloth attracts smoke, dust and all sorts of residue. Use them to wipe clean a wide variety of surfaces and simply throw them away. 50 pk.

馬 AX08 \$13.95

Lamb's Wool Duster

Natural lamb's wool dusters are excellent for removal of light smoke, dust and soil from walls and nearly all surfaces. When soiled, simply wash, dry and reuse. Telescopic handle included for hard to reach light fixtures, ceilings, etc. One Size only. Pole telescopes from 30"-45".

AX07 \$12.39



Fixi-Clamp

Get a grip on those hard-toreach cleaning problems. Adjustable jaws make this the perfect tool to hold chemical sponges, rags, cellulose sponges, chamois, mops, etc. Use with telescopic extension poles to clean hard to reach areas.

Fixi-Clamp Head paper, acoustical ceiling
 AX50 \$38.20 tile, paneling, lamp shades,
 8' Ext. Pole AX66 \$45.81 paintings, and more.
 18' Ext. Pole AX64 \$94.32
 6" x 3" x 2" AX26 \$3.29 (ea)




Dry Cleaning Sponges

Also known as "chemical sponges", these natural rubber sponges have tiny porous cells to lift soot from surfaces quickly and in a dry state without smearing. Available in two sizes, these sponges are ideal for painted surfaces, wall paper, acoustical ceiling tile, paneling, lamp shades, paintings, and more.

馬 8" x 3" x 2" AX27 \$4.29 (ea)


Literature and Software



New Guide to Restorative Drying

This 200-page reference book covers current drying techniques consistent with the 2006 IICRC S500 standard. Includes formulas for equipment placement, real-life drying challenges and solutions, sample forms and monitoring documents and helpful charts, illustrations and photos! Plus a bonus CD-ROM with Restoration Project Manager documentation system and business-related forms!

- Ready-to-use formulas for equipment placement
- Real-life examples of drying challenges and solutions
- Sample forms and monitoring documents
 - Pages and pages of helpful charts, illustrations and photos!



case \$2.24 (48)


case \$3.22 (36)



IICRC Standards

Keep Up With Industry Guidelines

IICRC Standards for Carpet Cleaning S100 LM89 \$38.50
 IICRC Standards for Upholstery Cleaning S300 (2002 Edition) LM95 \$25.00
 IICRC Standards for Water Damage Restoration S500 (2006 Edition) LM91 \$125.00
 IICRC Standards for Mold Remediation S520 (2008 Edition) LM96 \$130.00



E-TES Charting Software

Graphs data to Excel spreadsheets for reporting and documentation. Included with purchase of E-TES. Download at www.tesdryingsystem.com. Free with the purchase of a new E-TES SD.

ST001 Free w/ purchase of ETES SD Learn more about E-TES on pages 184-186.

262 Smoke and Severe Odor Counteractant



Dilution Ratios: 1 oz./gl.

Vaportek ECOZ Odor Neutralizer Concentrate

ECOZ is designed to enhance any cleaning activity by providing an extra measure of odor control. Natural odor controllers neutralize unpleasant malodors immediately upon contact and leave a pleasant lingering aroma in the air. By simply diluting ECOZ in mop water or high pressure/trigger sprayers, odor control will be greatly improved. For typical treatment, dilute one ounce of ECOZ with each gallon of water. No rinsing necessary.

SOS, gallon CD98GL \$35.00 (ea)
 \$31.50 (4)
 Linen, gallon CD99GL \$35.00 (ea)
 \$31.50 (4)

Classic Neutral, gallon CD100GL \$35.00 (ea) \$31.50 (4)



9-D-9 PRORESTORE

9-D-9 is a highly-concentrated general purpose smoke odor counteractant. Add to pressure sprayer solution and apply directly onto odor source. Can also be added to wall and fiber cleaning solutions.

RTU pH: 7.7 Dilution Ratio: 3-6 oz./Gal

gallon CD59GL \$84.22 (ea) \$75.80 (4)

Tabac-Attack PRORESTORE

Specifically formulated to neutralize the odors associated with tobacco smoke, Tabac-Attack works at the molecular level to neutralize and permanently deodorize materials affected by tobacco odors. Tabac-Attack can be used on hard or soft surfaces.

RTU pH: 6.5 Dilution Ratio: .1-2 oz./gl.

gallon CD41GL \$28.05 (ea) \$25.25 (4)



RTU pH: 4-7 Dilution Ratios: RTU

odory Dollarso

Space Spray **PRORESTORE**

Space Spray is an industrial strength solvent-based odor counteractant that eliminates odors caused by fire and smoke damage. The variety of fragrances offers many deodorization options in a wide variety of situations. Space Spray is also a superb pet odor counteractant and great for room freshening after carpet cleaning. Mist lightly onto affected area. For severe pet odors, inject into odor sources with hypodermic needle.

Cherry, gallon CD80GL \$96.74 (ea) **\$87.07 (4)**

Citrus, gallon CD83GL \$98.20 (ea) \$88.38 (4)



A highly-concentrated odor counteractant specially formulated to eliminate the stubborn protein odors which result from kitchen fires involving burned meat. Double-O is also highly effective on sewage related water damage.

RTU pH: 8.2 Dilution Ratio: 3-4 oz./Gal

gallon CD87GL \$125.54 (ea) \$112.99 (4)



Last Resort **PRORESTORE**

Last Resort is the world's strongest odor counteractant. It is the product to use when other products fail. Last Resort destroys dead body odors, skunk odors, severe pet and smoke odors, etc.

RTU pH: 6 Dilution Ratio: .5-1 oz./Gal

quart CD88QT \$59.30 (ea) \$53.37 (12)



Smoke and Severe Odor Counteractant 263



PRORESTORE

Crystal Odor Counteractant

C.O.C. is an exclusive combination of chemical odor neutralizers and natural absorbents formulated into a long-lasting dry deodorizer. C.O.C.'s odor counteractant vapor is effective against odors caused by urine, sewage, smoke, decay, putrefaction, etc.

 6 oz. Tins, professional grade CD85A \$9.53 (ea)
 \$8.58 (12)
 Gallon, commercial grade CD85B \$42.32 (ea)
 \$38.09 (4)



Thermo 2000

Thermo 2000 is a highly effective odor counteractant formulated for use in thermal foggers. Thermo 2000 contains only food and cosmetic grade ingredients and is safe and effective. Thermo 2000 detoxifies contaminated environments without adding unnecessary VOCs.

RTU pH: 5-7 Dilution Ratio: RTU PRORESTORE

Cherry, gallon CD91GL \$94.49 (ea)
 RTU \$85.04 (4)
 STORE Citrus, gallon CD92GL \$94.49 (ea)
 \$85.04 (4)
 Fragrance Free, gallon CD55GL \$94.49 (ea)
 \$85.04 (4)



Sapphirescientific

Fiber Smoke Wash

Fiber Smoke Wash's specialty surfactants and powerful solvent system attack greasy, oily soils that have coated the fibers. The product is fully water soluble. Select essential oils help to counteract odors. Can be used as a preconditioner and as a foaming cleaner. Highly effective on pet odors too!

gallon CD212GL \$108.02 (ea) \$97.22 (4)



RTU pH: 7.6 Dilution Ratio: 2 oz. per load of laundry



Bad Odor Blocks

Bad Odor Blocks are odor counteractant wafers that attract and remove bad odors. Most effective in small rooms, ducts, automobiles or wherever odor control is needed.

Cherry, CD58A \$4.69 (ea)

Vanilla, CD58F \$4.69 (ea)

Green Apple, CD58C \$4.69 (ea)

Lemon Lime, CD58G \$4.69 (ea)

\$4.46 (25)

\$4.46 (25)

\$4.46 (25)

\$4.46 (25)

PRORESTORE



RTU pH: 4-7

Dilution Ratio: RTU

Thermo 55 **PRORESTORE**

Thermo 55 is a highly-concentrated, solvent-based, heat-activated odor counteractant specially formulated for application via thermal or ultra low volume fogging apparatus. Thermo 55 is V.O.C. compliant. Sold in gallons.

 Cherry, gallon CD60GLA \$71.17 (ea) \$64.05 (4)
 Neutral, gallon CD60GLB \$71.17 (ea) \$64.05 (4)
 Citrus, gallon CD60GLD \$71.17 (ea) \$64.05 (4)

Kentucky Bluegrass, gallon CD60GLE \$71.17 (ea) \$64.05 (4)

www.interlinksupply.com

booster and deodorant that can be used as an upholstery and carpet pre-conditioner. It is water soluble and is intended as a deodorant and cleaning additive to wash loads on fire losses.

Smoke Wash **PRORESTORE**

Smoke Wash is a laundry cleaning

gallon CD72GL \$106.47 (ea) \$95.82 (4)

54 Smoke and Severe Odor Counteractant



Dilution Ratio: 3-8 oz./Gal water

Liqui-Zone[™] **PRORESTORE**

Liqui-Zone[™] destroys odors through oxidation. Effective on dead body odors, skunk odors, charred wood, etc. May be sprayed or fogged.

gallon CD77GL \$49.23 (ea) \$44.31 (4)



Un-Flame Fire Retardant

Renders suitable materials flame proof and stops flame spread. Covers approximately 500 square feet.

RTU pH: 6.4 Dilution Ratio: RTU

> gallon CD84GL \$40.98 (ea) \$36.88 (4)

UNSMORT Soot 12 UNSMORT Unsoot 12

Unsoot #1 & Unsoot #2

PRORESTORE

PRORESTORE

Unsoot #1 Encapsulant is used to refinish duct work and ceiling plenums after fires, smoke damage and oil burner puff backs. Unsoot #2 is a coating to protect against microbial growth for 2 years.

Unsoot #1 RTU pH: 6.0 Unsoot #2 RTU pH: 6.9

Dilution Ratio: 1:5 parts water (both)

Unsoot #1, gallon CD57GL \$47.14 (ea)
 \$42.43 (4)
 Unsoot #2, gallon CD97GL \$77.36 (ea)
 \$69.62 (4)

WATER/MOLD/ANTIMICROBIAL

Benefect

A Reneficer A Ren

EPA Registered Restoration Disinfectant

Now there's a restoration grade, broad spectrum disinfectant for all categories of water damage and even mold remediation and trauma scene clean-up that has earned the highest safety rating from the EPA (a category IV safety profile for ALL 6 routes of exposure)! You can use Benefect with total confidence around your customers, your technicians, children, pets, the elderly and even people with chemical sensitivities!

It's so safe that there are no label warnings or precautionary statements for use or disposal— your technicians don't even need to wear Personal Protective Equipment! Benefect is the first and only botanical hospital disinfectant and fungicide registered with the EPA for control against gram-negative and gram-positive bacteria, fungi, viruses (including HIV-1, the AIDS virus) and tuberculosis. This makes it suitable for all types of water losses including gray or black water damage, mold remediation, trauma scene clean-up, carpet deodorizing and anywhere else germ or odor control is required. Benefect is also very effective where organic matter is present.

RTU pH: 5-6 Dilution Ratio: RTU (Covers 1,000-1,200 Sq. Ft./Gallon)

4 oz CD31S \$5.99 (ea)
 gallon CD02GL \$39.99 (ea)
 \$37.95 (4)

pail CD02PL \$179.96 (ea) drum CD02DR \$1649.99 (ea)

Visit our showroom or call in an order. See cover for information.

The Only Antimicrobial You'll Ever Need!

Sporicidin® Disinfectant Solution

Kills Dangerous Mold, Mildew, Bacteria & Viruses

- Provides continuous residual bacteriostatic activity for up to 6 months
- Non-corrosive, non-staining, non-flammable formula (7.9 pH)
- EPA registered fungicide, bactericide, virucide, and tuberculocide
- EPA registered for use in HVAC systems
- Water & flood damage cleaning/restoration
- Air duct & HVAC system cleaning
- Mold & IAQ remediation



Sporicidin[®] by Contec, Inc.

ph: +1-864-503-8333 toll free: 1-800-424-3733 sporicidin@contecinc.com www.sporicidin.com





NEW SystemSURE Plus - ATP Monitoring System™



SystemSURE Plus uses state-of-the art electronics with improved functionality, but still maintains its small hand-held design and affordability.

- Checks bio-contaminate levels on surfaces
- Verifies effectiveness of disinfectants, sanitizers, and purifiers
- Substantiates improvement in bio-contaminate levels
- Eliminates adjuster doubts
- Alleviates property owner fears
- Completes critical documentation

ATP Meter AC8461 \$1195.00 ATP Surface Swabs (100 ct.) AC8463 \$219.00 ATP Liquid Test Swabs (100 pk) AC8466 \$239.00


Benefect Botanical Decon 30 ZBenefect

Faster, Economical Botanical Disinfection The One Step Disinfectant Solution

Benefect Botanical Decon 30 is an innovative one-step disinfectant cleaner specially formulated for the needs of water damage restoration. Typical disinfectants require 10 minutes contact time, which is difficult to achieve on vertical surfaces and materials. New Decon 30 solves this problem by being specially formulated to kill gram-negative and gram-positive bacteria with a more realistic contact time of just 30 seconds!

- Kills 99.999% of bacteria in 30 seconds
- Uses 75% less oil, which means a much lighter scent
- gallon CD33GL \$33.67 (ea) \$31.99 (4)

Sporicidin® Disinfectant Solution



Sporicidin

- Mold Remediation
- Water Damage Restoration
- Sewer and Black Water Decontamination
- Trauma & Crime Scene Cleanup
- Air Duct Cleaning
- Carpet Decontamination and Odor Control
- Disinfection of Hard, Non-Porous Surfaces
- Cleaning, Disinfection and Deodorization of Equipment and Personal Protection Equipment

gallon CD39GL \$34.45 (ea)
 \$31.01 (4)
 quart Spray CD39QT \$15.45 (ea)
 \$13.91 (12)
 Canister, 180 towellets CD39T \$12.26 (ea)
 \$11.03 (12)
 Canister, 180 towellets (2 pk) CD39TPK \$24.00 (2)

Enzyme Mold Cleaner, guart CD39M \$34.15 (ea)


Dilut.= RTU



Microbial Test Kit



Quickly and easily test for toxic mold, bacteria, viruses and other microbial contamination in 1 minute! This kit is ideal for quickly detecting the presence of toxic mold, dangerous bacteria, viruses, blood, bodily fluids, and biological allergens in homes, schools, and businesses. Pack of 2 tests.



\$32.44 (4)

Xactimate® code: WTR TESTATP





ShockWave BTU

ShockWave RTU is an EPA-registered, quaternary ammonium chloride cleaner, disinfectant and sanitizer designed for use on various surfaces subject to microbial contamination. ShockWave RTU will disinfect hard, nonporous surfaces, and also sanitizes porous and semiporous surfaces. ShockWave RTU is especially useful as an all-in-one product for treating wood structural members, carpets, and other porous and nonporous surfaces as part of a complete mold remediation project. ShockWave RTU is registered to kill over 120 organisms including Norwalk Virus, and is approved for the H5N1 avian flu. Shockwave RTU is a convenient ready-to-use formulation.

> gallon CR648GL \$28.34 (ea) \$26.92 (4)



Dilut.= RTU RTU pH = 7



Microban Disinfectant Spray Plus

When you have to be sure-choose Microban! Microban Disinfectant Spray Plus is a water-based, bactericide, fungicide, deodorant, antimicrobial all in one unique formulation. It kills gram negative bacteria found in sewage backups, toilet overflows and other gray and black water situations so no matter what type of water damage you can be sure! Microban Disinfectant Spray Plus' powerful antimicrobial action kills allergy and disease-causing germs, bacteria, fungi, mold, and mildew and is E.P.A. registered for both spraying and fogging. Disinfectant Spray Plus is recognized by major insurance companies.

gallon CD62GL \$43.12 (ea) \$38.81 (4)

Microban Disinfectant Spray Plus Fragrance Free

Ideal for treating air ducts or wher-

ever a fragrance-free disinfectant

is required. Disinfectant Spray Plus Fragrance-Free is a powerful bacte-



Dilut.= RTU RTU pH = 7

microban

Microban X-590 Institutional Spray Plus

Microban X-590 offers all the same benefits of Microban Disinfectant Spray Plus with the addition of an insecticide that kills a wide variety of insects including lice, bedbugs, roaches, beetles and fleas, and their larvae. Microban X-590 Institutional Spray Plus protects stored fabrics against textile destroying insects for 6 months! One application kills a wide variety of disease and allergycausing pathogens, including mold, mildew, gram-negative bacteria, fungi, bacteria odors, insects, and provides long lasting residual protection.

Microban X-590 with Tracer, gallon CD603GL \$58.45 (ea) \$52.61 (4)

Microban X-590 with Tracer, pail CD603PL \$265.68 (ea)





FIBERLO

riostat, fungistat, and deodorizer. It's the one product that's right for multiple applications - water damage restoration, mold remediation and even for use in HVAC systems. gallon CD74GL \$43.12 (ea)

IAQ 1000 Mold **Remediation Cleaner**

IAQ 1000 is a hydrogen peroxide based biodegradable, chlorine free cleaner. IAQ 1000 is pH neutral, and contains an agent that will whiten and brighten while cleaning, but does not contain bleach. IAQ 1000 comes ready-to-use in a 5 gallon container.

pail CR665PL \$77.80 (ea)

\$38.81 (4)

www.interlinksupply.com



BotaniClean kill-claims include:

- Tuberculosis
- MRSA
- H1N1
- HIV
- Gram positive and gram negative microorganisms



Dilut.= 2 oz./gal. RTU pH = 12.4

Microban BotaniClean

With new BotaniClean less is more!

- No PPE requiredUnique formulation
- Mild, pleasant fragrance without harsh fumes
- EPA Category IV rating, which means no warning or danger labels
- Economical lower cost to produce is passed on to you!
- No additional rinsing or wiping required when disinfecting and deodorizing
- For use on food contact surfaces when used as directed
- Biodegradeable detergent
- Ready-to-use convenience
- gallon CD601GL \$33.14 (ea) \$29.83 (4)

Microban PRORESTORE

Microban Germicidal Cleaner

Microban Germicidal Cleaner is an E.P.A. registered disinfectant, fungicide, virucide, sanitizer, mildewstat, deodorizer and heavy duty cleaner. Microban Germicidal Cleaner is effective against molds, mildews, fungi, bacteria and viruses (including HIV-1, AIDS, MRSA, Herpes Simplex Types I and II) and inhibits the growth of mold and mildew. Microban Germicidal Cleaner is appropriate for residential and commercial uses, and can combat strong odors associated with bacteria, mold and mildew, as well as odors from urine and vomit. The highly-concentrated formula can be used to sanitize most surfaces - it sanitizes nonporous surfaces at 0.5 ounce per gallon.

Lemon gallon CD65GL \$34.16 (ea) \$**30.74 (4)**

Mint gallon CD50GL \$34.16 (ea) \$30.74 (4)



RTU pH= 9.5-10 Dilution Ratio: 2-8 oz./Gal.





Milgo Plus Antimicrobial Sanitizer Cleaner

Milgo Plus was designed specifically for the needs of the water restoration industry and is manufactured for Dri-Eaz by Microban. Approved by the EPA and highly effective against a broad spectrum of pathogens, including fungi, bacteria and viruses, it also inhibits mold and mildew growth and handles tough odors like urine and sewage.

The professional strength, noncorrosive formula is a safe, one-step hospital level disinfectant cleaner, and can be used to sanitize porous surfaces. Available nationwide, including California.

gallon CD86GL \$42.50 (ea) \$38.25 (4)

ShockWave

ShockWave is an EPA-registered, quaternary ammonium chloride cleaner, disinfectant and sanitizer designed for use on various surfaces subject to microbial contamination. ShockWave is a concentrated formula that will disinfect hard, nonporous surfaces, and also sanitizes porous and semi-porous surfaces. ShockWave is especially useful as an all-in-one product for treating wood structural members, carpets, and other porous and nonporous

surfaces as part of a complete mold remediation project. ShockWave is registered to kill over 120 organisms including Norwalk Virus, and is approved for the H5N1 avian flu. ShockWave is designed to be diluted two ounces per gallon of water, yielding 64 gallons of usable product per gallon of concentrate, making it an economical solution for your cleaning, disinfecting, and sanitizing needs.



gallon CR644GL \$44.68 (ea) **\$42.45 (4)** 10 oz. CR646EA \$12.44 (ea) **\$11.82 (24)** For CA gallon CR654GL \$44.68 (ea)



Claims differ for products sold in Canada. See label for details.

ANTIMICROBIAL EFFECTS

**

<u>microban</u>

SUITABILITY FOR USE:

GOOD BETTER BEST

Sanitizing, disinfecting, decontamination and cleaning treatments.

untaces stion

APPLICATIONS

- launor.

	**	rd sun cr	upets of	thet Solt	ontailte M	alodoro H	AC Inst	et co. Prev	ents in Stowin wil	IS FUNS
BotaniClean (RTU)	***		Í		Ĺ				**	**
Clean Carpet Sanitizer (Conc.)		***						***	**	**
Disinfectant Spray Plus (RTU)	**	***	***					***	***	***
Disinfectant Spray Plus Fragrance Free (RTU)	**	***	***			***		***	***	***
Germicidal Cleaner Concentrate (QGC) (Conc.)	***	**	*	***	**			***	***	***
X-590 Institutional Spray disinfectant, deodorizer, bacteriostat, and fungistat. (RTU)	**	**	**				***	**	**	**

See product label and user guides for specific application guidelines.



SUITABILITY FOR USE: * GOOD ** BETTER *** BEST

Tested and trusted odor control solutions.

	WOO	and Syr	it tor	P40	2 ⁰ 9 ⁸	Smor	hallo pit	· 54	¹¹¹ / 11	att form
9-D-9™ (Conc .)	***	***		**						Compression sprayer/spray bottle
Bad Odor Blocks™	*	*	*	*						n/a
C.O.C.™ Commercial	***	***	*	***						n/a
C.O.C.™ Professional (Conc.)	***	***	**	***						n/a
Double-O™ (Conc .)										Compression sprayer/spray bottle
Fabri-Scent [™] (Conc.)	*	*					***			Compression sprayer/spray bottle
Last Resort™ (Conc .)	*			*				***	**	See label
Liqui-Zone™ (Conc.)								***	**	Compression sprayer/spray bottle
Smoke Wash™ (Conc.)	**			**		***				Washing machine, sponge
Space Spray™ (RTU)	*	*	*		**					Syringe/spray bottle
Tabac-Attack™ (Conc .)			***							Compression sprayer/spray bottle
Thermo-2000™ (RTU)	**			**						Thermal fogger/ElectroGen 2000
Thermo-55™ (RTU)	***		***	***						Thermal fogger/Thermo-Gen
Un-Duz-It™ (Conc.)					***					Compression sprayer/spray bottle
Urinse™ Pre-Spotter (Conc .)					***					Compression sprayer, Spray bottle, syringe

For guaranteed odor removal, use ProRestore's Guaranteed Odor Removal System. Visit www.ProRestore.com for details.



Professio	onal solutic	ons for res	toring smo	oke and fi	re damage
	y all types				

APPLICATIONS -

SPECIAL FEATURES

SUITABILITY FOR USE: * GOOD ** BETTER *** BEST

	Cat	pet c Ha	dsur	2350	stein	ctrol.	nfinish Fir	isher	AC New	con ms	nd arts	capsu Fire
	Ca	40	. Gu	ঁ প		ి / ళ	u. (ii	· / ¥	h, He.	40, 4	5 E	- Fill
All-Surface Cleaner (RTU)		***	*									
Degrease-All E [™] (Conc.)					***							
Degrease-All™ (Conc.)	***	**	**	**		*						
Un-Flame™ (RTU)												***
Unsoot™ #1 Encapsulant (Conc.)								**	**		***	
Unsoot™ #2 protectant (Conc.)								***	**	***	***	
Woodcraft™ Restoration Cleaner (RTU)		**					***					
SurfaceShield® protectant (Conc.) †									***	***	***	

[†]Claims differ for products sold in Canada. See label for details.









WWW.PRORESTOREPRODUCTS.COM



/APG/RTEK

Vaportek Bio-C

Professional Strength Odor Controller and Breakdown Agent. Bio-C goes beyond simple odor control. A bacterial spore solution, which contains a powerful independent enzyme system, immediately starts digestive activity, decomposing organic matter quickly. When introduced to a waste environment, catalytic action of the enzymes breaks down large complex organic compounds, stimulating the digesting power of the bacteria.

sallon CD101GL \$43.00 (ea) **\$38.70 (4)**



Sporicidin® Mold and Mildew Stain Remover

Sporicidin® Mold & Mildew Stain Remover is an excellent product for removing unsightly stains left by microbiological life, such as mold, mildew, moss, bacteria, and algae stains. MRC-101 series is a biodegradable, environmentally friendly and water-based stain remover that has been developed for mold remediation and flood damage restoration projects.

- gallon CD37GL \$48.67 (ea) **\$46.24 (4)**
 - 👞 🛛 pail CD37PL \$228.95 (ea)

NEW Concrobium-Pro Stain Remover

Concrobium-Pro Mold Stain Remover can be used in homes, hospitals, schools, commercial and industrial buildings... anywhere mold stain removal is required. It's ideal for post mold remediation clean-up as well as cleaning and maintenance on wood, aluminum, concrete, grout and other building materials.

gallon CR352A \$78.94 (ea) \$74.99 (4)



Sporicidin

Sporicidin[®] Enzyme Mold Cleaner

Sporicidin[®] Enzymatic Cleaner is a blend of enzymes which effectively cleans both natural and synthetic fibers that have been soiled with organic and inorganic debris. This highly effective, low-foaming cleaner and stain remover has a neutral pH, is biodegradable, non-flammable and non-toxic. It is ideal for precleaning areas contaminated with mold and mildew.

Enzyme Mold Cleaner, quart CD39M \$34.15 (ea) \$32.44 (4)



Benefect Natural Hand Sanitizer

Benefect's active ingredient is our proprietary, fast-acting, broad spectrum antimicrobial created from a patented blend of natural thyme. In an emergency situation, it can be difficult to find running water. Clean your hands on the go, with Benefect Natural Hand Sanitizer! Keep some in the truck for a quick clean up after any kind of remediation job.

Benefect

Wall Mount Dispenser CD31D \$19.99 (ea) Dispenser Refill CD31R \$24.99 (ea) Hand Sanitizer, 4 oz. CD31S \$5.99 (ea) Hand Sanitizer, 4 oz. 4-pack CD31SPK \$19.99



NEW Concrobium-Pro Mold Control

Concrobium-Pro Mold Control is a professional-grade, EPA-registered solution that eliminates mold and prevents it from coming back. Concrobium-Pro Mold Control contains zero toxic chemicals such as bleach or ammonia, and is Green-Spec listed.

Not for California gallon CR350GL \$33.67 (ea) \$31.99 (4)

馬 pail CR350PL \$149.99 (ea)

For use in California sallon CR350GL-CAL \$33.67 (ea) **\$31.99 (4)**





Water/Mold/Antimicrobial and Mold Coatings 271



Concrobium Broad Spectrum Disinfectant

() concrobium

Concrobium Broad Spectrum Disinfectant represents the next generation of plant-based disinfection for professional restoration contractors. The unique, proprietary solution is botanically-derived and offers significant advantages over existing botanical solutions on the market. Unlike other products, Concrobium Broad Spectrum Disinfectant provides superior cleaning so users don't have to resort to two separate products for disinfection and cleaning.

> gallon CR351GL \$27.99 (ea) \$26.59 (4)





IAQ 5000 Stain Blocking Primer

Fiberlock IAQ 5000 is a quick drying, high performance 100% acrylic latex coating specifically designed to prime stained or water damaged surfaces. This stain blocking primer provides exceptional adhesion and may be used on interior or exterior surfaces to seal porous surfaces, provide adhesion to hard and glossy surfaces, and prevent most bleeding type stains. Fiberlock IAQ 5000 is recommended for use on wallboard, plaster, sheetrock, masonry, wood, concrete, aluminum, and galvanized metal.

5 gallon pail CR666PL \$204.45





IAQ 6000HD (Heavy Duty) Mold Resistant Coating -White

Fiberlock IAQ 6000HD is a highbuild, mold-resistant coating designed to help prevent mold growth from occurring in new building construction. Fiberlock IAQ 6000HD is designed for use on building materials including gypsum wallboard, oriented strand board (OSB), wood framing timbers, plywood, and any other surface where a flexible high-build mold-resistant coating is necessary. Fiberlock IAQ 6000HD contains dual EPA-registered, broad-spectrum fungicides to provide maximum protection against mold growth on the coating film.

5 gallon pail CR672PL \$295.40





Mold-Resistant Coating

Easy-to-use, this water-based permanent coating incorporates a unique zero VOC, EPA registered antimicrobial that prevents the growth of mold on the coating film. Developed for high moisture areas, this product forms a dehydration finish that does not allow moisture penetration. It quickly penetrates and adheres to porous and non-porous surfaces, providing a stain-blocking coating that will not blister, crack, or chip and restores the integrity of damaged materials.

Clear, 12 oz. spray CD35AE \$16.61 (ea) \$15.78 (12)

Clear, gallon CD35GL \$66.61 (ea) \$63.28 (4)

Clear, pail CD35PL \$255.95 White, 12 oz. spray CD36AE \$16.61 \$15.78 (16) White, gallon CD36GL \$57.84 (ea) \$54.95 (4)

Surface Shield

Surface Shield is a patented

variety of building materials.

It contains an EPA registered

antimicrobial agent (copper 8

encapsulating adhesive coating

suitable for application to a wide

White, pail CD36PL \$249.95



RTU pH: 6.9 Dilution Ratio: 4:1

PRORESTORE



guinolinolate) that protects the dried

film from microbial attack. Made

from cosmetic grade materials.

\$69.80 (4)

www.interlinksupply.com





IAQ 6000 Mold Resistant Coating - White

Fiberlock IAQ 6000 is an extremely durable coating developed to withstand moist, humid conditions that provide the ideal environment for fungal growth. This easy to apply, 100% acrylic coating offers the ultimate in durability in combination with excellent mold resistance. Fiberlock IAQ 6000 contains an EPA-registered, broad-spectrum fungicide to prevent the growth of mold on the surface of the cured film. Plus, its smooth finish minimizes dirt buildup that provides nutrients for mold growth. Fiberlock IAQ 6000 is recommended for use on plaster, wallboard, sheetrock, concrete, masonry block, wood, primed metal and galvanized metal. Fiberlock IAQ 6000 does not contain any compounds with toxic metals such as barium, boron or zinc, which are present in other mold-resistant coatings. Fiberlock IAQ 6000 yields a clean white finish.

5 gallon pail CR668PL \$275.45



IAQ 6100 Mold Resistant Coating - Clear The same great coating as IAQ 6000, but with a clear finish. 5 gallon pail CR670PL \$275.45





Aftershock White

AfterShock is an EPA-registered antimicrobial coating designed to kill residual mold and mildew remaining after precleaning contaminated surfaces. AfterShock also inhibits the future growth and spread of mold and mildew on the cured film surface in residential and institutional buildings. This extremely durable, easy to apply, 100% acrylic sealant offers the ultimate in durability in combination with excellent fungicidal characteristics to address mold growth from water damage.

> gallon CR662GL \$57.31 5 gallon pail CR664PL \$285.95



FIBERLOCK

IAQ 8000 HVAC Insulation Sealer

Fiberlock IAQ 8000 is a quick drying water-based adhesive coating/ encapsulant designed to form a durable, flexible, moisture-resistant protective coating on duct liner insulation material in residential, commercial, or industrial facilites. Fiberlock IAQ 8000 contains an EPA registered fungicide to resist mold growth on the cured film surface.

IAQ 8000, white, 5 gallon pail CR686PL \$202.80 IAQ 8500, black, 5 gallon pail CR688PL \$193.15





Advanced Peroxide Cleaner

Advanced Peroxide Cleaner is the most advanced cleaner available for the restoration and remediation professional. It aggressively removes stains caused by mold and mildew on porous, semi-porous and nonporous materials. Utilizing a proprietary combination of cutting-edge surfactants and advanced hydrogen peroxide. Advanced Peroxide Cleaner penetrates deep into the substrate. The hydrogen peroxide reacts instantly through an oxidation process that produces high foaming action which lifts the material to the surface. 2.5 gallon container.

(Sold in a case of 2) CR667CS \$139.00



IAQ 9000 Mold Resistant Waterproofer

Fiberlock IAQ 9000 is a mold resistant waterproofing coating that stops water from penetrating through interior and exterior surfaces including below grade masonry walls. Stops 10 psi of water pressure and contains and EPA-registered fungicide to help prevent mold from growing on the surface of the cured film.

5 gallon pail CR682PL \$149.85

Lead Remediation 273





INCLUDES:

- 24 Bottles of Test Solution 1
- 1 Bottle of Test Solution 2 • 25 D-Wipe Cleaning
- Towels
- 1 Sampling Tool
- 1 Cleaning Rod
- 1 Razor Blade with Handle
- 25 Sample Catch Trays
- 1 Waste Disposal Bag with Neutralizing Agent
- Manual



D-Lead Paint Test Kit

The D-Lead® Paint Test Kit quickly and simply determines if a paint sample contains less than the USE-PA regulated lead limit (1.0 mg/cm2). The only test for lead in paint that is both ETV Tested and EPA Recognized for use on drywall, plaster, wood and ferrous metal surfaces. Quickly determine if a paint sample contains less than the USEPA regulated lead limit.

> CR99-KIT \$84.50



BERLOC

Fiberlock LeadSafe - Lead **Dust Cleaner**

A convenient, easy to use solution for lead dust cleaning. The last and possibly most critical step in any lead abatement job is clean-up. With LeadSafe Lead Dust Cleaner this process can be easier than ever.

LeadSafe cleaner utilizes chelating agents similar to those given to individuals with lead poisoning.

LeadSafe Lead Dust Cleaner is a concentrated product designed specifically to assist in the cleanup of lead dust after lead abatement projects, construction/renovations or any other activities which is likely to generate lead dust. This product has been formulated to keep more lead in suspension than TPS and ordinary cleaning products. The chelating agents in Lead Safe Dust Cleaner lift the lead from the surface and bind to the lead dust.

CR652GL \$29.35



FIBERLOCK

Fiberlock Lead Safe Wipes

A convenient, easy to use solution for lead dust clean-up. LeadSafe wipes are ideal for use before and after any lead abatement project. LeadSafe Wipes meet all Federal, State, HUD and EPA guidelines for cleaning and removing lead dust. LeadSafe wipes are conveniently packaged towelettes presoaked in a trisodium phosphate (TSP) solution to aid in surface preparation and cleaning.

CR650A \$24.67

)FGREASING AND SO(



Pine Boost

BRIDGEPOINT SYSTEMS

- · Same performance as Citrus Solv but more economical
- · Just one ounce per gallon to your RTU pre-spray for amazing results

Pine Boost is a natural pine organic solvent degreaser concentrate. It is biodegradable, safe to the environment, contains no chlorinated solvents, no alkalies, and is 100% free from caustics and acids. Pine Boost is water miscible.

Professionals achieve incomparable results when using Pine Boost as a cleaning booster creating ready-to-use general purpose degreaser for carpet and upholstery cleaning solutions. Pine Boost is excellent as a general purpose degreaser for removal of encrusted grease, oil, and adhesives. Nobody tires of the natural scent of pine.

RTU pH: N/A

Dilution Ratio: 1-2 oz. per gallon

gallon CR07GL \$42.45 (ea) \$38.21 (4) \$mart Buy \$33.96 (16)

274 Degreasing and Soot Removal



Benefect[®] Impact[™] Cleaner

Now you can complete your line of **Botanical Disinfection & Cleaning** Products with our NEW Benefect® Cleaner Concentrates! Benefect®'s Impact[™] Cleaner is a high-performance Carpet Cleaner Concentrate based on optimized dynamic chemistry that outperforms other industry cleaners without using hazardous synthetic chemicals. Formulated for carpets and fabrics and other porous and semi-porous materials and surfaces. It can be used as a Carpet Pre-Spray, In-Tank Extraction Units, Bonnet Cleaning & for Upholstery Cleaning.

sallon CS10GL \$29.99 (ea)



RTU pH: 12.3 Dilution Ratios: 16 oz./Gal

PRORESTORE

Degrease All

Degrease All is a specially-formulated ammoniated degreasing solvent tough enough to remove heavy smoke residues, but gentle enough to be used as a traffic lane cleaner or upholstery pre-spray. Degrease All removes smoke residues, grease, and other difficult soils from painted surfaces, metal, concrete, tile, sealed or unsealed wood, hard floors and wet cleanable fabrics. Degrease All is nonflammable and has no intoxicating fumes.

> **allon CR90GL \$27.13 (ea) \$24.42 (4)**

5 gallon pail WCS59 \$123.54

Ultimate Soot Removal

6" x 3" x 2" AX26 \$3.29 8" x 3" x 2" AX27 \$4.29

Dry Cleaning Sponges

Also known as "chemical sponges", these natural rubber sponges have tiny porous cells to lift soot from surfaces quickly and in a dry state without smearing.







RTU pH: 10.9-11 Dilution Ratios: RTU Contents and Light Soot: 2-4 oz./Gal. Heavy & Slimy Soot or Grease: 16 oz./ Gallon. (Increase depending upon severity)



Wide Range Cleaner

Wide Range Cleaner is a heavyduty alkaline cleaner for heavy, greasy soils on a wide range of hard surfaces. Use as a general-purpose cleaner for everything from light routine cleaning to the heaviest fire restoration and industrial cleanup.

> gallon CR49GL \$23.41 (ea) **\$21.07 (4)** 5 gallon pail CS49PL \$104.02

Benefect® Atomic Degreaser

Atomic Degreaser is a next generation heavy duty cleaner and degreaser that utilizes an optimized dynamic chemistry to deliver superior penetration of soils, rapid wetting and dispersion of particulates with little or no agitation-making it ideal for the heaviest grease, smoke damaged contents and surfaces. Made from botanical ingredients, it is safe to use around children, pets and the chemically sensitive. Atomic contains no solvents, VOCs, petrochemicals, dyes, fragrances, phosphates, alkyl/nonyl phenols or other hazardous ingredients and will not contribute to indoor air pollution.

> gallon CD09GL \$39.99 (ea) \$37.95 (4) pail CD09PL \$189.99 drum CD09DR \$1949.99

Multi-Purpose Cleaner

For a complete green cleaning system use Benefect's line of Botanical Disinfection & Cleaning Products. Benefect's Multi-Purpose Cleaner (MPC) is a revolutionary Cleaner Concentrate that achieves the professional results you need without using hazardous synthetic chemicals. Formulated for general daily cleaning and large dilution range from heavy to light-duty tasks.



gallon CC78GL \$34.99 (ea) \$33.20 (4)

RESTORATION

Degreasing and Soot Removal 275



Unsmoke Degrease-All E

Clean valuable electronic equipment. Degrease-All E is a highly concentrated cleaner and degreaser specially formulated to clean electronic equipment. Highly effective at removing smoke damage and fire related residues, Degrease-All E rinses clean and leaves surfaces residue-free.

HAZMAT or ORM-D Item

PRORESTORE





PRORESTORE

Woodcraft Restoration Clean

A specially-developed gel for restoring smoke damaged wood surfaces. This gentle but highly effective compound restores wood's natural properties that are removed by fire related heat and gasses. Can be used on any hard surface such as wood, metal, plastic, even fiberglass. Assists in the removal of smoke odor. Not for use on unfinished wood. Depending on the surface, it can be applied with 0000 grade steel wool, Turkish towel or any soft cloth. Low use cost. Conveniently packed in easy-to-use pump container.

32 oz. can, CR24A \$15.83 (ea) \$14.25 (12)



Customizable Pet Spotter Plus

Nothing works better at removing stains and odor. For pets, kids and more. No matter what end of the pet the problem comes from, Pets Spotter Plus will handle it. Even those old stubborn stains are most often removed with Pets Spotter Plus. Coffee, tea, blood and wine are zapped with this amazing spotter.

Full customization of specific label areas including logo, coupon or special message. Four labels to choose from.

Order online at www.homeprospotter.com.



NEW Glass Cleaner Professional Strength

Glass Cleaner from Groom Solutions uses "Green" ingredients to create the world's best glass cleaner. The water used is cleaned, filtered and purified to remove all minerals that could cause streaking. This Glass Cleaner can be used in fire restoration situations for removing soot, fingerprints, etc. on glass, stainless steel, and other non-porous fine hard surfaces.

gallon CR517GL \$11.22 (ea) \$10.10 (4)





Free shipping on orders over \$350 from www.interlinksupply.com or from your local Interlink Supply store. Look for this icon on qualifying items.

Restrictions apply.



Carpet & Fabric Deodorizers



Using deodorizers as a standard part of your cleaning process is smart business. Why? The sense of smell is one of our most powerful senses and your customers know that if it smells clean, it is clean! That's why using Cherry or Lemon Deodorizer is a great way to add value to your services and increase customer satisfaction.

Cherry or Lemon Deodorizer is highly concentrated and fills rooms with a pleasant, clean fragrance—for only pennies per job! Deodorizing agents also go to work to eliminate the sources of common odors. These are safe deodorizers that contain no oxidizing or bleaching agents, which means that they can be mixed with virtually any cleaning compound. They can be used as an after spray or added to cleaning solutions. They're safe for carpet, water-safe upholstery, laundry and general space deodorizing.

Both Cherry and Lemon offer strong, pleasing fragrances. No matter which one you use, both smell clean!

Dilution Ratios: After Spray: 2-4 oz./Gallon (Increase depending

\$13.97 (16) Sweet Lemon Scent, gallon CD11GL \$17.46 (ea) \$15.71 (4) **\$13.97 (16)**

Cherry Scent, gallon CD10GL \$17.46 (ea)

\$15.71 (4)

Fresh Lemon Scent, gallon CD12GL \$17.46 (ea) \$15.71 (4) \$mart Buy \$13.97 (16)



De-Liminate Liquid Odor Destroyer

Truck Mount: 16-32 oz./ 5 gallon stock solution

Portables: 2-4 oz. per gallon of cleaning solution

RTU pH: 7

on odor severity)

De-Liminate is a solvent-based, multi-purpose odor neutralizer based on a natural citrus solvent. This formula is made from the same chemicals they use in sewage treatment plants!

Solvents and emulsifiers give De-Liminate exceptional penetrating ability allowing it to get into places other compounds can't reach for unsurpassed odor destroying ability. De-Liminate is outstanding on odors from urine, water damage, smoke, sewage and many other severe odors. Can be applied by direct spray or ULV fogger.

> gallon CD14GL \$68.13 (ea) \$61.32 (4) **\$54.50 (16)**



RTU pH: 6.5

Dilution Ratios: Sprayer: 4-8 oz. /Gallon (Depending on odor severity) Prespray Additive: Up to eight ounces per gallon of RTU prespray



Hydrocide Odor Neutralizer

Hydrocide is an amazing odor counteractant that immediately and permanently eliminates odors from pet and human urine, vomit, decayed organic matter, sour smells, feces, skunk, musty mildew odors, smoke and much more. Hydrocide contains an odor neutralizer that binds to and destroys odors—no matter what the source—in carpet, upholstery, mattresses and hard surfaces.

Hydrocide contains no bacteria, enzymes, oxidizers or chemical desensitizers. And, Hydrocide contains a polymer that resists resoiling of treated areas.

> quart CD13QT \$21.51 (ea) \$19.36 (12) **\$17.21 (48)**

RTU pH: N/A

Dilution Ratio: After Spray: ½ to 8 oz./Gallon (Depending on odor severity)















Ultimate Spotting Tools!

Learn more on pg 216.

Hydrocide Xtreme[™]

Hydrocide Xtreme[™] neutralizes odors by binding, bonding, encapsulating, and absorbing odors associated with humans, animals, food, chemical processes and smoke. Hydrocide Xtreme contains a fresh "green" fragrance to leave the treated environment with a refreshed, deodorized smell, Results are best when an odor source is treated with Hydrocide Xtreme™ and then cleaned. Hydrocide Xtreme is an amazing new odor counteractant. It contains an odor neutralizer that binds to and absorbs odors no matter what the source. Hydrocide Xtreme effectively eliminates odors from pet urine and feces, vomit, skunk musk, pet or human body odors, and decaying protein and organic matter. It can be used to effectively treat odors on any water safe surface including carpet, draperies, upholstery, pet beds, mattresses, and more. It does a fabulous job of treating general odors in carpeting to help freshen up a total room. Use Hydrocide Xtreme with a Water Claw® tool such as a FlashSpotter™, Spot Lifter®, or FlashXtractor[™] to treat severe urine contamination. Hydrocide Xtreme can also be added to your pre-spray to treat areas of concern prior to cleaning. Hydrocide Xtreme works immediately, making your cleaning job more pleasant.

> pint CD17PT \$18.85 (ea) \$16.97 (12) \$15.08 (48)

gallon CD17GL \$79.95 (ea) \$71.96 (4) \$63.96 (16)





Premium Odor Counteractants

Premium Odor Counteractants are fantastic cleaning deodorizers with wonderful, contemporary fragrances your customers will love, for only pennies per job. But even more importantly, they contain true odor neutralizers that attack the sources of more challenging odors.

And when you're dealing with really tough odors like old dog and cat urine, rot, vomit or even skunk, you can super charge Premium Odor Counteractants with Bio-Charge! This adds a highly concentrated dose of bacterial enzyme odor digesters to the already potent odor neutralizers in Premium Odor Counteractant.

Spice Air: This is our best seller! The exotic spice fragrance your customers will love. Apple Air: The crisp fragrance of apple that says "clean!" to your customers. Spring **Morning:** Takes the best nature has to offer to provide a truly exhilarating scent. Meadow Fresh: Like taking a breath in the mountains on a beautiful spring day! Neutral Air: This non-specific fragrance is designed to cancel out odors without leaving an identifiable odor behind.



IN Spice Air, gallon CD15GL \$29.07 (ea) \$26.16 (4) Apple Air, gallon CD16GL \$29.07 (ea) \$26.16 (4) Spring Morning, gallon CD06GL \$23.24 (ea)

\$20.92 (4) Meadow Fresh, gallon CD07GL \$23.24 (ea) \$20.92 (4)

> Neutral Air, gallon CD08GL \$23.24 (ea) \$20.92 (4)



RTU pH: 7

Dilution Ratios: After Spray: 1/2 to 8 oz./Gal. Truckmounts: 12 oz./5 Gal. stock solution Portables: 1/2 to 1 oz./Gal RTU solution

RESTORATION

Milgo SR is the best choice for

spaces. It can tackle tough odors

range of materials, including stain-

like sewage or decay on a wide

resistant carpet, pad, subfloor,

drywall, upholstery and more!

Milgo SR can also deodorize

fabrics when added to laundry in

by Microban, and carries a fresh

the washing machine. Milgo SR is a

concentrated formula manufactured

s gallon CD89GL \$34.75 (ea)

\$31.28 (4)

deodorizing surfaces in living

Milgo SR

lemon scent.



RTU pH= 9.5-10 Dilution Ratio: 1-32 oz./Gal.

PRORESTORE



Fluorosil[®] Odor Neutralizer

Meets the requirements of stain resistant carpets. Its fresh clean fragrance neutralizes offensive smells created by microbial action. Compatible with all antistain carpets. Available in both floral and citrus.

Floral, gallon CD45GL \$20.88 (ea) \$18.79 (4)

Litrus, gallon CD47GL \$21.30 (ea) \$19.17 (4)

PROCHEM



PROCHEM.

Duo Dual Action Deodorizer

Neutralizes odors caused by decomposing mold, mildew, fungi and bacteria. Destroys odor-causing agents. Perfect for carpets, fine fabrics and nonwovens. Not for use on antistain carpets.

Floral, gallon CD48GL \$37.26 (ea) \$33.53 (4)

馬 Spring Fresh, gallon CD46GL \$36.88 (ea) \$33.19 (4)



RTU pH= 7.0-7.5





Sapphirescientific

Aromacide[™] Deodorizer

Aromacide Deodorizer works effectively on a wide variety of common and specialized odor problems, including airborne malodors, skunk musk, urine odors, smoke odors, bacterial and fungal odors, stale odors, vomit, and many other organic and protein odors. The multiphase attack first physically bonds to the odor, surrounds it with an odor barrier, and then leaves a fresh fragrance in its place.

gallon CD504GL \$27.85 (ea) \$25.07 (4)

Signature

Water-based general deodorizer provides rapid fabric freshening. The Signature series of products provides a pleasant background fragrance and freshens the air. Signature combines water soluble co-solvents, emulsifiers and odor control essential oils. This combination allows Signature to amplify the aroma already present in the Sapphire Scientific detergent product, Surge Heavy Duty Traffic Lane Cleaner.


gallon CD213GL \$32.60 (ea) \$29.34 (4)

HydraMaster MultiPhase Deodorant

- · Great at neutralizing organic malodors
- Can be fogged, sprayed, injected or used as an additive
- · Can be used straight or diluted up to 32-1

MultiPhase is a triple action deodorizer that attacks odors with a onetwo-three punch.





5 gallon pail CD90PL \$105.00 (ea)

www.interlinksupply.com





Signature EX

Signature EX is a blend of evaporative control solvents and essential oils carefully selected to generate a vapor barrier that traps malodors on surfaces. The essential oils counteract those malodors before they become noticeable.

gallon CD214GL \$98.19 (ea) \$88.37 (4)



RTU pH: 9 Dilution Ratio: 12 oz./Gal.



Measuring Cups

Eliminate the "glug" method of measuring and stop wasting chemicals! Each cup is calibrated for exact measuring.

> A) 2 oz. AX19 \$.39 B) 4 oz. AX18 \$1.39 C) 8 oz. AX24 \$1.69 D) 16 oz. AX25 \$3.39

Bottle Proportioners

Measure out your chemicals quickly and easily with just one squeeze of the bottle! Operation is simple and efficient. Simply adjust regulator to desired level, squeeze chemical into chamber, open lid and pour out pre-measured chemical.

Reportioner, Quart AX190 \$5.99 Reportioner, Gallon AX191 \$6.99







Funnel

Save time and mess with this easy to use 16 oz. plastic funnel. Indispensable when you need to transfer chemical.

AX54 \$4.99



Pump-Up Sprayers

Interlink Supply has the most complete line of pump-up sprayers. Need a solvent sprayer? We have it. Need a 3 gallon, 2 gallon or 1 gallon sprayer? We have them all.

See pages 107-108 for all of our pump-up sprayers.

www.interlinksupply.com

Anti-Allergen Non-Fragrance **Oxidizing Deodorizer**

Anti-Allergen Deodorizer is an outstanding deodorizer for mattresses or other odor problems on carpet and upholstery for people with allergies, chemical sensitivities or environmental illnesses. Anti-Allergen Deodorizer reacts with the odor compound through oxidation, converting it into an odor free substance. It can be used on all types of fibers and for all types of odors and it is especially effective on pet odors, including the worst cat urine situations. Anti-Allergen Deodorizer is environmentally safe and California CARB compliant.

> gallon CG50GL \$41.17 (ea) \$37.05 (4)

Start Up And Run

Your Business Support Guide to Starting and Running a Professional Cleaning Business

If you are just getting into the cleaning and restoration business this manual will provide you with a comprehensive guide on how to set up the business from a legal and tax stand point, help you understand what kind of licenses may be required, and teach you how to set up to accept credit cards. That is just in the first section!

This comprehensive guide was written and compiled by Neil H. Seymour, PhD. Neil has had extensive experience as a corporate lawyer and business executive with Fortune 100 companies. He has been actively involved in the start-up of many companies and corporations, including carpet cleaning and restoration businesses.

This guide will also provide you with critical information on insurance, customer contracts and forms, knowing your operating costs, accounting, taxes, telephone etiquette, job scheduling, and daily transactions. This 173 page, full color manual is supported by an accompanying computer disk with customizable forms to support many of the functions mentioned in the manual.



LB300 \$139.50



IICRC Standards

Keep Up With Industry Guidelines

IICRC Standards for Carpet Cleaning S100 (2010 Edition) LM89 \$38.50
 IICRC Standards for Water Damage Restoration S500 (2006 Edition) LM91 \$125.00
 IICRC Standards for Upholstery Cleaning S300 (2002 Edition) LM95 \$25.00
 IICRC Standards for Mold Remediation S520 (2003 Edition) LM96 \$130.00

Spot and Stain Removal

A Complete Spot & Stain Removal Guide Wherever You Are

Learn how to remove virtually every kind of stain using this easy to follow spot and stain removal guide or download the Spotting Guide on your phone or tablet. See page 51.



Visit our showroom or call in an order. See cover for information.


www.interlinksupply.com

Free Fast Track Cleaning Guides from Your Interlink Distributor!

These Cleaning Guides explain exactly which products and the step-by-step procedures necessary to complete a wide variety of cleaning operations, and can be an important part of your technical training and operations system:

- Your technicians are never stuck for an answer or a way to perform a particular service.
- All your techs are performing the services you offer the same way with the same products for process consistency and the highest quality every time!
- You get the full benefit of the systems that Bridgepoint created so that the products work together for the very best results.

The Cleaning Guides are available FREE from your Interlink distributor or you may purchase long lasting LAMINATED Cleaning Guides for durability. A great resource for every service vehicle!



Laminated Business Building Systems Guide LB295 \$3.25
 Business Building Systems Guide LB2951 FREE
 Laminated Avenge Upholstery Cleaning System / Specialty Fibers LB2931 \$3.25
 Avenge Upholstery Cleaning System / Specialty Fibers LB2931 FREE
 Laminated Tile, Grout, and Hard Surface / Hardwood Floor LB2941 \$3.25
 Tile, Grout, and Hard Surface / Hardwood Floor LB2941 \$3.25
 Tile, Grout, and Hard Surface / Hardwood Floor LB2941 \$3.25
 Carpet Cleaning System / Encapsulation / Spot & Stain / Odor LB2921 \$3.25
 Carpet Cleaning System / Encapsulation / Spot & Stain / Odor LB2921 \$7.25
 Leather Cleaning Guide LB2961 \$7.25

Fast Track Commercial Cleaning Guide LB2981 FREE

Cleaning Procedure Guides

We have made our cleaninng systems easy to use with our Cleaning Procedure Guides. These guides can be found throughout this catalog and are a great resource for learning new cleaning procedures or how to use specific products.



CARPET CLEANING	à
Page 5	



ENCAPSULATION CLEANING Page 22



UPHOLSTERY CLEANING Page 38



SPOT & STAIN REMOVAL Page 51



DEODORIZATION AND ODOR CONTROL Page 60



LEATHER CLEANING Page 65



STONE, CLEANING AND SEALING Page 71



CONCRETE, TILE AND GROUT CLEANING Page 77



HARDWOOD FLOOR CLEANING Page 79



ORIENTAL RUGS CLEANING Page 89



FIRE AND SMOKE ODOR CLEANING Page 95



Stone, Tile & Grout Cleaning - Accelerated Learning Module

- · Stone and tile identification
- Grout composition
- Chemical preparations
- Extraction cleaning
- · Sealing of grout and porous tile
- Vertical tile surfaces and much more!
- · Program includes both english and spanish versions.

Every carpet cleaner has seen the dramatic increase in tile floors in their customers homes. With this training DVD the technician can read. listen and watch as the narrator takes him through the process of cleaning, sealing and even repairing tile and grout. You'll learn everything you need to know to start confidently offering these highly profitable services to your customers-services they need and want!

JS090 \$99.95



Quick Reference Guides

The Bridgepoint Quick Reference Guides are designed for quick and easy "how-to" training for all the types of cleaning your company may encounter. They are perfect for training new technicians. As soon as they are hired, you can sit them down with a computer and let them navigate the training (with the simple click of the forward arrow key) at their own learning pace. It will quickly teach them the most commonly encountered cleaning challenges and the exact procedures and products used to safely and effectively deal with them. They are also useful for anyone needing a quick refresher in practice, product, and procedure.

You & Your Wood Floors and Cabinets - Consumer Sales


This unique training video is in a DVD format and encompasses how to do a complete job from start to finish. The video helps you determine the exactl cleaning and re-coating procedures to handle all wood types.

LA18C \$4.00



DVD - Hardwood Floors -Cleaning and Preservation

It's easy to become proficient and successful using the Hydro-Force Hardwood Floor Cleaning and Preservation System. It only takes 15 minutes to watch the DVD which will take you through a step by step process.



Introduction to Leather Cleaning DVD

This DVD is loaded with invaluable information that will get you started quickly, easily and safely as you diversify into the highly profitable service of leather cleaning care.



Spinergy Stone Care Solutions

mobile device, website, social media, etc.

Training DVD This video is a basic training on the use of Bridgepoint Spinergy chemicals and Spinergy pads for stone care. It will enable the professional cleaner to learn the basics of stone care and add this valuable service to their stable of offerings.



Carpet Cleaning JS101 \$19.95 Commercial Carpet Cleaning JS106 \$19.95 Spot and Stain Removal JS103 \$19.95 a Da Add-On Sales JS100 \$19.95



PINERG

How to Sell Groomers Quick Reference Guide DVD

Sales training DVD on selling Grandi-Groomers, Perky Groomer, Handi-Groomers, and Handi-Brushes to your customers. This DVD shows actual interaction and use of the sales script with the cleaning customer.

Spinergy Consumer Sales DVD

Two three minute sales videos you can use

to help sell your stone cleaning and polishing

services to your clients and potential clients.

Included on the DVD is a data disk with mul-

tiple formats and resolutions for use on your

L. La

LA70 \$15.00

LA56 \$25.00



LA13 \$9.95

www.interlinksupply.com



CLIENT RETENTION PROGRAM

THE BEST BUSINESS IS REPEAT BUSINESS!

Nobody would argue that point. But how many of us actually have a formal customer retention program in place? Not to worry! With HomePro it's simple and easy!

WHY CUSTOMERS DON'T CALL YOU BACK

It's a sad fact of life that the majority of customers forget your company name almost immediately after you finish the job—even when they loved your work! When it comes time for cleaning the following year they end up back in the Yellow Pages!

BUT THERE IS A BETTER WAY!

By selling or giving your customers a bottle of HomePro spotter with your name and phone number right on the label she'll never forget you! Every time she has a small spot or spill to remove she'll be reminded that YOU are her carpet cleaner! **BUILDS YOUR IMAGE AND YOUR BRAND**

The HomePro label is a professional, four-color retail label with photos, not cartoons, for a highly professional image! And your company name and phone number is front and center!

"Our customers love it! it is a nice prod-

uct and it does everything that you say

- they want to make sure they can get

repeat customers than I did three years

--Keith Aderhold, Clean enuf 4 mom

A BETTER SPOTTER

HomePro is simply a better product than other retail/giveaway spotters on the market. It will remove a wide range of carpet stains from blood to lipstick—just about anything!

HIGHLY TESTED AND APPROVED!

HomePro is independently tested for effectiveness and to verify that it never leaves a soil attracting residue! HomePro even has the CRI Seal of Approval!

NOW WITH MORE CHOICES



HomePro Spotter Customization Imprinted



HomePro Spotter Full Color Customization

6 oz



HomePro Pet Spotter Plus Full Color Customization

Visit www.homeprospotter.com, call 1-800-948-1781 or visit us in our showroom



Customized Postcards And Brochures

Keeping in touch with your customers by sending periodic brochures and postcards is one of the best ways to keep your customers calling you back time and again. We offer a large variety of brochures and postcards that suit just about every need you may have. There are holiday cards, reminders, specialty, humorous, and more. Shown below is a small sample of the full line of customizable postcards and brochures available at www.bridgepoint.com!

There's everything from Thank You Cards and Holiday Cards to postcards, brochures and door hangers for just about every service offered by professional cleaners! You can choose from a wide variety of proven messages and offers or create your own! To see the entire selection or to order visit www.bridgepoint.com.



CleanWiki.com

- Technical "How To"
- Industry Issues
- Management
- Marketing
- Maintenance





CleanWiki.com is a FREE online resource that provides current and relevant information for the cleaning and restoration industry. Articles are written by top industry professionals and provide a link to the pulse of the industry. www.cleanwiki.com



Interlink Supply Is Where You Want To Be

You can find Interlink Supply on any of your favorite social sites. Stay up to date with current trends, products and industry news by following us on Facebook or Twitter. We also have one of the most extensive video libraries in the industry on YouTube.

Diversification Initiative



Interlink Supply introduces a free diversification initiative program to assist customers in determining what options are right for their business.

- Tile & Grout Cleaning
- Pet Odor Deodorization
- Add-on Product Sales
- Upholstery Cleaning
- Leather Cleaning
- Stone Care & Polishing
- Fabric Protection

- Air Duct Cleaning
- Wood Floor Care
- Oriental Rug Cleaning
- Commercial Carpet Cleaning
- Mattress Cleaning
- Carpet Repair



Challenging times in the economy, and lost market share for traditional floor coverings should lead the professional carpet cleaner to consider that diversification is no longer just a good idea, it is an economic necessity. As a cleaner/restorer, it is vital that you diversify your offering to your customers in order to maintain loyalty as well as build profit into your organization. But there are a lot of "add-on" services to consider. Which are the right ones for your company? With that in mind, Interlink Supply has developed a new free educational program to help their customers make the right choices.

The Diversification Initiative is a combination of informational brochures and spec sheets, along with an analytical analysis program that can be downloaded free on line at www.interlinksupply.com. You can also pick up your free copies simply by calling or dropping by your local Interlink Supply Distributor. The main brochure gives you a quick summary of all the basic options available to you with a quick evaluation of the positives and the negatives. Then once you have narrowed down your choices, you can look at the individual diversification option spec sheets for a complete evaluation. Then spend a few minutes on the phone or in person with your local Interlink Distributor and they will share with you the evaluation tool at the heart of the program. The best part? It is all free, and there is no obligation.

In the evaluation, you will consider the characteristics of your own company and personal situation, and assimilate those with basic principles such as: 1) Is there a low initial investment?; 2) Is there a high profit potential?; 3) What is the competitive environment?; 4) Can it be promoted to your existing customer base inexpensively?; 5) Does it help you retain your present customers/clients?; 6) Is it easy to learn and train?; and 7) Does it require adding to your overhead?

The Diversification Initiative also includes special free training workshops provided at participating Interlink Supply Distributors. These workshops are designed to introduce the attendee to each category, both from a technical "how-to" point of view, as well as how to charge for the service, and how to market it. Workshops are available for the categories listed above.

For your free Diversification Initiative Guide and Spec Sheet, visit www.InterlinkSupply.com or call our office.







Accelerated Marketing Program

- Are vendor programs, too many competitors, and large franchises affecting your ability to grow?
- Are you marketing twice as hard with half the results?
- Would a contract with an agency for all their referrals benefit you?

Planning to Win Accelerated Marketing Program

provides an intensely focused lecture/workshop curriculum to ensure your success in marketing to any sector you target:

- Agents
 - Adjusters
 - Plumbers

- Property managers
- Government
- Schools

- Home owner associations
- Fire departments
- Any others you choose

Not only will you learn how to set your business apart from your competitors, but you will create a complete, customized marketing plan that includes strategies and tactics – for your specific company that you can implement immediately!

Visit <u>www.planningtowin.biz</u> or call 800-660-5803 for detailed information, agenda, and registration information.



Training and Education 287

BRIDGEPOINT UNIVERSILLY





Bridgepoint University

Bridgepoint University and Interlink Supply work together to bring you top-tier training and education at over 70 Interlink Supply locations across the United States. This ensures that there is educational opportunities near you. With some of the finest instructors in the industry, they will teach you the information that is critical for your success and building a strong business. Classes follow IICRC guidelines to make sure you or your technicians receive the proper credit for attending the course.

Classes include (we have many more that are not listed):

- IICRC Carpet Cleaning Technician (CCT)
- IICRC Comercial Carpet Cleaning Technician (CCT)
- IICRC Upholstery/Fabric Cleaning Technician (UFT
- IICRC Stone, Masonry, and Tile Cleaning Technician (SMT
- IICRC Deodorization and Odor Control
- IICRC Water Damage Restoration (WRT)
- ICRC Fire & Smoke Damage Restoration (FSRTand more



Download the complete education catalog at www.bridgepoint.com



For more information, go to www.bridgepoint.com and click on the Training & Education link.

Reets Drying Academy

The Reets Drying Academy was founded by Jeremy Reets, the innovator behind the TES drying system. He specified the construction of his flood house, built outside on an easily accessible dirt floor crawlspace. Unlike working in a warehouse or manufactured home, this home was built using construction techniques and materials you are expected to restore on a daily basis. Like the homes you are working in, nearly 40% of the structure is covered with hard surface flooring such as travertine, ceramic tile, custom finished hardwood flooring and prefinished hardwood. There are 9 different types of wall board to give you a depth of experience you won't find elsewhere.

Reets Drying Academy is located near the world's busiest airport, Atlanta Hartsfield International, insuring easy and affordable access from anywhere in the country.

For more information, go to www.reetsdryingacademy.com or call 770-712-7293





Winners' Circle

Winner's Circle has a dedicated advanced training facility and flood house to provide advanced training in many restoration and remediation subjects. Winner's Circle serves as the Western Advanced restoration training facility for Interlink Supply.

Winners' Circle Training Centers in Phoenix, AZ offer an affordable destination for travel and accommodations. The main campus is located adjacent to Sky Harbor Phoenix Airport and next door to the Best Western Hotel. Transportation to and from the airport is provided by the Best Western. No other transportation is needed. The training center features two large classrooms with comfortable Hayworth seating, state-of-the-art audio visual technology, and break room amenities rivaled by no other training center. Comfort is the theme!

For more information, go to www.winnerstraining.com or call 602-441-9185 or 866-914-7450

www.interlinksupply.com

2-Day Commercial Cleaning Initiative Class

Bridgepoint University and instructor Dane Gregory have put together a comprehensive two day commercial training program. This two day course is about preparing the professional cleaning contractor to expand into high end commercial cleaning opportunities in carpet cleaning, low moisture carpet cleaning, stone care, maintenance and polishing, and wood floor recoating. Dane Gregory says, "We surveyed hundreds of cleaning companies about what they felt they needed to expand their commercial cleaning business. They narrowed the focus to three main issues – how to develop an on-going program, how to do the work, and how much to charge for the work. That is what this course is all about. It's a mixture of technical know how, planning, bidding, selling, and implementing."

Subjects covered in the 2-Day Commercial Cleaning Initiative Class:

Commercial Ennvironments

- Differences In Soiling, Traffic, Usage And Availability
- Who Cleans Commercial Buildings And Where Do You Fit In?

Carpet Cleaning

- Carpet Fibers, Identification And Construction
- Daily/Periodic Maintenance
- Interim Maintenance/Appearance Management
- Restorative Maintenance/Deep Cleaning
- Cleaning Procedures
- Low Moisture Encapsulation Cleaning
- Surface Hot Water Extraction Cleaning
- Safety And Efficiency On The Job
- Developing A Planned Maintenance Program
- Bidding And Pricing Your Services

Cleaning And Recoating Wood Floors

- Types Of Wood Flooring
- Wood Species And Characteristics
- Wood Grades
- Wood Cuts

- Wood Finish Restoration Methods
- Equipment
- Chemicals
- The Cleaning And Re-Coating Process
- Bidding And Pricing Your Services

Stone, Tile Grout Care...Simplified

- Growing Market Share
- Floor Content Manmade Vs. Natural Stone
- Floor Identification Methods
- Preparation And Set-Up
- Equipment And Tools
- Preventative Maintenance
- Routine/Daily Maintenance
- Restorative Cleaning
- Acid Cleaning
- Countertop/Vertical Surface Maintenance
- Sealing Procedures
- Special Issues And Challenges
- Transforming And Modifying
- Stone Polishing With Spinergy Pads
- Bidding And Pricing Your Services

You can find dates and locations of the Commercial Cleaning Initiative at www.bridgepoint. com and click on the Training & Education link.

1/2-Day Commercial Cleaning & Maintenance Seminar

Lots of the same great information found in the 2-Day Commercial Cleaning Initiative Class, but only a half day. Great for busy owner/opperators who have been thinking about expanding into the commercial cleaning market, but don't have two days to devote to the longer class. Also, a great way to find out if commercial cleaning is a right fit for you and your company without spending a lot of time and money. You can find dates and locations of this class at www.bridgepoint.com and click on the Training & Education link.







BRIDGEPOINT

UNIVER **SL**



Training and Education **289**

Fast Track Diversify for Success

Challenging times in the economy, and lost market share for traditional floor coverings should lead the professional carpet cleaner to consider that diversification is no longer just a good idea, it is an economic necessity. As a cleaner/restorer, it is vital that you diversify your offering in order to maintain loyalty as well as build profit into your organization. But there are a lot of "add-on" services to consider. Which are the right ones for your company? With that in mind, Interlink Supply, Bridgepoint University and Doug Heiferman have developed a new free educational program to help you make the right choices.

The Diversify for Success FREE one-day classes for cleaning professionals give you the opportunity to "try out" new cleaning methods without spending precious time and money on equipment or training. Held at Interlink Supply locations around the country, Doug Heiferman will teach 2-3 individual diversification strategies over the one-day.

Possible subjects covered in the one-day Diversify for Success class.

- Tile & Grout Cleaning
- Pet Odor Deodorization
- Add-on Product Sales
- Upholstery Cleaning
- Leather Cleaning

- Stone Care & Polishing
- Fabric Protection
- Air Duct Cleaning
- Wood Floor Care
- Oriental Rug Cleaning

- Commercial Carpet Cleaning Mattress Cleaning
- Carpet Repair

BRIDGEPOINT UNIVERSE *Conterlinksupply*™

Find a class near you.

You can find dates and locations of the Fast Track Diversify for Success or the Fast Track Accelerate Your Business classes at www.bridgepoint.com and click on the Training & Education link or visit www.interlinksupply.com and click on Education and Events.

Fast Track Accelerate Your Business

Accelerate Your Business is a FREE one-day course taught by Doug Heiferman. This one-day course in broken down into three smaller classes that will teach you and your technicians how to make more money, clean better, and be more profitable. The three classes are Spot and Stain Removal, Selling Maxim Protector, and The Amazing Brush Pro. You will walk away from these powerful classes with the knowledge to immediately begin making more money.

"I attended a short class on Maxim Protector at the Seattle Interlink store. The class lasted for less than an hour but it made a big difference for me. I was using Maxim before and experiencing about a 50% closing ratio. I was pretty proud of that. After attending the seminar and seeing the training video I changed my technique and I am now selling Maxim to more than 80% of my jobs. Here is the best part. I am using this video to train my techs. I am guessing that at this rate I will make in excess of \$40,000 in profit on Maxim alone this year."

Stephen Kime **Owner**, Seattle Clean Green



www.interlinksupply.com




Doug Heiferman



290 pH and Dilution Ratio

Understanding pH



- To understand pH there needs to be a primary knowledge that:
- 1. pH is the measurement of how acidic or alkaline a liquid is. It will either be neutral (water), acid, or alkaline.
- 2. The pH scale ranges from 0 to 14 with neutral in the middle at 7.
- 3. As you move a step away from 7 in either direction the acidity or alkalinity of the solution increases by 10 times. This means that 8 is 10 times the alkalinity of 7. A pH of 9 is 100 times the alkalinity of 7 (10x10) and 10 is 10,000 times the alkalinity (100x10). When we finally get to a pH of 14 it is ten million (10,000,000) times as alkaline as water. The same is true for the acid side of the scale. Please note the chart.
- 4. pH applies only to water-based solutions. If a solution does not contain water it has no pH reading.

Why is this information important? Chemicals with high pH readings either on the acid or alkaline side can cause problems. Strong acids can cause corrosion, burning, and injury if used incorrectly. Strong alkalines can cause cellulosic browning, color loss, and fiber damage. This is the reason that the IICRC and fiber producers recommend moderate alkalinity of 10 or below, especially when you are going to leave a solution on the carpet. Acid neutralizers are recommended after cleaning with alkaline products.

Understanding Chemical Dilution and Cost

The cost of chemical should not be based on sticker price, but the Ready To Use (RTU) price.

Cost per gallon of RTU equals Price per gallon of concentrate divided by how many gallons of RTU it makes.

EXAMPLE: If a gallon of Traffic Slam concentrate costs \$26.80. The directions say to add 4 ounces per gallon of water. This means that the dilution ratio (see the chart) is 1 to 32. In other words, you would add one gallon of Traffic Slam to 32 gallons of water to make 33 gallons of RTU solution.

> One gallon of Traffic Slam = \$26.80 $\frac{$26.80}{33 \text{ gallons}} = $0.81/\text{RTU gallon}$

> > 33 gallons of RTU solution

at \$0.81 an RTU gallon





to	1	=	128 oz.
to	2	=	64 oz.
to	3	=	43 oz.
to	4	=	32 oz.
to	5	=	26 oz.
to	6	=	21 oz.
to	7	=	18 oz.
to	8	=	16 oz.
to	9	=	14 oz.
to	10	=	13 oz.
to	15	=	8.5 oz.
to	20	=	6.5 oz.
to	25	=	5 oz.
to	32	=	4 oz.
to	40	=	3 oz.
to	50	=	2.5 oz.
to	60	=	2 oz.
to	80	=	1.8 oz.
to	100	=	1.3 oz.
to	128	=	1 oz.
	to to to to to to to to to to to to to t	to 2 to 3 to 4 to 5 to 6 to 7 to 8 to 9 to 10 to 20 to 32 to 40 to 50 to 60	to2=to3=to4=to5=to6=to7=to8=to9=to10=to15=to20=to25=to32=to40=to50=to60=to80=to100=

Per gallon of water Per gallon of water

1 gallon of concentrate

MARKETING & EDUCATIO

Popular Pumps and Motors 291

SHURFLO 8000-933-250 PART# AP04

45PSI Internal By-pass – 1.4GPM - 115VAC motor

Santoprene/EPDM - Chemical Resistant Diaphragm Pump Valve Chamber: PC250-69 Diaphragm Kit: PC250-65

Diaphragm Kit: PC250-65 Upper Housing: PSH94-379-01

SHURFLO 8000-713-238 PART# AP06

100PSI Demand flow – 1.6GPM - 115VAC motor Santoprene/EPDM - Chemical Resistant Diaphragm Pump - Carpet extractors

Head:	PC250-HEAD
Valve Chamber Kit:	PC250-66
Diaphragm Kit:	PC250-65
Demand Switch:	PC250-67
Check Valve - Switch Kit:	PSH94-374-10
Upper Housing:	PSH94-379-01

SHURFLO 2088-443-144 PART# AP08

45PSI Demand flow - 3.5GPM - 12VDC motor Santoprene - Chemical Resistant Diaphragm Pump

PSH94-236-08
PSH9423700
PSH9423803
PSH9423035

SHURFLO 8000-812-288 PART# AP10

100PSI Demand flow with limited Internal by-pass – 1.4GPM - 115VAC motor - Viton – Highly chemical and solvent Resistant Diaphragm Pump -Caroet and upholstery extractors

curper una apriorstery extracto	015
Valve Chamber Kit:	PC250-64
Diaphragm Kit:	PC250-63
Demand Switch:	PSH94-375-15
Check Valve - Switch Kit:	PSH94-374-10
Upper Housing:	PSH94-379-01

SHURFLO 8030-863-239

PART# AP12

150PSI Demand flow 115VAC motor Santoprene/VITCIV - Chemical Resistant Diaphragm Pump - Carpet extractors

CALIACIOIS	
Valve Chamber Kit:	PSH94-390-05
Check Valve - Switch:	PSH94-374-10
Diaphragm/Drive Assy.:	PSH94-385-32
Upper Housing:	PSH94-379-01
Demand Switch:	PSH94-375-20

FLOJET 2100-032 PART# AP20

 OPSI Demand flow – 1.8GPM - 115VAC motor – 0.5Samp - EPDM -Chemical Resistant Diaphragm Pump - Carpet extractors Motor: NM3035 Head: PF21050-032

Head:	PF21050-032	
Valve Chamber Kit:	PF20028-008	
Diaphragm Kit:	PF21195-004	
Demand Switch:	PF02095-100	

FLOJET D3121V1311

PART# AP21

50PSI Internal By-pass - 1.	4GPM - 12VDC mot	or - Viton - Chemical
Resistant Diaphragm Pump - Omni Pro Battery powered sprayers		
Valve Chamber:	PF20914-002A	
Upper Housing Kit:	PFDH31V131	
Kit Lower Housing w/ Ca	am & Diaphragm:	PF21022-021A

FLOJET 2130-032 PART# AP22

95PSI Demand flow — 1.8GPM - 115VAC motor — 1.2amp - EPDM - Chemical Resistant Diaphragm Pump - Carpet extractors

- Chemical Resistant Diaphragm Pump - Carpe		
Motor:	PF02029-021	
Head:	PF20054-032	
Valve Chamber Kit:	PF20028-008	
Diaphragm Kit:	PF21195-004	
Upper Housing Kit:	PF20316-003	
Demand Switch:	PF02095-115	



FLOJET D3621E3011A PART# AP23

 30 PSI Demand flow - 1.2GPM - 115VC motor - 0.5amp EPDM - Chemical Resistant Diaphragm Pump - Tes System Pressure Pump Demand Switch:
 PF02090-117

 Valve Chamber Kit:
 PF20914-003A

 Upper Housing Kit:
 PFD421E301

 Kit Lower Housing W/ Cam & Diaphragm:
 PF20202-030A

FLOJET 2130-517 PART# AP24

95 PSI Demand flow with limited internal by-pass 1.6 GPM, 1.2 AMP, 115VAC motor - EPDM - Chemical Resistant Diaphragm Pump - Carnet and Linbolstery extractors

Pump - Carpet and Upholstery extractors		
PF02029-021		
PF20028-077		
PF21195-004		
PF20316-060		
PF20378-013		
PF02095-115		

FLOJET D1635J7012

PART# AP25

100 PSI Demand flow 2.0 GPM with 115VAC motor - 1.0amp - EPDM -Chemical Resistant Diaphragm Pump - Carpet and Upholstery extractors – Olympus M100 & M100H

Demand Switch:	PF02090-120
Upper Housing Kit:	PFDH32V701
Valve Chamber Kit:	PF20914-002A
Cam & Diaphragm Kit:	PF21006-033A

FLOJET 4300-142 PART# AP26

45 PSI Demand flow – 3.5GPM 12VDC motor – 12amps - Santoprene/ EPDM - Chemical Resistant Diaphragm Pump - Freshwater transfer Valve Chamber Kit: PF20407-030 Diaphragm Kit: PF20403-040

FLOJET D1735J701 PART# AP27

100 PSI Demand flow 2.0 GPM with 230VAC motor - 0.50amp - EPDM - Chemical Resistant Diaphragm Pump - Carpet and Unholstery extractors – Olympus 230V M100 & M100H

Jphoistery extractors – Ol	ympus 230v M 100
Demand Switch:	PF02090-120
Upper Housing Kit:	PFDH32V701
Valve Chamber Kit:	PF20914-002A
Cam & Diaphragm Kit:	PF21006-033A

FLOJET ET508224-HP

PART# AP30 55 PSI Internal by-pass 115VAC motor Spotting machines: MA40, MA50, MA51 & MA51H

FLOJET D3631V1311A

PART# AP31 50 PSI Internal Bypass - 1.50 GPM Vit

u PSI Internal Bypass - 1.	SU GPINI VITON
Valve Chamber Kit:	PF20914-002
Cam & Dia Kit:	PF21022-022/
Upper Housing Kit:	PFDH31V131

FLOJET D3131V5011 PART# AP33

50 PSI Demand flow – 1.6GPM - 12VDC motor - Viton - Chemical Resistant Diaphragm Pump - Battery powered sprayers (AS71) –

eplaces AP32	
Valve Chamber Kit:	PF20914-002A
Demand Switch:	PF02090-100
Cam & Diaphragm Kit:	PF21022-022A
Upper Housing Kit:	PFDH31V501

www.interlinksupply.com



FLOJET 4325-143 PART# AP34

40PSI Demand flow – 4.5 GPM - 12VDC motor - Santoprene/EPDM -Chemical Resistant Diaphragm Pump - Replacement pump for AP36 water feed system

valer leeu system	
Valve Chamber Kit:	PF20407-030
Diaphragm Kit:	PF20403-040
Upper Housing Kit:	PF20404-003
Demand Switch:	PF02090-118

FLOJET D3811042A

PART# AP35

150 PSI Demand flow 2.0 GPM with 115VAC motor - 0.95amp Santoprene 3 Chamber Diaphram Diaphragm/EPDM Check Valves

FLOJET 2840-100 PRESSURE SYSTEM

PART# AP36 Pump - 40PSI Demand flow – 4.5GPM - 12VDC motor - Santoprene/EPDM - Chemical Resistant Diaphragm Pump - Accumulator Tank – Butyl Diaphragm & Polypropylene lining. Charged to 25PSI-air pressure. -



Polypropylene lining. Charged to 259S-air pressure. -Water pressure system is designed to provide steady water pressure and high flow rate. The accumulator tank protects the pump and maintains steady flow as the flow demand changes from a trickle to full flow.

FLOJET 4300-517 PART# AP37

45PSI Demand Flow – 4.8 GPM – 115V 1.5amp Motor Santoprene/Viton Diaphragm & Seals Nautillus Pump-Out

Valve Chamber Kit: PF20407-030 Diaphragm Kit: PF20403-040

FLOJET R4400503A PART# AP38

35PSI Demand flow – 3.7 GPM - 12VDC - 8.0 amp motor - VSD Sensor – Variable Speed Control - Santoprene/EPDM - Chemical Resistant Diaphragm Pump- Controls pressure by changing speed – Eliminates need for Accumulator Tank

Valve Chamber: PF20407-030 Diaphragm: PF20403-040

FLOJET 4125-014 PART# AP39

40PSI Demand Flow – 5.0 GPM 115V 1.1amp Motor Santoprene/EPDM Diaphragm & Seals US Products Flood King Pump-Out Valve(hamber: Pf20407-030 Diaphragm: Pf20403-040

3/4" BARBS PART# PF01740-000



1/2" PIPE THREAD PART# PSH170-061-00

1/2" BARBS PART# PMB175



1/2" BARBS PART# PPU6175

FX88HP & Olympus Portables 230V Model: NM5053F

LITTLE GIANT PUMP-OUT PUMP PART# NM5053 Submersible Pump 120VAC 5AMPS – 1/6HP - Application: Truckforce, FX88,

Strainers and Pumps

COMMON CAT F PCA31983 PCA33258 PCA46839 PCA45222 PCA46976	PUMP REPAIR PARTS Seal Kit 3CP Hot & Dry Valve Kit 3CP Oil Seal 3CP Oil Seal Crankshaft 3CP Plunger 3CP
PCA31638 PCA31665 PCA31821 PCA33060 PCA46841 PCA46884 PCA46884 PCA46838 PCA4222	Seal Kit SCP Hot & Dry Seal Kit SCP + Hot & Dry Valve Kit SCP Valve Kit SCP+ Plunger SCP+ Plunger SCP+ Oil Seal SCP & SCP+ Oil Seal Crankshaft SCP & SCP+
PP42-809256 PP42-809257 PCA43367	Seal Kit 340HT Valve Kit 340HT Plunger 340HT
PST30023 PST30305 PST25301 PST28597 PST30686 PST30272 PST30860 PST30431 PST29614 PST25392 PST24459 PST24459 PST24459	Short Cup Kit 290 Seal Kit 290 Oil Seals 290 Seal Retainer 290 Valve Kit 290 Hot Cup Kit 290 Piston Kit 290 Sleeve & Seal Kit 290 Sleeve 290 O-ring Sleeve 290 Discharge Manifold 290 Cylinder 290
PCA92241 PCA46798 PCA14179 PST43211 PST14177	Oil Sight Glass Cap— Oil Fill SCP, SCP+ & 3CP O-ring for Cap PCA46798 Cap— Oil Fill 290 & 340 O-ring for Cap PST43211
PST8106101	Crankcase Oil 21oz.
PP15-808075 PP15-808083 PP15-808069 PCA7144 PCA7171	Temp Relief Valve 145°F (1/2" M Temp Relief Valve 180°F (1/2" M Temp Relief Valve 165°F (1/2" M Temp Relief Valve 165°F (3/8" M Temp Relief Valve 180°F (3/8" M
PWM-B135	Pop Off Valve

CAT 3CP1140CS.3 PUMP PART# AP40 3.6GPM - 100-2200PSI RANGE -

16.5mm Shaft



' MPT)

" MPT)

' MPT)

′ MPT)

" MPT)

Single End Shaft – Right Side -Prochem: Blazer Plus, Blazer XL, Legend SE, Legend XL, & Oil Fired TM - Bridgepoint: Saber 2000

CAT 3CP1120.3 PUMP PART# AP41

4.2GPM - 100-2200PSI RANGE - 16.5mm Shaft Dual End Shaft with Cover - Hydramaster: Maxx 450D, Maxx470D, CDS4.8 & 4.6

CAT 3CP1120CS.3 PART# AP47 Single Shaft End - Left Side

Blueline & Champ

CAT 5CP2150WCS.3 PUMP PART# AP42

5.0GPM - 100-2000PSI RANGE - 20mm Shaft Single End Shaft - Right Side Prochem: Performer, Performer 405, and PTO Bridgepoint: Lancer II

CAT 5CP3120.AW1 PUMP **PART# PP790435**

5CP+: 4.5GPM - 100-3500PSI RANGE - 20mm Shaft - Dual End Shaft with Cover Prochem: Everest & Everest HP - BlueLine: Thermal Wave 5MHP

CAT PUMP 5CP5120-3400 PART# AP59

5.0GPM - 3000PSI **SAPPHIRE 454SS**

CAT 290 PUMP PART# AP44 3.5 GPM - 100-1200 psi range - 16.5 mm Shaft HydraMaster: Bobcat, Aqua Cat, Hydracat, CDS 4.0 & CDS 4.5

CLUTCH 16.5 MM - SINGLE GROOVE PART# PCA34960

CAT 3CP on Bridgepoint, BlueLine, Hydramaster and Prochem machines

CLUTCH 20 MM - SINGLE GROOVE PART# PCA34970

CAT 5CP on Bridgepoint, BlueLine, Hydramaster & Prochem machines.

GENERAL PUMP HT S2016S

PART# AP53 5.6GOM - 3000PSI PROCHEM EVEREST 408, 408HP, 650 & 650HP **HYDRAMASTER TITAN 875** SAPPHIRE: 45SS, 570SS, 870SS, 1200 & 2500

GENERAL PUMP HTS2215S PART# AP54 4.5GMP - 2300PSI Prochem Apex (Diesel & Gas)



PHY036-008

PHY001-082

PCP001

PC004

PCP008

PCP005

GENERAL PUMP HTX1813S PART# AP55 3.5GPM - 2500PSI **Prochem Legend GT & Peak** Hydramaster Titan 575, Boxxer 323, cds 4.6 & 4.8, Sapphire Rage

GENERAL PUMP HTX1812S PART# AP56 3.5GPM - 2500PSI Sapphire: 370S

GENERAL PUMP HTC1509E175 PART# AP57 2.1GPM - 2200PSI **US Products Advantage**

HYDRA PUMP II

PART# PHY111-042 Comet Triplex Pump 3.5gpm - 25000psi Hydramaster Spitfire 3.2 & 4.0 Boxxer 427 318 & 421

HYDRA PUMP V PART# PHY111-041 Comet Triplex Pump 5.5gpm - 3000psi Hydramaster Boxxer 427

PART# PP61-950126

Clutch:

Triplex Plunger Pump 3.1 – 4.8 GPM 2500psi - 3/4" Shaft Application: Prochem: 800A, CubXL Bridgepoint: System IV Seal Kit (P SERIES): PST3430-0502 PP42-809166 Seal Kit (Old Style): PP42-809165 Valve Kit:

PP52-500990

COMMON GENERAL PUMP REPAIR PARTS

PGP520197	Adapter HTX Chem Pump
PGP520190	Adapter HTS Chem Pump
PGP100637	Clutch 24MM Dual Groove
PGPK02	Kit Oil Seals AP53 & AP54
PGPK123	Kit Valves AP55, AP56 & AP57
PGPK159	Kit Oil Seals AP55 & AP56
PGPK201	Kit Valves AP53 & AP54
PGPK202	Kit Soft Seals AP54
PGPK203	Kit Seal Maint w/brass AP54
	(3 kits per pump)
PGPK204	Kit Soft Seals AP55 & AP56
PGPK205	Kit Seal Maint w/ brass AP55 & AP56
	(3 kits per pump)
PGPK238	Kit Soft Seals AP53
PGPK239	Kit Seal MAint w/brass AP53
	(3 kits per pump)
PGPK243	Kit Soft Seals AP57
PGPK244	Kit Seal MAint w/brass AP57
	(3 kits per pump)
PXX012	GP Pump Oil - Quart
PP791109	GP Pump Oil - Pint

COMMON HYDRA PUMP REPAIR PARTS

HYDRA PUMP II PHY078-153 PHY078-159 PHY001-096 PHY036-008 PCP002 PCP002 PCP003 PCP007 PCP006	Seal Kit Valve Kit Adapter Chem Pump Pump Clutch Oil Seal (3 per pump) Piston 18mm (3 per pump) Kit Piston 18mm O-Ring (3 per pump)
HYDRA PUMP V PHY078-281 PCP010 PHY078-159	Seal kit Hot Seals Valve Kit

Valve Kit Pump Clutch Adapter Chem Pump Oil Seel (3 per pump) Piston 20mm (3 per pump) Kit Piston 20mm O-Ring (3 per pump)

HYPRO 2221B-P

PART# PP61-950263 Duplex Plunger Pump 2.1 - 3.0 GPM 2000psi 3/4" Shaft Application: Prochem: Cub Bridgepoint: System IV Seal Kit (P SERIES): PST3430-0501 Seal Kit (Old Style): PP42-809099 PP42-809104 Valve Kit: Oil Seal: PP43-810045



HYPRO 5315C-HRX PART# PDR5315 C-HX

Cast Iron Small Twin Piston Pump - 5/8" Hollow Shaft Buna – N cups 1.44GPM @ 500PSI (Requires .56HP) 1.50GPM @ 200PSI (Requires .28HP) Old style FX88 & Truckforce Cup Kit: PST34300009 Valve Kit: PST34300197 PRU3430-0209 Sleeve Kit:



HYPRO 2345B-P

www.interlinksupply.com



Strainers and Pumps 293

PUMPTEC #356U PUMP PART# AP48

1200PSI with "04" jet - 2.2GPM - 120volt - 14.3 Amp motor Max incoming water temp 140°F - Application: FX88HP & Olympus M1200

Motor: PT059 Pump without motor: PT058 Kit A plunger & seals: PT042 Kit B valves & o-rings: PT044 Kit C cam & bearing: PT046 Pressure Regulator: PT017 Kit Regulator Repair: PT019A



PUMP: : ·

PUMP

PUMPTEC #205V PUMP PART# AP49

500PSI with "03" jet - 1.06 GPM - 120volt - 1/3HP - 3.0/1/5 Amp motor - Max incoming water temp 130°F Appl: EX-HP & New Style FX88 - Olympus M500H & M3-500

Pump without motor: PT057 Kit A plunger & seals: PT054 Kit B valves & o-rings: PT055 Kit C cam & bearing: PT056 PT060 Motor:



PUMP1

PUMP-TEC #207V PUMP PART# AP52

500PSI with "03" jet - 1.06GPM 120volt -1/2HP - 5.5/2.8 Amp motor Max incoming water temp 130°F

Application: New Style Olympus M500H & M3-500 Pump without motor: PT065

Kit A plunger & seals: PT054 Kit B valves & o-rings: PT055 Kit C cam & bearing: PT056 Motor: PT066

PUMPTEC #114T PUMP PART# AP50

200PSI with "04" jet - .9 GPM - 120volt - 1.4 Amp motor Max incoming water temp 130°F - Application: Force 250 Kit -Portable extractors - Olympus M200, M200H, M3-200(H)

Kit A plunger & seals: PT022 Kit B valves & o-rings: PT051 Kit C cam & bearing: PT030 Pressure Reg. 200PSI: PT048 Kit Regulator Repair: PT048A PT061 Motor: Pump without motor: PT050

PUMPTEC #114T PUMP PART# AP51

200PSI with "04" jet - .9 GPM - 120volt - 1.4 Amp motor Max incoming water temp 130°F - Application: Force 250 Kit -Portable extractors - Olympus M200, M200H, M3-200(H)

Nautillus MX200, MX200H, MX3-200 & MX3-200H

Kit A plunger & seals: PT022 Kit B valves & o-rings: PT051 Kit C cam & bearing: PT030 Pressure Reg. 200PSI: PT048 Kit Regulator Repair: PT048A Motor PT061 Pump without motor: PT047



PUMP CONDENSATE Phoenix 4023649 PART# PPH004 115v 80gph 5ft cord



PUMP CONDENSATE Phoenix 4024968 PART# PPH005

115v 80gph 5ft cord



KIT1200 PSI PUMP ASSEMBLY PUMP PART# NM5057

1200PSI with "04" jet - 2.2GPM - 120volt - 14.3 Amp motor Upgrade pump kit to install AP48 pump in Portable extractors Kit includes pressure regulator, pulse hose.

Motor: Pump without motor: Kit A plunger & seals: Kit B valves & o-rings: Kit C cam & bearing: Pressure Regulator: Kit Regulator Repair:



KIT 500PSI PUMP ASSEMBLY PART# NM5048

500PSI with "03" jet - 1.1 GPM - 120volt - 1/3HP - 3.0/1/5 Amp motor - Upgrade pump kit to install AP49 pump in portable extractors. - Kit includes pressure regulator, pulse hose, and fittings needed for installation. Carpet extractors

Pump with Motor: AP49 Pump without motor: PT057 Kit A plunger & seals: PT054 Kit B valves & o-rings: PT055 Kit C cam & bearing: PT056 Motor: PT060 Pressure Regulator: PT021 Kit Regulator Repair: PT020A SS Seat Press Reg: PT021S



KIT 500PSI PUMP ASSEMBLY PART# NM5048A

500PSI with "03" jet - 1.06GPM - 130volt -1/2HP - 5.5/2.8 Amp motor - Upgrade pump kit to install AP52 pump in profitable extractors. Kit includes pressure regulator, pulse hose and fittings needed for instalation. Carpet extractors.

Pump without motor: PT065 Kit A plunger & seals: PT054 Kit B valves & o-rings: PT055 Kit C cam & bearing: PT056 Motor Pressure Regulator Kit Regulator Repair SS Seat Press Reg



KIT 200PSI PUMP ASSEMBLY PART# NM5067

200PSI with "04" jet - .9 GPM - 120volt - 1.4 Amp motor Upgrade pump kit to install AP50 pump in portable extractors Kit includes pressure regulator, pulse hose and fittings needed for

installation. Carpet extractors. Kit A plunger & seals: PT022 Kit B valves & o-rings: PT051 Kit C cam & bearing: PT030 Pressure Reg. 200PSI: PT048 Kit Regulator Repair: PT048A PT061 Motor: Pump without motor: PT050



KIT 200PSI PUMP ASSEMBLY PART# NM5152

200PSI with "04" jet - .9 GPM - 120volt – 1.4 Amp motor Upgrade pump kit to install AP51 pump in Portable extractors Kit includes pressure regulator, pulse hose and fittings needed for

installation. Carpet extractors. Kit A plunger & seals: PT022 Kit B valves & o-rings: PT051 Kit C cam & bearing: PT030 Pressure Reg. 200PSI: PT048 Kit Regulator Repair: PT048A PT061 Motor: Pump without motor: PT047



REGULATOR PRESSURE 1200PSI PART# PT016 **REPAIR KIT: PT016A**



REGULATOR PRESSURE 1200PSI PART# PT017 **REPAIR KIT: PT017KIT** KNOB: PT017KNOB

REGULATOR PRESSURE 500PSI PART# PT017B **REPAIR KIT: PT017KIT** KNOB: PT017KNOB

REGULATOR PRESSURE 1200PS PART# PT019 **REPAIR KIT: PT019A**

REGULATOR PRESSURE 500PSI PART# PT021 **REPAIR KIT: PT020A** SS SEAT: PT021S



REGULATOR PRESSURE 200PSI PART# PT048 **REPAIR KIT: PT048A**



REGULATOR PRESSURE 250PSI PART# PT067

REGULATOR PRESSURE HP - CAT

PART# PCA7672 850-3200 PSI REBUILD KIT: PP16-808200 0-RING KIT: PP16-808201 BLUE SPRING: PCA32092



PRESSURE REGULATOR - CAT PART# PP15-808068 150-1450PSI REBUILD KIT: PP16-808200 0-RING KIT: PP16-808201 WHITE SPRINGS: PCA32090

PRESSURE REGULATOR - SUTTNER PART# PP15-808081 **REPAIR KIT: PP16-808193**



PRESSURE REGULATOR 400SPI PART# PHY169-101 KIT SPRING & O-RING: PHY078-101 KIT REBUILDI PHY078-102 KIT O-RINGS: PHY097-103

PUMP CONDENSATE DRI-EAZ 08-00289

PART# PDR22 115v 80gpm 5ft cord

1000PSI SPRING: PHY155-021



PUMP CONDENSATE DRI-EAZ 08-00177 PART# PDR24 115v 80gpm 5ft cord

PUMP CONDENSATE DRI-EAZ LGR7000 PART #PDR29

CONDENSATE PUMP R175 & R200 PART #PPH010 Phoenix 4026333







PUMP



PT066 PT021 PT020A PT021S



				(internet								
TEEJ	ET -	TEE	JET		EJET	VEE	JET	VEE	-	VEE	JET	FLOODJET
BRA	SS	- STAI	NLESS	1/4" E	BRASS	1/8″ B	RASS	1/8″ ST/	AINLESS	1/4" STA	INLESS	1/4" BRASS
ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM #	SIZE	ITEM # SIZE
B002	400067	B102	0002	B200	8001	B602	8002	B302	8001	B702	8006	B502 K2
B004	650067	B104	0004	B201	80015	B603	8005	B304	80015	B704	9502	FLOODJET
B006	6501	B106	0006	B202	8002	B604	8008	B306	8002	B706	110015	1/8" BRASS
B008	65015	B108	1502	B204	8003	B606	80015	B308	8003	B708	11002	
B010	6502	B110	1504	B206	8004	B607	11001	B310	8004			ITEM # SIZE
B012	6506	B112	1506	B208	8005	B608	11003	B312	8005	1/4" STAI		B402 K.5
B020	8001	B118	8001	B210	8006	B610	95015	B314	8006	FEM	ALE .	B404 K.75
B022	8002	B120	8002	B212	8008	B612	11008	B320	9501	ITEM #	SIZE	B406 K1
B024	8003	B122	8003	B214	8010			B322	95015	B712	1506	B408 K1.5
B026	8004	B124	8004	B220	9502	1/4″ B	RASS	B324	9502			B410 K2
B028	8005	B126	8005	B222	9503	- FEM	IALE	B326	9503			
B030	8006	B128	8006	B224	9504		C175	B328	9504		ALC: NO.	AND DESCRIPTION OF
B032	8008	B138	9501	B226	9505	ITEM #	SIZE	– B330	9506	Ask.	A COMPANY	Country of
B034	8010	B142	11001	B228	9506	B280	8006	B340	11001			Sunday and and the
B036	8015	B144	110015	B230	9508	B281	8005	B342	110015	МЕ	G JET	
B040	95015	B146	11002	B240	110015	B282	8004	B344	11002			CONE JET
B042	9502	B148	11003	B242	11002			B346	11003	1/8″	BRASS	
B044	9503	B150	11004	B244	11003			B348	11004	ITEM #	SIZE	ITEM #
B046	9504	B152	11006	B246	11004			B350	11006	B630	1502	NA0827B Full Pattern
B048	9506	B130	8006E	B248	11006					B632	0502	NA1556 Adjustable, brass
B050	9508	B132	8008E							B634	5003	PHY076-076 1/8GG-SS1
B052	9510											
B060	110015	and the second second	ADAP	TER-TU	BE TO MPT	ADAP1	TER - 1	UBE TO FPT		WASHER	- RUBBE	R GARDEN HOSE
B062	11001		PART#	BR122	(1/4 x 1/8)	PART#	BR303	(1/4 x 1/4)		PART# BR6)0 Rubber	Washer
B064	11002		7	BR302	(1/4 x 1/4)		BR305	(1/4 x 1/8)		BR6		w/ screen
B065	11003			PHY052-541	(3/16 x 1/8)			(-/ /		Dire		
B066	11004											
B068	11008						JE	TWEAR			1 1:00 1	

When used in carpet and upholstery cleaning equipment, brass jets should be replaced every six months and stainless jets once a year. Although difficult to detect, jets do wear out and can contribute to uneven cleaning, loss of heat and change of chemical draw.

VAC MOTOR 5.7" 2 STAGE PART# AV010 115VAC Fits most portable extractors

VAC MOTOR 5.7" 3 STAGE PART# AV14 115VAC Fits most portable extractors

VAC MOTOR 5.7" 3 STAGE PART# AV16 230VAC Fits most portable extractors

VAC MOTOR HP 5.7" 2 STAGE FX88 &

FX88HP PART# AV12 With Flange, High Amp



VAC MOTOR 5.7" 2 STAGE FX88 & FX88HP

PART# AV13 Low Amp, With Flange



VAC MOTOR 4.8" 2 STAGE PART# AV06 Hydro- Force: Power X Spot (MA50) & Power Spot (MA40) - Prochem: Spot Pro



VAC MOTOR 5.7" 2 STAGE PART# AV08 ULV Fogger Fan Hydro-Force: PureMist - Dri-Eaz: MacroMist II

Unsmoke: Blastmaster GS
VAC MOTOR 5.7" 3 STAGE

PART# AV23 115V - Hydro - X Vac Pac

COVER VAC MOTOR – BLACK PLASTIC AV14, AV16, AV010, AV012 & AV06 PART# PAM60-3776-4

COVER VAC MOTOR – WHITE PLASTIC AV14, AV16, AV010, AV012 & AV06 PART# PXL90-3739

GASKET VAC MOTOR 5.7" 5/8" THICK – ONE SIDED ADHESIVE PART# PA010 Olympus Portables



www.interlinksupply.com

NYLON / PLASTIC FITTINGS 90° ELBOWS

3/8" Barb x 1/4"MPT:	PF91010-003
3/8″ Barb x 3/8″MPT:	PF91010-001
1/4″ Barb x 1/4″MPT:	PF91010-052
1/4" Barb x 3/8"MPT:	NS162
3/4 Barb x 3/4″ MPT	PA110
3/8" Barb x 1/2"FPT Wing Nut:	PSH8-159-01
1/2" Barb x 1/2"FPT Hex Nut:	PSH8-034-01
1/2" Barb x 1/2"FPT Wing Nut:	PSH8-158-01
3/4" Barb x 1/2"FPT Wing Nut:	PSH8-157-01
1/2" Barb x Quad pump fitting:	PF20381-009
3/4" Barb x Quad pump fitting:	PF20381-010
STRAIGHT BARBS	
STRAIGHT BARBS 3/8" Barb x 1/2"FPT Hex Nut:	PSH8-071-01
	PSH8-071-01 PSH8-070-01
3/8" Barb x 1/2"FPT Hex Nut:	
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut:	PSH8-070-01
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Wing Nut:	PSH8-070-01 PSH8-161-01
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Wing Nut: 3/4" Barb x 1/2"FPT Wing Nut:	PSH8-070-01 PSH8-161-01 PSH8-156-01
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Wing Nut: 3/4" Barb x 1/2"FPT Wing Nut: 3/8" Barb x 1/4"MPT:	PSH8-070-01 PSH8-161-01 PSH8-156-01 PF91010-004
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Wing Nut: 3/4" Barb x 1/2"FPT Wing Nut: 3/8" Barb x 1/4"MPT: 3/8" Barb x 3/8"MPT:	PSH8-070-01 PSH8-161-01 PSH8-156-01 PF91010-004 PF91010-002
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Wing Nut: 3/4" Barb x 1/2"FPT Wing Nut: 3/8" Barb x 1/4"MPT: 3/8" Barb x 3/8"MPT: 1/4" Barb x 1/4"MPT:	PSH8-070-01 PSH8-161-01 PSH8-156-01 PF91010-004 PF91010-002 PF91010-053
3/8" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Hex Nut: 1/2" Barb x 1/2"FPT Wing Nut: 3/4" Barb x 1/2"FPT Wing Nut: 3/8" Barb x 1/2"FPT Wing Nut: 3/8" Barb x 1/4"MPT: 1/4" Barb x 1/4"MPT: 1/4" Barb x 3/8"MPT:	PSH8-070-01 PSH8-161-01 PSH8-156-01 PF91010-004 PF91010-002 PF91010-053 PF91010-032

VAC MOTOR 7.2" 3 STAGE PART# AV18 Larger Size Vac Motor

Fits many portable extractors







NIPPL	.E - HE)	(AGOI	N				FER - F	REDUCING	FEMAL	E		ECTOR -	MALE G	ARDEN	
PART#	BR070	(1/8)	100000	HOUSEN		PIPE					HOSE T	O BARB			-
	BR072	(1/4)	ALLENSES	Summ		PART#	BR160	(1/4 x 1/8)	1	and the second s	PART #		4 x 1/2)	and the second se	
	BR074	(3/8)	Contraction of the				BR161 BR162	(1/4 x 1/8) (3/8 x 1/8)	1	ALC: NO		BR334 (3/	4 x 3/8)		
	BR076 BR078	(1/2) (3/4)					BR162	(3/8 x 1/8) (3/8 x 1/4)			60 000				
	DRV/0	(5/4)					BR168	(1/2 x 1/4)				ECTOR - S			
COUP	I FR						BR171	(1/2 x 3/8)				N HOSE TO		IPE	-
PART#	BR110	(1/8)					BR172	(3/4 x 1/2)			PART#	•	(4 x 1/4)		2
1 AN 1 #	BR110 BR112	(1/4)	-				BR174	(1/4 x 1/4)				BR324 (3/	4 x 3/8)		
	BR114	(3/8)					BR175	(1/8 x 1/8)				N			
	BR116	(1/2)				BUSHI	NG			-		W - 90° STF			
	BR120	(3/4)				PART#	100002	(1/4 v 1/0)	-	100	PART#	BR280 (1/8		- and the	
			_			PARI#	BR192	(1/4 x 1/8) (3/8 x 1/4)				BR280F (1/8" BR280S (1/8"		and and	Topologica and
NIPPL	.E - REI	DUCIN	G				BR194	(3/8 x 1/8)	With	the state		BR282 (1/4			
PART #		(1/4 x 1/8)					BR200	(1/2 x 1/8)	dian.			BR282A (1/4"	-		
	BR132	(3/8 x 1/4)					BR198	(1/2 x 1/4)				BR284 (3/8)			
	BR134 BR136	(3/8 x 1/8)					BR196	(1/2 x 3/8)				BR286 (1/2)			
	BR138	(1/2 x 3/8) (1/2 x 1/4)					BR203	(3/4 x 1/4)				BR288 (3/4)			
	BR144	$(1/2 \times 1/4)$ (3/4 x 1/2)					BR204 BR202	(3/4 x 3/8) (3/4 x 1/2)							
		(-, -, -, -,					DNZUZ	()/4 X 1/2)			SPLIC	ER	and the second se		II.
	N 000					ELBOV	V - 45°	STREET			PART#	BR060 (1/4)	(1/4)		
ELBO			-			PART#	BR270	(1/8)				BR061 (5/16			
PART#	BR290	(1/8)		200		1 AN1#	BR272	(1/4)				BR062 (3/8)	(3/8)		
	BR292 BR294	(1/4) (3/8)					BR274	(3/8)	2.	diam'r					
	BR294 BR296	(3/8)					BR276	(1/2)		A. Contraction	COUP	LER - RED	UCING		
	011270	(1/2)					BR278	(3/4)			PART#		x 1/8)	-	
												BR128 (1/2	2 x 1/4)		
ELBO		F UNIO	N												
FLARE)		(4) 4 (0)	. 6	11222								W - FEMAL	E FLARE	X	
PART#	BR259 BR260	(1/4 x 1/8) (1/4 x 1/4)									FEMAL				
	DAZUU	(1/4 × 1/4)									PART#	BR266 (1/4	x 1/8)		Address of
TEE						TO MALE	PIPE		- HEX H	IEAD, HOLI	LOW			O FEMALE	
PART				PART#	BR002	(1/8 x 1/8)	A	CORE		(4.10)	A STATE OF THE OWNER	PART#		(3/16 x 1/8	6
	BR242	,			BR004	(3/16 x 1/8)		PART#	BR220	(1/8)	Comments of		BR013 BR015	(1/4 x 1/4) (1/4 x 1/8)	
	BR244 BR246	(3/8) (1/2)			BR010 BR012	(1/4 x 1/8) 1/4 x 1/4)			BR222 BR224	(1/4) (3/8)	HIMME			(1/4 x 1/8) (3/8 x 1/8)	
	BR248				BR012 BR014	(1/4 x 3/8)	F		BR226	(3/8) (1/2)			BR021	(3/8 x 1/4)	Ψ.,
~ • • •	/0	····			BR016	(1/4 x 1/2)			BR228	(3/4)			BR023	(3/8 x 3/8)	
CAP					BR017	(5/16 x 1/8)							BR026	(1/2 x 1/2)	
PART#	# BR216	(1/8)			BR018	(3/8 x 1/8)				R - SWIVEL			BR031	(1/2 x 3/8)	
STRE	EETTE	5			BR019	(5/16 x 1/4)			E GARD	EN HOSE T	O HOSE		BR049	(3/4 x 3/4)	
PART					BR020	(3/8 x 1/4)		BARB							
ran I i	# BK250 BR252	• •			BR022 BR024	(3/8 x 3/8) (3/8 x 1/2)		PART#	BR329	(3/4 x 3/8)	and the second s	CONI	ΝΕCTO	R, SWIV	/EL -
	BR254		-		BR024 BR028	(3/8 x 1/2) (1/2 x 1/4)			BR330 BR332	(3/4 x 1/2) (3/4 x 5/8)	10			EN HOS	
	BR256				BR030	(1/2 x 1/4) (1/2 x 3/8)			BR332 BR333	(3/4 x 5/8) (3/4 x 3/4)		FEMA	LE PIPE		
NUCC		. ,			BR032	(1/2 x 1/2)			נננאט	(J/ T A J/ T)		PART#		(3/4 x 1/2)	10 - 20
			-Married Control		BR032	(1/2 x 1/2 N	ylon)	ADAP	TER - I	MALE GAR	DEN		BR326	(3/4 x 3/4)	
PART			And the Party of Street, or other		BR034	(5/8 x 3/8)		HOSET			Sil Since				
	BR082 BR084				BR036	(5/8 x 1/2)		PART#	BR320	(3/4 x 3/8)	Aller D				
	BR086	• •			BR040 BR042	(5/8 x 3/4)			BR319	(3/4 x 3/4 FP)		LOC	(NUT		
	DAUDU	(1/4)			BR042 BR044	(3/4 x 3/8) (3/4 x 1/2)						PART#		(1/4)	~
ADA	PTER -	MALE	FLARE			(3/4 x 1/2) (3/4 x 1/2 N	vlon)	ADAP	TER - I	MALE GAR	DEN				$\mathbf{\bigcirc}$
X M.I.			Dim		BR048	(3/4 x 3/4)	,,			GARDEN		CAD	-		
PART	# BR124	(1/4 x 1	1/8)		BR048P	(3/4 x 3/4 N	ylon)	PART#	BR319H	(3/4 x 3/4)	and the second		GARDEN		
	BR126	(1/4 x 1	I/4)		BR050	(1 x 3/4)					COLUMN STATE	PART#	BR325	(3/4)	
					BR050P (*	1 x 3/4 Nylon)									

296 Valves - Wands and Tools

VALVE - WAND K-VALVE HP #251-30 **BRASS WITH TRIGGER NEWER AW29** WAND VALVE PART# PCMPV1175 K-Valve Repair Kit: pk25130 VALVE - KINGSTON HP #251FT BRASS WITH TRIGGER, OLDER AW29 WAND **VALVE PART# 100013** Repair Parts: PKI251K Stem Assembly: PKI251C Cap: VALVE - KINGSTON HP -BRASS WITH-**OUT TRIGGER** PART# PKI254 Repair Parts: Stem Assembly: PKI25312TV NA1233 Cap: Spring: NA1232 Stem O-ring: NA1230 **VALVE - KINGSTON LP - WITH LEVER** PART# NA1229 **Repair Parts:** Stem Assembly: NA1231 NA1233 Cap: Spring: NA1232 NA1230 Stem O-ring:

BALL VALVE 1/4" F-M PART# AH54

BALL VALVE 3/8" F-M PART# AH54B

BALL VALVE 1/4" F-M ECONOMY PART# AH56

BALL VALVE 1/4" F-M BRASS PART# PHY169-018

VALVE CIRCLE SEAL 1/4" M-F BRASS

PART# PWM-B147 Small O-Ring: NA0814 Large O-Ring: NA0837



VALVE CIRCLE SEAL 1/4" F-F BRASS PART# PP15-808012

New Style Small O-Ring: NA2320 New Style Large O-Ring: NA2322 Old Style Small O-Ring: NA0814 Old Stlye Large O-Ring: NA0837

GATE VALVE 1-1/2" MPT PVC - BLACK PART# PEA11

Repair Parts: 45° Elbow: Gasket: Plastic Handle - Black: Metal Handle - Cast:



GATE VALVE 1-1/2" FPT PVC - BLACK PART# PCE370-07

Repair Parts: 45° Elbow: Gasket: Plastic Handle - Black: Metal Handle - Cast:



BALL VALVE 1-1/2" FPT- BRASS PART# PHY169-022



SOFT TOUCH VALVE - BRASS, 1200 PSI,

FOR WANDS PART# AW791 Rebuild Kit: AW794



VALVE SOFT TOUCH SS 1500PSI VALVE W/LEVER FOR AW29

PART# AW792 Rebuild Kit: AW794



VALVE SOFT TOUCH UPHOLSTERY

PART# AW795 Rebuild kit: AW796



KIT ADAPTER PROCHEM WAND PLATES FOR SOFTOUCH WAND VALVES PART# AW793

VALVE 1000 PSI PMF P VALVE SS PART# PMV2PS-EZ Repair Kit: PMRV2P-EZ

REBUILD KIT FOR P-VALVE OLD STYLE PART# PMVRV2P



VALVE - 120PSI WITH LEVER -

VALVE - 120PSI WITH LEVER - PLASTIC PART# PMV120P

Repair Parts: Rebuild Kit: PMV120PB

VALVE - 300PSI WITH LEVER - BRASS PART# PMV300 Rebuild Kit: PMV300B

VALVE – 800PSI WITH LEVER - BRASS PART# PMV800

Repair Parts:

PMV800B Rebuild Kit: **PMV800S** Stem Assembly: Lever:

PMV64 VALVE - 500PSI BRASS

WITH LEVER AND HANGER PART# PMV1245B



VALVE - 120PSI PLASTIC WITH LEVER AND HANGE PART# PMV1245P Repair Parts:

VALVE - 500PSI WITH LEVER BRASS PART# PMV4N

Rebuild kit: PMV124V5B



VALVE WITH LEVER BRASS

PART# NM4079 Hydrokinetic Tool Repair Parts: Rebuild kit: PMV124V5B



VALVE - PROCHEM WAND PART# PP61-950496 Rebuild kit: PP66-805169



VALVE ASSEMBLY – PROCHEM TRUCK MOUNT UPHOLSTERY TOOL DAPT# DD61-050570

PARI# PP61-95	05/0					
Valve Assembly Includes valve and:						
Hose	(PP10-805348)					
VeeJet	(B304)					
Quick Connect	(PKL01)					
Repair Parts:						
Rebuild kit:	PP66-808169					
By-pass Stem:	PP52-501626					
O-ring BP Stem:	PP43-810016					



VALVE - HYDRAMASTER SS WAND /

RX-20	
PART# PHY169	-058
Repair Parts:	
Stem Assembly:	PI
0-ring Kit:	1(
Cap:	PI
Spring:	PI

PART# PHY169-014



VALVE – MANUAL BALL DRI-MASTER

100012

UPHOLSTERY TOOL



VALVE – METAL SPRAY GUN WITH VITON PACKING

PART# NA0820 5GPM - 1000PSI Used on AS08M, AS22A & AS89 **Repair Parts:** Shut Off Disk: NA0822 Stem: PS7482-1-BR



V-Packing: PF1425S-1-VI Repair Kit: (Stem & V-Packing) NA0821

VALVE - PLASTIC SPRAY GUN

7GPM - 2750PSI - 210°F PART# 100010 **Repair Parts:** Valve: Rehuild Kit Plastic Gun Body Only:



VALVE – PLASTIC SPRAY GUN PART# NA0820A 5GPM - 1850PSI - 180°F Repair Parts: Valve: NA0845

Rebuild Kit: NA0842



VALVE – PLASTIC SPRAY GUN PART# NA032 7GPM - 2150PSI - 210°F Repair Parts: Valve: NA0847 Rebuild Kit: NA031A



BALL VALVE 1-1/2" F-F PVC PART# 100011



www.interlinksupply.com

Repair Parts:



Rebuild Kit: PMV124V5B

Rebuild Kit: PMV124V5B

Delux Hy-Dry Tools Repair Parts:

NM5079 NM3019 PCE120-07



ALUMINUM PART# PMV120 Rebuild Kit: PMV120R







Repair Kit: PHY078-371



FILTER - RECOVERY TANK 2" FPT - 4" DIA. - 9-3/4" LONG PART# PP14-806509

Prochem: 100A, 150, Cub, Cub XL, Trailblazer, Blazer, Blazer Plus, Performer 405 (2), Performer 805 (4), Power Vac II (2) and Oil Fired TM. Bridgepoint: System IV, Saber 2000 and Saber

Blueline: Thermalwave 5M (2) Thermalwave II (2) Thermalwave II HP (2), Thermalwave 5M HP (2)

FILTER - RECOVERY TANK 2-1/2" FPT 5" DIA. - 12-1/2" LONG PART# PP14-806518

Prochem: 800A, Bear, Bruin, Bruin II, Performer, Legend, Legend SE, Legend XL, Blazer XL, Peak, Power Vac, and Blazer Plus Bridgepoint: Lancer

FILTER - RECOVERY TANK 2" MPT - 4" DIA. - 8-1/2" LONG PART# PHY049-007

Hydramaster: Bobcat, Aquacat, Hydracat 3.5, Hydracat 4.0, CDS 4.0, CDS 4.2, Crossfire 4.2, Crossfire 4.4, Spitfire 3.2 and Spitfire 4.0. Bridgepoint: Dagger

FILTER - RECOVERY TANK 2-1/2" MPT - 4" DIA. - 10" LONG **PART# PHY049-008** Hydramaster: Boxxer 421

FILTER - RECOVERY TANK 3" MPT - 5" DIA. - 12" LONG **PART# PHY049-013** Hydramaster: Hydracat 4.5, CDS 4.5, CDS 4.7, CDS 4.6, Maxx 450D, Maxx470D and Boxxer 427 Bridgepoint: Javelin

FILTER - RECOVERY TANK 3" FPT - 5" DIA. - 11-1/2" LONG PART# PWM-E131 White Magic: All Truck Mounts Blueline: Bluewave

FILTER - BLOWER INLET PART# PP14-806569 Prochem - Everest, Everest HP, & APEX

FILTER - RECOVERY TANK 2-1/2" FPT 5" DIA. - 11" LONG PART# PBL20009 Sapphire: 270SS, 370SS, 454SS (2). 570SS. Champ & Cobalt

FILTER BLOWER INLET - FLAT PART# PHY049-153 All Hydramaster machines with Maxx Air recovery tanks.

FILTER - NAUTILUS PUMP-OUT PART# NM5746 3/4" FPT - 3" DIA. - 7-3/8" Long



FILTER BAG – SHORT & WIDE PART# PHY049-029 12" x 19"



FILTER BAG – SHORT & NARROW PART# PHY049-030 8" x 16"

FILTER BAG - LONG & NARROW PART# AX12 (Hydramaster Part# 049-028) 8" x 29"

FLOAT CAGE & FILTER 2-1/4" ID PART# PP14-806556



FLOATCAGE & FILTER 23" ID PART# PMH235



FLOAT STRAINER ASSEMBLY **OLYMPUS FIT 1-1/2: PIPE** PART# NM5037

FILTER CAP ASSEMBLY **NAUTILUS FIT 2"PIPE** PART# NM5735

STRAINER BASKET - HYDROFILTER AC11 SOLID BOTTOM PART# AC11S

STRAINER BASKET - HYDROFILTER II AC10 OPEN BOTTOM PART# AC11C



INLINE PUMP STRAINER 1/2" BARBS PART# PPU6175



INLINE PUMP STRAINER 3/4" BARBS PART# PF01740-000



INLINE PUMP STRAINER SUREFLO - 1/2" M-F PART# PSH170-061-00



CHEMICAL STRAINER W/CHECK VALVE 1/4" BARB - PLASTIC PART# PDE100-11P



CHEMICAL STRAINER W/CHECK VALVE 1/4" BARB - SS PART# PHY169-062

CHEMICAL STRAINER W/CHECK VALVE 3/8" BARB - SS PART# PHY169-061



PART# PBU1171



Y-STRAINER 3/8" FPT PART# PP14-806508 Replacement Filter Screen: PP14-806523

PS12687-100

PKLD28.1

PART# PKLD28

Replacement Parts:

Screen:

Bodv:

Y-STRAINER 1/4" FPT PART# PA065 Hydramaster: Spitfire 3.2, Spitfire 4.0 & RX-20 Bridgepoint: Dagger Replacement Filter Screen: PHY049-016

PART# PS12687-100

STRAINER - 1/4" JET - 100 MESH



STRAINER - 1/8" JET - 100 MESH BRASS PART# PS12686-100

STRAINER INLINE 100 MESH PART# NA0803

STRAINER WITH CHECK VALVE 50 MESH PART# NA0825

STRAINER DISK - SOLVENT SPRAYER PART# NA2243



FILTER BODY PART# NA0802



STRAINER BODY - 1/8" MPT PART# PHY052-153

STRAINER BODY - 1/4" FPT PART# NA1235



STRAINER ADAPTER PART# NA0804

FILTER SCREEN - GARDEN HOSE WASHER PART# BR601



ACORN STRAINER 1/8" FPT PART# NA0840

ACORN STRAINER 1/4" FPT PART# PCE290-08

ACORN STRAINER 1/2" FPT PART# PP14-806540




STRAINER AS42 HOT FOGGER















GATW VALVE 2" GATEKEEPER

PART# NM5728 Gatekeeper: NM5728b Vac Gasket: NM5728a Plastic Handle - black: PCE120-07



CHEMICAL METERING VALVE 1/8" FPT PART# PP15-808028

(White Magic Part# B086) (Hydramaster Part# 169-160)



CHEMICAL METERING VALVE 1/8" FPT PART# PP15-808106



TEMPERATURE BY-PASS VALVE 1/8" FPT PART# PP15-808087 (Prochem Part# 15-808107)

3 WAY VALVE 1/8" FPT PROCHEM CHEMICAL PRIME PART# NM3005

3 WAY VALVE 1/8" HYDRAMASTER CHEMICAL PRIME PART# PHY169-017



HUDSON WATER CONTROL VALVE 1/2" FPT - HYDRO WELL II PART# NM5822

FLOAT VALVE ASSEMBLY HYDRO WELL PART# PM751020

FLOWAT VALVE - WATER BOX **BLUELINE - SAPPHIRE** PART# PBL48009 Seat: PBL48006 Float: PP19-807014

FLOWAT VALVE ASSEMBLY HYDRAMASTER WATER BOX **PART# PHY169-218**


FLOAT VALVE - PROCHEM BRASS -WITHOUT FLOAT ASSEMBLY PART# PP15-808110

Repair Parts: Seat: Float Rod (Stainless Steel):




FLOAT VALVE - PROCHEM BRASS -WITH FLOAT ASSEMBLY

PART# PP66-945179 Seat: PP16-808164 Float: PP19-807014 Rod (Stainless Steel): PP55-501715



CHECK VALVE 3/4" FPT **BRASS SWING GATE** PART# NM5052



COUPLER BODY DEHUMIDIFIER PUMP-OUT PART# PPH001

0.38" Barb - Plastic • Phoenix: 4023079

COUPLER INSERT DEHUMIDIFIER PUMP-OUT PART# PPH002

.38" Barb - Plastic Phoenix: 4023080 • Dri-Eaz: 08-00303



COUPLER BODY DEHUMIDIFIER PUMP-OUT PART# PPH003

.25" Barb - Plastic Phoenix: 4024910 • Dri-Eaz: 08-00302




COUPLER BODY 1/4" TUBE COUPLING R200 & R175 PART# PPH006

INSERT COUPLER .38" TUBE COUPLING R200 & R175 PART# PPH007

INSERT COUPLER 1/4" TUBE COUPLING R200 & R175 PART# PPH008

SOLENOID VALVE - WATER 12VDC PART# PP15-808085

Prochem: Cub, Cub XL, Bear, Bruin, Bruin II, Blazer Plus, Legend, Legend SE, Performer, Performer 405, Performer 805 & Trailblazer. (Prochem Part# 15-808105)



Hydramaster: Incoming water solenoid valve on all machines with electric incoming water control system. Low Pressure Temperature Dump Solenoid on the Boxxer 427, Spitfire 4.0, Crossfire 3.7, Crossfire 4.2 & Crossfire 4.4. APO priming solenoid on CDS 4.8, CDS 4.6, Maxx450D, Maxx 470D and Maxx 550.

SOLENOID VALVE - WATER 12VDC PART# PHY169-082

HydraMaster: Hot water dump solenoid on Boxxer 421, Maxx 470D, Maxx 470D & Maxx 550. Bridgepoint: Javelin - Repair kit: PDE41-31

SOLENOID VALVE - VACUUM 12VDC PART #PHY169-070

Vent Plug: PHY106-014 Barb 1/8" X 1/8" MPT: BR002



SOLENOID VALVE ASSY FOR MB07 PART #PTPD0710

MB07 Vapor Cling Machine

CHECK VALVE ASSEMBLY - PROCHEM PART #. PP15-808094

0-Ring Seat: PP43-8010008 0-Ring Cap: PP43-810079 SS Seat: PP16-808223 Spring: PP16-808224 Poppet: PP16-808226 Teflon Insert: PP16-808225



KIT LINE INSTALL KIT 2003-2007 CHEVY / GMC **PART# PHY078-407**

Also used on pre-1998 Dodge Vans. Fuel tap parts only. Does not include fittings and hose to connect with machine. If these parts are not included with the machine, you will need the General Fuel Line Install Kit PP66-945153.

FUEL LINE INSTALL KIT - 1997-2002 CHEVY/GMC NON RECIRCULATING SYSTEMS PART# PP66-945437

KIT FUEL LINE INSTALL 2004-2010 FORD **RECIRCULATING SYSTEMS PART# PHY078-425** (Does not include fuel pump)

KIT FUEL LINE INSTALL 2011-2013 FORD RECIRCULATING SYSTEMS PART# PTF115271

KIT LINE INSTALL 2004 FORD NON-RECIRCULATING SYSTEMS **PART# PHY078-110**

FUEL LINE INSTALL KIT - 1992-2003 FORD NON-RECIRCULATING SYSTEMS PART# PP66-945171


FUEL LINE INSTALL KIT - 2011-2013 NISSAN RECIRCULATING SYSTEMS **PART# PTF115305**

KIT GENERAGL FUEL LINE INSTALL WITH **BULHEAD FITTING & HOSE NON-RECIR-**CULATING SYSTEMS PART# PP66-945153

BULKHEAD FITTING 1/8"FPT BRASS PART# PP11-800091

BULKHEAD FITTING 1/4" FPT BRASS PART# NM5087





BULKHEAD FITTING 1/2" ABS PART# NM4267

BULKHEAD FITTING 3/4" ABS PART# NM5742



FLOAT VALVE ASSY W/CHEM SYST **OLYMPUS AUTO FILL ASSEMBLY** PART# NM5055







Bridgepoint: System IV, Saber, Saber 2000, Lancer & Lance II







Gauges / Controls / Electrical

PRESSURE GAUGE 1000PSI **PART# PHY074-003**

PRESSURE GAUGE 1500PSI

1/4" MPT - Panel Mount Hydramaster: Most older truck mounts. Bridgepoint: Dagger



PART# PHY074-007 1/4" MPT – Panel Mount Hydramaster: Most newer truck mounts. Bridgepoint: Javelin

PRESSURE GAUGE 600PSI PART# PT062

1/4" MPT – Panel Mount Olympus: M3-500 & M500H

PRESSURE GAUGE 2000 PSI PART# PT063 1/4" MPT - Panel Mount Olympus: M1200, FX-88 HP Nautilus: MX1200 & MX3-1200

PRESSURE GAUGE 1000PSI PART# PT064 1/4" MPT – Panel Mount Natilus: MX500, MX500H & MX3-500

PRESSURE GAUGE 1500PSI PART# PP18-808526

GAUGE WATER PRESSURE 3000 PSI PART# PP15-808526

PRESSURE GAUGE 1500PSI **PART# PP36225** Bracket: PP140702

PRESSURE GAUGE 4000PSI PART# PP36226 Bracket: PP140702

PRESSURE GAUGE - STEAM FOR MB07 VAPOR CLING MACHINE PART#: PTPD1441


TACHOMETER – TINY-TACH WITH HOUR METER PART# PL25-44902S

HOUR METER - RECTANGULAR W/BEZEL 12VDC **PART# PHY074-011**

HOUR METER - RECTANGULAR NO BEZEL 12VDC **PART# PHY074-018**

HOUR METER - ROUND NO BEZEL 12VDC PART# PP34-903000

ROTARY SWITCH W/OVERRIDE BY-PASS NORMAL OPEN PART# PP61-950739



VACUUM GAUGE - 2-1/2" PANEL MOUNT **GLYCERIN FILLED** PART# PP36227

Bracket: PP140702 VACUUM GAUGE

PART# PHY074-006 TEMPERATURE GAUGE

PART# PHY074-016 Use Sensor: PHY149-039

TEMPERATURE GAUGE PART# PP18-808530 Use Sensor: PP34-903019

CHEMICAL FLOW METER PART# PP18-808513

CHEMICAL FLOW METER WITH KNOB PART# PP18-808522 Replacement Knob: PHY061-008

CHEMICAL FLOW METER WITH KNOB - MODIFIED **PART# PHY074-020** Replacement Knob: PHY061-008

SWITCH FLOAT WASTE TANK SHUTOFF PART# PP61-950621

FLOAT SWITCH SIDE MOUNT WITH **BULKHEAD FITTING** PART# PHY157-031

FLOAT SWITCH - MINI REED SWITCH PART# PHY157-004

FLOAT SWITCH - STRAIT SHAFT PART# NM5054

FLOAT SWITCH - TETHERED 15 DEG PART# NM5749

HIGH PRESSURE SHUTOFF SWITCH PART# PP32-900186

LOW PRESSURE SHUTOFF SWITCH **PART# PP72179**

RELAY SWITCH - 12VDC SPDT PART# PHY157-022

ROTARY SWITCH PART# PP32-900205

ROTARY SWITCH W/ OVERRIDE BY-PASS NORMALLY CLOSED PART# PP61-950738









ROCKER SWITCH - DPST 12VDC PART# PBL29012

ROCKER SWITCH - SPST 115VAC PART# PCE330-02

ROCKER SWITCH - MINI SPST FOR MB07 STEAM WAND PART# PTPD0411

ROCKER SWITCH - 2-SPEED SPDT WITH SLASHGUARD 115VAC PART# PDR04

ROCKER SWITCH - MINI SPST FLEXIPRO SPRAYER PART# NM4111

ROCKER SWITCH - SPST 115V WATER RESISTANT PART# PKLK-21W

IGNITION SWITCH PART# PP32-900174



IGNITION SWITCH PART# PHY157-008

IGNITION SWITCH PART# PP32-900086



ROTARY SWITCH W/ OVERRIDE BY-PASS NORMALLY CLOSED PART# PP32-900206



ROCKER SWITCH – GREEN LIGHTED DPST - 115VAC PART# PEA10 Newer Style FX portable extractors **Prochem Power Spotter**

DPST - 115VAC

PART# PEA09

ROCKER SWITCH – DPST 115V 20AMP PART# NM5714

ROCKER SWITCH – 3 WAY

115VAC 20AMP - DPDT

PART# NM5060

PART# NM5716







ROCKER SWITCH – 12VDC SPST PART# PHY157-040

ROCKER SWITCH - 3 WAY 12VDC - DPDT PART# PHY157-131































300 Gauges / Controls / Electrical

SWITCH ROTARY 3-SPEED PART# PP32-900189 Knob: PP04-000298

ROTARY 3 SPEED SWITCH OMNIDRY 33 PART #PVE1000A Knob: PVF504

SWITCH ROTARY 3-SPEED OMNIDRY PART# PE001 Knob: PF009 Decal: PE002



MOTOR 1/3HP OMNIDRY 2.9 PART# PE003 Start Capacitor: PE004

GFCI OUTET - OMNIDRI 2.9 PART# PE013

FAN WHEEL - OMNIDRI 2.9

PART# PE015



RUBBER FOOT - OMNIDRI 2.9 PART# PE017

ROCKER SWITCH 2-SPEED OMNIDRI 2.9 PART# PE018

FAN BLADE 16" AXIAL FOR FOCUS OR FOCAL POINT FANS PART# PPH009

RUBBER FOOT - PHOENIX PART# PPH014



FUSE HOLDER INLINE - AGC FUSE PART# NS177



POWER CORD 25' 16 GAUGE WITH 5-15P MALE PLUS ONLY PART# PDR20

POWER CORD 25' 14 GAUGE WITH 5-15P MALE PLUS ONLY PART# PDR26

POWER CORD 50' 12 GAUGE WITH GFCI 5-15P PLUG ENDS PART# NM4407

POWER CORD 25' PHOENIX W/ ILLUMINATING PLUG ENDS **PART# PDR4029742**

POWER CORD 50' 14 GAUGE WITH 5-15P MALE PLUG ONLY PART# PHY178-004

GFCI 5-15P PLUG ASSY USER ATTACHABLE PART# PT080

CIRCUIT BREAKER 5 AMP PART# NM5105

CIRCUIT BREAKER 10 AMP 1/4" SPADE CONNECT PART# NM5110

SCREW CONNECT PART# PP33-900236

CIRCUIT BREAKER 20 AMP SCREW CONNECT PART# PP33-900163

CIRCUIT BREAKER 25 AMP 1/4" SPADE CONNECT **PART# PHY018-004**



BATTERY 12V 8AMP HOUR FLEXIPRO SPRAYER PART# NM4100



CAR CHARGER - FLEXIPRO SPRAYER SOUARED PLUG PART# NM4109A

WALL CHARGER - FLEXIPRO SPRAYER SQUARED PLUG PART# NM4108B

CAR CHARGER - OMNIPRO SPRAYER ROUND PLUG - OLD STYLE PART# NM4109

WALL CHARGER - OMNIPRO SPRAYER **ROUND PLUG - OLD STYLE** PART# NM4119



POWER JACK - SQUARED 3-PRONG NEW STYLE - SCREW MOUNT PART# NS125

(screws not included) Screw: NM4123 (QTY 2) Nut: NM4031 (QTY 2)



DIODE 6 AMP - 12 VOLT **FLEXIPRO SPRAYER** PART# PK6A10

POWER CORD 115V - FLEXIPRO SPRAYER SOUARED PLUG PART# NS129



CIRCUIT BREAKER 30 AMP
SCREW CONNECT
PART# PP33-900161



FUSE HOLDER INLINE - ATO FUSE PART# PHY056-006



Haven't Found What You Are Looking For?

Visit us online or give us a call. Interlink Supply stocks over 10,000 parts. We show some of the most common and popular parts in this catalog, but if you need a part that is not shown here, please visit www. interlinksupply.com to view all of our parts or give us a call and we will find it for you.

www.interlinksupply.com







1/4" SPADE CONNECT



CIRCUIT BREAKER 15 AMP

CIRCUIT BREAKER 20 AMP 1/4" SPADE CONNECT **PART# PHY018-005**

\bigcirc

44-802220 PP44-802250

PP44-802217

PP44-802216

PP44-802168 PKAM01 PP44-802103

PP42-902332

PP44-802240

PP44-802246 PP44-802103

PP42-902332 PP44-802240

PP44-802243

PP44-802103 PP42-902332

PP44-802168

PP44-802215 PP44-802168

PP44-802206

PP791370

PP791370

PP44-802217

PP44-802244

PP44-802106

PP44-802234

PP44-802210

PP44-802244

PP44-802234

PP44-802210

PP44-802232

PP44-802234

PP44-802244

PP44-802244

PP44-802240

PP44-802234

PP44-802232

PP44-802224

PP44-802234

PP44-802106

PP44-802112

PHY010-016

PP44-802106

PP44-802217

PP44-802217

PP790963

66-203-02-S

PP44-802168

PP44-802220

PP44-802224 PP44-802234

PP44-802168

PP44-802243

PP44-802224

PP140976

PKAM01

PKAM01

PP44-802217

TRUCKMOUNT Blueline Bluewave	BELT DESCRIPTION	BELT #
Blower - 5VX630 (2)	PBL37039	
Pump - AX43 (1)	PP44-802217	
Blueline Champ Pump - AX43 (1)	PP44-802217	
Blower - 22494 (2)	PBL37037	
Blueline Cobalt	10207007	
Pump - AX43 (1)	PP44-802217	
Blower - 5VX630 (2)	PBL37039	
Blueline Thermalwave 5M		
Pump - AX45 (1) Blower - BX53 (2)	PP44-802197 PBL37021	
Alternator / Fan (1)	PP44-802230	
Blueline Thermalwave 5M		
Pump - AX45 (2)	PP44-802197	
	PBL37041	
ALT/FAN (1)	PP44-802230	
Blueline Thermalwave II - Pump - AX43 (1)	Nissan Engine PP44-802217	
	PBL37044	
.,	PP44-802230	
Blueline Thermalwave II -	Vortec Engine	
Pump - 4060605 (1)		
	PBL37044	
Blueline Thermalwave II H Pump - 4060605 (1)		
	PBL37046 PBL37044	
Blueline Thermalwave II H		
	PBL37045	
	PBL37044	
Fan / Alternator Nissan	(1)	PP44-802230
Bridgepoint Dagger	DUNANA ANA	
Pump - #9335 (1) Blower - #6J Rubber Co	PHY010-011	PHY152-008
Bridgepoint Javelin	uhiei	PH1132-006
Air Pump	AX26 (1)	PHY010-011
Blower	BX42 (2)	PP44-802307
Pump	AX44 (1)	PHY010-061
Bridgepoint Lancer		
Blower	AX43 (2)	PP44-802217
Pump Pridgeneint Lancer II	AX35 (1)	PP44-802216
Bridgepoint Lancer II Air Pump	3VX280 (1)	PP44-802210
Blower	AX41 (2)	PP44-802244
Pump	AX31 (1)	PP44-802103
Bridgepoint Lancer II - D		
Air Pump	3VX300 (1)	PP44-802233
Blower	AX45 (2)	PP44-802197 PP44-802236
Pump Bridgepoint Saber	AX32 (1)	PP44-802230
Air Pump	3VX265 (1)	PP44-802240
Blower	AX40 (2)	PP44-802232
Pump	AX29 (1)	PP44-802234
Bridgepoint Saber 2000		
Air Pump	3VX265 (1)	PP44-802240
Blower	AX41 (2)	PP44-802244 PP44-802234
Pump Bridgepoint System IV – w	AX29 (1) // triplex pump	PP44-802234
Blower	3VX250 (3)	PP44-802168
Pump	3VX315 (1)	PP44-802215
Bridgepoint System IV – w		
Blower	3VX250 (3)	PP44-802168
Pump	3VX335 (1)	PP44-802206
Prochem APEX Blower (Gas Unit) - BX4	17 (2)	PP790963
Blower (Diesel Unit) - B		PP44-802104
Pump - AX38 (2)	PP44-802250	
Alternator / Fan - Kubo	ta	PP790993
Prochem Bear Cat		
Air Pump	3L230 (1)	PP44-802229
Blower Pump	AX33 (3) AX39 (1)	PP44-802225 PP44-802224
Governor	AX39 (1) AX29 (1)	PP44-802224 PP44-802234
	PP44-802230	
Prochem Blazer		
Blower	AX40 (2)	PP44-802232
Pump	AX38 (1)	PP44-802250
Prochem Blazer Plus	AV40 (2)	DD44 00222
Blower Pump	AX40 (2) AX36 (1)	PP44-802232 PP44-802281
Prochem Blazer XL	1) 001	1177-002201
Pump	AX32 (1)	PP44-802236
Blower	AX38 (2)	PP44-802250

BELT #	Prochem Blazer GT Pump	AX37 (1)	4
	Blower	AX38 (2)	PP4
	Prochem Bruin Blower	AX43 (2)	PP4
	Pump	AX35 (1)	PP4
	Prochem Bruin II – w/ 3		
	Air Pump Blower	3VX265 (1) AX42 (3)	PP4
	Pump	AX31 (1)	PP4
	Fan / Alt — (1)		PP4
	Prochem Bruin II Air Pump	3VX250 (1)	PP4
	Blower	AX41 (2)	PP4
	Pump	AX31 (1)	PP4
	Fan / Alt – (1) Prochem Bruin II - D		PP4
	Air Pump	3VX265 (1)	PP4
	Blower	BX44 (2)	PP4
	Pump	AX31 (1)	PP4
	Fan / Alt – (1) Prochem Cub XL – w/ tri	nlex numn	PP4
	Blower	3VX250 (3)	PP4
	Pump	3VX315 (1)	PP4
	Prochem Cub – w/ duple Blower	ex pump 3VX250 (3)	PP4
	Pump	3VX230 (3) 3VX335 (1)	PP4
	Prochem Everest 408 HP	& 650 HP	
	Blower Pump	BP40 (2) AX43 (2)	F PP4
	Alternator / Fan (1)	RA45 (2)	rr4
P44-802230	Prochem Everest 408 & 0	650	
	Blower	BP40 (2)	F
PHY152-008	Pump Alternator / Fan (1)	AX43 (2)	PP4
111152 000	Prochem Everest & Evere	est HP	
PHY010-011	Pump	AX41 (2)	PP4
P44-802307 PHY010-061	Blower Governor	BX46 (2) AX29 (1)	PP4 PP4
1111010-001	Alternator/ Fan — (1)	. ,	114
P44-802217	Prochem Legend - D		
P44-802216	Air Pump	3VX280 (1)	PP4
P44-802210	Blower Pump	AX41 (2) AX29 (1)	PP4 PP4
P44-802244	Prochem Legend	(I)	
P44-802103	Air Pump	3VX280 (1)	PP4
P44-802233	Blower Pump	AX40 (2) AX29 (1)	PP4 PP4
P44-802197	Prochem Legend GT	10(2) (1)	
P44-802236	Pump	AX41 (1)	PP4
P44-802240	Blower Prochem Legend SE	AX41 (2)	PP4
P44-802232	Air Pump	3VX265 (1)	PP4
P44-802234	Blower	AX42 (2)	
P44-802240	Pump Prochom Logond VI	AX29 (1)	PP4
P44-802240 P44-802244	Prochem Legend XL Pump	AX40 (1)	PP4
P44-802234	Blower	AX39 (2)	PP4
D44 0031/0	Prochem Oil Fired TM w/		004
P44-802168 P44-802215	Magneto Blower	AX29 (1) BX46 (1)	PP4 PP4
	Pump	AX46 (1)	PP4
P44-802168	Prochem Oil Fired TM w/		
P44-802206	Magneto Blower	AX30 (1) BX46 (1)	PH' PP4
PP790963	Pump	AX42 (1)	11 +
P44-802104	Prochem Peak		
PP790993	Pump Blower (1)	AX43 (1) BX42 (Banded 2)	PP4 F
FF/90995	Alternator/ Fan — (1)		ľ
P44-802229	Prochem Peak GTX		
P44-802225	Pump	- AX43 (1)	PP4
P44-802224 P44-802234	Blower Alternator/ Fan Kohle	— BX47 (2) er — (1)	F -66
	Prochem Performer w/ 3	.,	00-
	Air Pump	3VX250 (1)	PP4
P44-802232 P44-802250	Blower	AX37 (3)	PP4 PP4
1 TT 002230	Pump Governor	AX39 (1) AX29 (1)	PP4 PP4
P44-802232	Alternator/ Fan — (1)	PP44-802230	
P44-802281	Prochem Performer & Pe		
P44-802236	Air Pump Blower	3VX250 (1) BX44 (2)	PP4 PP4
P44-802250	Pump	AX39 (1)	PP4

Governor	AX29 (1)	PP44-802234
Alternator/Fan – (1)		12 (22 (00)
Prochem Performer & Per Air Pump	3VX250 (1)	er 12/22/99) PP44-802168
Blower	BX43 (2)	PP44-802280
Pump	AX39 (1)	PP44-802224
Governor	AX29 (1)	PP44-802234
Alternator/ Fan — (1)		
Prochem Performer & Per	former 405 (Aft 3VX250 (1)	er 6/01/02) PP44-802168
Air Pump Blower	BX42 (2)	PP44-802108 PP44-802307
Pump	AX39 (1)	PP44-802224
Governor	AX29 (1)	PP44-802234
Alternator/ Fan — (1)		
Prochem Power Hose Ree	-	
Motor to Reel Prochem Power Vac	AX65 (1)	PP44-802318
Blower	AX39 (2)	PP44-802224
Pump	AX38 (1)	PP44-802224
Prochem Power Vac II	1000(1)	
Blower	BX44 (2)	PP44-802243
Pump	AX39 (1)	PP44-802224
Pump-out	AX45 (1)	PP44-802217
Alternator/ Fan — (1)	PP44-802230	
Prochem PTO	AV 41 (1)	DD44 003344
Pump Hydraulic Pump - Chev	AX41 (1)	PP44-802244 PP44-802323
Hydraulic Pump - Cnev Hydraulic Pump - Ford		rr44-802323
Hydraulic Pump - Dod		PP44-802325
Prochem Trailblazer		
Air Pump	3VX265 (1)	PP44-802240
Blower	AX40 (2)	PP44-802232
Pump	AX29 (1)	PP44-802234
Prochem 100A	2200 (1)	DD44 002112
Magneto Blower	2290 (1) BX46 (1)	PP44-802113 PP44-802244
Pump	AX55 (1)	PP44-802244 PP44-802107
Prochem 150	1005(1)	11 11 002107
Magneto	AX31 (1)	PP44-802103
Blower	BX48 (1)	PP44-802104
Pump	AX51 (1)	PP44-802105
Prochem 800	21/0/250 (2)	DD / / 0024 /0
Blower	3VX250 (3)	PP44-802168
Pump Alternator/ Fan — (1)	AX36 (1)	PP44-802281
Prochem 800A	FF44-002107	
Blower	3VX280 (3)	PP44-802210
Pump	AX47 (1)	PP44-802198
Alternator/ Fan - (1)		
Hydramaster Aquacat 3.5		
Pump	AX25 (1)	PHY010-020
Blower - #6J Rubber Co	oupler	PHY152-008
Hydramaster Bobcat 3.5 Pump	AX25 (1)	PHY010-020
Blower - #6J Rubber Co		PHY152-008
Hydramaster Boxxer 421	oupici	111152 000
Pump	AX38 (1)	PP44-802250
Blower – HD4 Coupler	Plugs (8) PHY106	-045
Hydramaster Boxxer 427		
Pump	AX38 (1)	PP44-802250
Blower Sleeve Coupler Hydramaster Boxxer H20		
Blower – Coupler Slee		PHY152-010
Hydramaster Boxxer 318	ve	FITTJZ=010
•	010-125	
Blower – Coupler Slee		152-011
Hydramaster CDS 4.0		
Pump	#9300 (1)	PHY010-022
Hydramaster CDS 4.2 & 4.		DIWO10 014
Pump Hydramaster CDS 4.8	AX30 (1)	PHY010-016
Pump	#9380 (1)	PHY010-051
Blower – GT Polychain		PHY010-052
APO	AX31 (1)	PP44-802103
Hydramaster CDS 4.6		
Pump	#9325 (1)	PHY010-012
Blower – GT Polychain	(1)	
PHY010-052	TC 450	
	15 450	
Hydramaster - Chem Dry (DD44 002224
Hydramaster - Chem Dry C Compressor	AX39 (1)	PP44-802224
Hydramaster - Chem Dry (Compressor Hydramaster Crossfire	AX39 (1)	
Hydramaster - Chem Dry C Compressor		PP44-802224 PHY010-018 – DUAL BELT UNITS
Hydramaster - Chem Dry (Compressor Hydramaster Crossfire	AX39 (1)	PHY010-018

Belts 301 Pump #9341 (1) PHY010-014 Hydramaster Maxx 4500 Pump M44 (1) PHY010-061

Hydramaster Maxx 450D Pump		
PUIID	AX44 (1)	PHY010-061
Blower	BX40 (2)	PHY010-080
APO	AX28 (1)	PHY010-057
Air pump	XL7390 (1)	PHY010-110
Hydramaster Maxx 470D		
Pump	AX44 (1)	PHY010-061
Blower	BX40 (2)	PHY010-080
APO	AX28 (1)	PHY010-057
Air pump	XL7395 (1)	PHY010-115
Hydramaster Spitfire 3.2		
Blower – #6J Rubber (PHY152-008
Pump	#9335 (1)	PHY010-011
Hydramaster Spitfire 4.0		
	Plugs (8) PHY106-045	
Pump	#9335 (1)	PHY010-011
Hydramaster Titan 575		
Pump – HD 9330 (1)		
Blower – 3VX450 (3)	010-131	
Hydramaster Titan 875		
Pump – HD 9330 (2)		
Blower – 3VX464 (4)		
White Magic Commander		DD 44 002225
Blower	AX33 (2)	PP44-802225
Pump	AX36 (2)	PP44-802281
White Magic Commander		DD44 000005
Blower	AX33 (2)	PP44-802225
Pump White Marie Pro 1000	AX36 (2)	PP44-802281
White Magic Pro 1000	N (2)	PWM-G054
Blower – 54" Top Cog		PWM-G054 PWM-G052
Pump – 52" Top Cog V White Magic Pro 1200	(1)	PWM-G052
	V (2)	PWM-G053
Blower – 53″ Top Cog Pump – 54″ Top Cog V		PWM-G055 PWM-G054
White Magic Pro 1600	(1)	P WW-6034
Blower – 38.5" Top Co	a V (2)	PWM-G0385
Pump – 44" Top Cog V		PWM-G0303
White Magic Pro 2000	(1)	1 1111-0044
Blower – 54" Top Cog	V (2)	PWM-G054
Pump – 52" Top Cog V		PWM-G052
White Magic Pro 1800	(1)	1 1111 0052
Pump–50-1/2" Top Co	a V (1)	PWM-G055
Blower-49-1/2" Top C		PWM-G0495
White Magic Pro 1900	og ((2)	1 1111 00155
Pump – 37″Top Cog V	(2)	PWM-G037
Blower – 53-5V Top Co		PWM-G053-5V
White Magic Rebel		
	AX31 (1)	PP44-802103
Pump		PP44-002105
Pump Blower	AX34 (2)	PP44-602105 PWM-G036
Blower	AX34 (2)	
Blower	AX34 (2) AX38 (1)	
Blower Sapphire 270SS		PWM-G036
Blower Sapphire 270SS Pump	AX38 (1)	PWM-G036 PP44-802250
Blower Sapphire 270SS Pump Blower Heater Fan	AX38 (1) BX32 (2)	PWM-G036 PP44-802250 37-060
Blower Sapphire 270SS Pump Blower Heater Fan	AX38 (1) BX32 (2)	PWM-G036 PP44-802250 37-060
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS	AX38 (1) BX32 (2) 3L170 (1)	PWM-G036 PP44-802250 37-060 37-061
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump	AX38 (1) BX32 (2) 3L170 (1) AX40 (1)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232
Blower Sapphire 270SS Pump Blower Blower Factor Fan Sapphire 370SS Pump Blower Heater Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060
Blower Sapphire 270SS Pump Blower Blower Factor Fan Sapphire 370SS Pump Blower Heater Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Heater Fan Sapphire 454SS Pump	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) SVX412 (2)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) SVX412 (2)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066
Blower Sapphire 270SS Pump Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1)	PWM-G036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Sapphire 2500HS	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-071
Blower Sapphire 2705S Pump Blower Heater Fan Sapphire 3705S Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 5705S Blower Alternator/Fan Aternator/Fan Pump	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-071 PP44-802244
Blower Blower Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Sapphire 2500HS Pump Blower Heater Fan	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-071 PP44-802244 37-066
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Blower Blower Blower Heater Fan Sapphire 2500HS Pump Blower Heater Fan Sapphire Pro 1200	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-070 37-070 37-071 PP44-802244 37-066 PP44-802249
Blower Sapphire 2705S Pump Blower Heater Fan Sapphire 3705S Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 5705S Blower Alternator/Fan Aternator/Fan Bower Heater Fan Bower Heater Fan Bower Heater Fan Bower Heater Fan Bower Heater Fan Bower Heater Fan Bower Heater Fan Bapphire Pto 1200 Pump	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2) 3L230 (1) AX40 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-070 37-070 37-071 PP44-802244 37-066 PP44-802229 PP44-802232
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Sapphire 5500HS Pump Blower Heater Fan Sapphire Fn 1200 Pump Blower	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2) 3L220 (1)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-070 37-070 37-071 PP44-802244 37-066 PP44-802249
Blower Blower Apphire 270SS Pump Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Sapphire 2500HS Pump Blower Heater Fan Sapphire P1200 Pump Blower Sapphire P1200 Pump Blower	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2) 3L230 (1) AX40 (2) BX50 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-071 PP44-802244 37-066 PP44-802229 PP44-802232 37-083
Blower Blower Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Sapphire 2500HS Pump Blower Heater Fan Sapphire Pon 1200 Pump Blower Gapphire Pon 1200 Pump Blower	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2) 3L230 (1) AX40 (2) BX50 (2) AX32 (1)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-070 37-070 37-070 37-070 37-070 9P44-802244 37-066 PP44-802232 37-083 PP44-802236
Blower Sapphire 2705S Pump Blower Heater Fan Sapphire 3705S Pump Blower Heater Fan Sapphire 5705S Blower Heater Fan Sapphire 5705S Blower Altermator/Fan Sapphire 200HS Pump Blower Heater Fan Sapphire P1200 Pump Blower Sapphire Rage Pump Blower Eleme	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) 5VX412 (2) 3L240 (1) 57X433 (2) XL7350 (1) AX41 (2) 5VX412 (2) 3L230 (1) AX40 (2) BX50 (2) AX32 (1)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-067 37-070 37-071 PP44-802244 37-066 PP44-802229 PP44-802232 37-083
Blower Sapphire 2705S Pump Blower Heater Fan Sapphire 3705S Pump Blower Heater Fan Sapphire 4545S Pump Blower Heater Fan Sapphire 5705S Blower Alternator/Fan Sapphire 2500HS Pump Blower Heater Fan Sapphire Pto 1200 Pump Blower Heater Fan Sapphire Rage Pump Blower Coupler Eleme Sapphire Roys S	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) SVX412 (2) 3L240 (1) S7X433 (2) XL7350 (1) AX41 (2) SVX412 (2) 3L230 (1) AX41 (2) SVX412 (2) 3L230 (1) AX40 (2) BX50 (2) AX32 (1) nt - PX40 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-070 37-070 37-071 PP44-802244 37-066 PP44-802232 37-083 PP44-802236 39-035
Blower Sapphire 270SS Pump Blower Heater Fan Sapphire 370SS Pump Blower Heater Fan Sapphire 454SS Pump Blower Heater Fan Sapphire 570SS Blower Alternator/Fan Sapphire 2500HS Pump Blower Heater Fan Sapphire Pro 1200 Pump Blower Heater Fan Sapphire Pro 1200 Pump Blower Sapphire Rage Pump	AX38 (1) BX32 (2) 3L170 (1) AX40 (1) BX32 (2) 3L190 (1) AX40 (2) SVX412 (2) 3L240 (1) S7X433 (2) XL7350 (1) AX41 (2) SVX412 (2) 3L230 (1) AX41 (2) SVX412 (2) 3L230 (1) AX40 (2) BX50 (2) AX32 (1) nt - PX40 (2)	PWM-6036 PP44-802250 37-060 37-061 PP44-802232 37-060 37-062 PP44-802232 37-066 37-070 37-070 37-070 37-070 37-070 9P44-802244 37-066 PP44-802232 37-083 PP44-802236

www.interlinksupply.com

302 Wand and Upholstery Tool Parts

PART# AW71

PART# PMF011 WAND SLEEVE - VINYL 2" **TUBE JET W/SLEEVE** VACUUM RELIEF SLIDE ASSY PART# AW53 FOR AW51D HYDRY TOOL PART# PMV007 PART# PMV010 WAND GRIP HANDLE - 1-1/4" PART# AW66 VACUUM RELIEF RING **TUBE JET W/SLEEVE** PART# PMV008 FOR AW50D HYDRY TOOL WAND GRIP HANDLE - 1-1/2" PART# PMV011 PART# AW67 FELT GASKET - ROTOVAC **TUBE JET W/SLEEVE** PART# PR-S027 WAND GRIP HANDLE - 2" FOR AW50A HYDRY TOOL PART# AW68 PART# PMV012 **FELT GASKET - RX20 TUBE JET W/SLEEVE** PART# PHY057-047 WAND GRIP HANDLE - PROCHEM FOR AW51A HYDRY TOOL PART# PP66-950123 PART# PMV013 WASTE TANK GASKET 1"x1/4" WAND VALVE HANGER - 1-1/2" PMF **TEEJET PLASTIC W/SS INSERT** 40 FT ROLL PART# AW69 PART# PBL41018 **TELLOW W/O-RING FOR AW45** PART# PMF8002 WAND VALVE HANGER - 1-1/2" PMF ANGLED PART# AW69A

WAND VALVE HANGER - 2" PMF

Maintenance Items

WAND SLEEVE - VINYL 1-1/2"

PART# AW52

OIL AEON PD SYNTHETIC BLOWER OIL - QUART PART# PP05-008039

OIL BLOWER PNEULUBE QT SYNTHETIC PART# PHY087-034 Pneulube Synthetic Blower Oil

OIL CAT PUMP CRANK CASE 210Z. BOTTLE PART# PST8106101



JAR

PART# WCC12

OIL - GENERAL PUMP SERIES 100 QUART - PART# PXX012 PINT - PART# PP791106

SAFE NON-ACID DESCALER GALLON PART: CR89GL

TRUCKMOUNT DESCALER - POWDER 2LB



MOISTURE GUARD SPRAY LUBE LIOUID WRENCH 12 OZ AEROSOL


ADHESIVE - LIT GASKETS 10.3 FL. OZ CARTRIDGE PART# PP05-008002

PART# CR85AE





Equipment Breakdowns

Powerjet Pressure Wash Gun AS58 page 118



Α.	B720	F
В.	NA0880	2
C.	100010	5
D.	AH102B	1





www.interlinksupply.com

JET RETAINING PLATE W/SCREWS FOR OLD AW45





SUPER LUBE SYNTHETIC GREASE WITH **TEFLON 3 OZ TUBE** PART# PP05-008035

Wand and Upholstery Tool Parts 303



Original HyDry Upholstery Tool (AW50D) page 100 HyDry Deluxe Upholstery Tool (AW51D) page 100


A. PMV011	Jet Tube with Sleeve (AW50D	E. AH41	1 1/2" Swivel Cuff
A PMV010	Jet Tube with Sleeve (AW51D)	F. NM5000	3/16" Solution Hose with Cuff (AH13)
B. BR122	Adapter 1/8" MPT 1/4" Comp	G. AH13	1.5" Hide-A-Hose Cuff
C. PMV4N	Internal Valve	H. AH75	1 1/2" Connector SS
D. PMV007	Vacuum Relief Slide	I. AH38	1.5" Blue Vac Hose Per Foot

Hoser - Hose Washing Tool AH100



- A. B607 1/8" Veejet 11001 Brass (4)
- 1/8" 90° Elbow F-F B. BR290
- C. NA044 1/8" Adapter (6)
- D. NA045 1/4" Nylon Tubing Per In. (3.5" x 3)
- E. BR240 1/8" Tee
- F. AH69 2" x 1 1/2" Barb MPT
- G. 100009 1/4" Male Quick Connect 1/4" Strainer Body
- H. NA0802 I. NA0803 Mesh Strainer
- J. NA0804 Brass Strainer Adapter
- K. BR072 1/4" Hex Nipple
- 90° Elbow 1/8" MPT x 1/4" FPT L. BR297
- M. NA042 Hoser Cap
- N. PA184 Screws (4)
- O. NA041 Hoser Handle
- P. S-NA040 Scrub Pads (QTY 3 Not show)
- Q. NA043 Pipe 4" x 9 3/8" ABS

Hoser - Hose Washing Tool AH111 page 123



- 1. NM5990 Hoser Shell - left side
 - NM5991 Hoser Shell - right side (not shown)
- 2. NM5993 Hoser Brush Ring (3)
- 3. NM5992 Hoser Wiper Ring (2)
- 4. NM5996 O-Ring 3/4" ID x 1" OD (1) NM5970C Screw #12 x 3/4" PHP SS (11)

Hoser Spray Bar Assembly (1, includes parts A-F & strainer)

- A. NM5995 Copper Spray Bar
- B. NA044 Compression Fitting 1/4" x 1/8" Male NPT
- C. 100002 Bushing 1/8" F x 1/4" M Strainer Adapter
- D. NA0804
- NA0803 E. NA0802
- F. AH102B
- Stainer Body Quick Connect 1/4" Male


Stainer (not shown)





Gekko 14" Brush Head AR54H page 132

	· 🖤 🍯	
А.	B340	1/8" Stainless Steel Veejet 11001
В.	BR218	1/8" Brass Plug
C.	NA025A	Manifold (2 hole)
D.	BR280	Elbow 90° 1/8"
Ε.	PU646	Bumper
F.	NA027A	Gekko Head - 14" Brush
G.	NA044	Adapter 1/8" x 1/4" Tubing
Н.	NA022	Tubing S Bend
Ι.	NA044	Adapter 1/8" c 1/4" Tubing
J.	BR280	Elbow 90° 1/8"
К.	NM3044	Tee 1/8" FXFXM
L.	BR175	Adapter 1/8" MPX 1/8"FP
М.	100005	1/8" Male Quick Connect
Ν.	AX54B	Replacement Brush



Gekko 14" Squeegee

Head AR54E page 132


	÷ 🖤 👹	And the second second second
А.	B340	1/8" Stainless Steel Veejet 11001
В.	BR218	1/8" Brass Plug
C.	NA025A	Manifold (2 hole)
D.	BR280	Elbow 90° 1/8"
Ε.	PU646	Bumper
F.	NA027A	Gekko Head - 14" Brush
G.	NA044	Adapter 1/8" x 1/4" Tubing
Н.	NA022	Tubing S Bend
Ι.	NA044	Adapter 1/8" c 1/4" Tubing
J.	BR280	Elbow 90° 1/8"
К.	NM3044	Tee 1/8" FXFXM
L.	BR175	Adapter 1/8" MPX 1/8"FP
М.	100005	1/8" Male Quick Connect
Ν.	AX10B	Replacement Squeegee Blade




A. B632	1/8" Stainless Steel Veejet Meg 0502
B. NX104	6.5" Tee Bar
C. NX100	Swivel
D. BR082	1/4" Close Nipple
E. BR272	1/4" 45° Elbow
F. NM4092	SX7 Head
G. NA032	Spray Gun Handle
H. BR208	Bushing 3/8" x 1/4"
I. AH102B	1/4" Male Quick Connect
J. NA0802	1/4" Strainer Body
K. NA0803	Mesh Strainer
L. NA0804	Brass Strainer Adapter
M.AH75	1 1/2" Hose Connector
N. NM4099	Vac/Solution Hose Assembly
O. AB52	SX7 Brush

Gekko Tile & Grout Tool AR54 page 132

PAR



www.interlinksupply.com



3	Gun Handle
	Spray Gun Handle
	1/4" 45° Elbow
	1/4" 90° Elbow
1	Brass Strainer Adapter
3	Strainer
2	Brass Strainer Body
3	1/4" Male Quick Connect
6	Internal 1.5" Endcap
8	1" Grommet
0	(6) 10/32 x 1 5/8" Screw
1	(6) 10/32 Hex Nut
2	SX-15 Handle Decal
4	Weldment Handle
	Hose End 1/4" x 3/16"
	50" x 3/16" Solution Hose
	Hose End 1/8" x 3/16"
	1/8" Quick Connect
	(2) 2 1/2" Hose Clamp
6	36" x 2" Vac Hose
3	Outer Shell
4	(3) Oval Nut
8	(3) Swell Latch
0	(2) 3/8" Bushing
0	(2) 3/8" x 2" Screw
5	(2) 3/8" Hex Nut
	(2) 3/8" Flat Washer
0	SX-15 Head Decal
	Brush Ring
2	Hard Boot
1	Inner Shell
5	Vac Relief Ring
1	1/8" Male Quick Connect
	Swivel with Flange
6	(3) 1/4" x 1/2" Screw
	12" Tee Bar
	(2) 1/8" Stainless VeeJet
R130	1/4" x 1/8" Nipple
A023	Jet Mounting Spacer


0	1/4" x 1/8" Nipple
3	Jet Mounting Spacer
0	Gekko Head Tool
0	1/8" Coupler F-F
	1/8" Veejet SS Meg 1502
,	Gekko Tool Boot

Gekko Corner & Edge Attachment AR54C page 132

- Gekko Boot Wedge Assembly
- Jet Mounting Spacer

- 3/16" X 3 1/2" Hose Assembly

www.interlinksupply.com



Hydro-Force Pro Injection Sprayer AS08 page 105

NA0811

NA0813

NA0814

b

с

d

18" Extension

Spray Gun

1/4" Male Flow Thru



М

Ν

0

Steel Ball

Viton O-Ring

Spacer

NA0833


BR335

100010

s

🗂 u






48 Oz. Hand Sprayer AS01 page 108




NA0507 Nozzle NA0508 Check Valve


Injectimate Grout Sealing Kit AC13A page 133



2 Gallon Stainless Steel Professional Sprayer AS23 page 108



2 Gallon Stainless Steel Sprayer AS21 page 108



2 Gallon Stainless Steel Solvent Sprayer AS22A page 108

PARTS

Α	B006	TeeJet		
В	NA0820	Metal Gun		
С	NA0822	Shut-off Disc		
D	NA0826	Teejet Cap		1
Ε	NA2243	Disk Strainer		١.
F	NA2248A	Hose Assembly (incl. NA2250		¥
G	NA2250	Hose Clamp		
Н	NA2254	Plunger Cup	I ← J I I ← K	
1	NA2256	Viton Check Valve		
J	NA2257	Plunger Rod Assy. 7" New (incl. NA2254)		
κ	NA2259	Pump Barrel 7", Brass (incl. NA2256 & NA2262)		
L	NA2262	Viton Top Ring		
М	NA2265	Outlet Tubing	H H	
			G	



"TWBS" 1 Gallon Solvent Sprayer

AS18 page 107

	ITEM#	PART DESCRIPTION
А	NA2312	Pump Assembly
В	NA2310	Pressure Relief
С	NA2314C	Tank Cap O-Ring
D	NA2256	Viton Check Valve
Е	NA0826	Teejet Cap
F	B006	Teejet 6501
G	NA0825	Check Strainer
Н	NA0802	Strainer Body
I.	NA0820A	Gunjet
J	NA2315	Draw Tube TWBS
Κ	NA2248B	Hose Assembly
	NA0842	Valve Repair Kit For Gun (not shown)
	NA0845	Valve For Gun (not shown)
	NA2314B	O-Ring for Pump Barrel (not shown)
	NA2314A	Plunger O-Ring (not shown)



"TWBS" 2 and 3 Gallon Pump Up Sprayer AS202 and AS204 page 107

- NA1616 Α Pump Assembly
- NA1611 В Pressure Relief
- С NA2256 Viton Check Valve
- D NA2016 18" Brass Extension
- Ε B208 Veejet Brass 1/4" 8005
- F NA2315 Draw Tube TWBS
- G NA1608 Brass Shut Off Н
 - NA1604 Hose w/ Clamps
- NA1655 O-Ring For Pump Barrel (not shown) NA2254 Plunger Cup (not shown)





3 Gallon "TCBS" Sprayer AS16A page 107

PS43000376	Pump Assembly
PS43000234	Hose Assembly
NA2256	Viton Check Valve
NA0824	18" Brass Extension
NA0826	TeeJet Cap
B028	TeeJet 8005 Brass
PS42037500	Brass Valve
PS43000260	Seal Kit

3 Gallon Poly Sprayer AS14A page 107

A Q	В	нурво-колсе Соттести Sprave
	C	High Density Polyethylens Compressed All Sprayer COMMERCIAL
D E	F	

- В PS43000113
- С PS43000083
- D NA2256

Α В

С D

Ε

F G

- Ε NA1422 NA1421
- F PS43000252
 - PS43000233
- Pump Assembly Hose Plastic Valve Viton Check Valve Plastic TeeJet Black 8004 B&G & Cap 18" Extension, Black plastic B&G Seal Kit 12" Extension

Visit our showroom or call in an order. See cover for information.

www.interlinksupply.com

Index 311

2" S-Bend Quad Jet Wand97 3 Gallon Commercial Sprayer 107 370SS Truckmount145 3-Tier Shelf164 454SS Big Block Truckmount 146 4-Way Faucet Key.....167 5 gl Headpack.....112, 165 5.5" Gekko Head......101 Accelerated Stone, Tile and Grout DVD 132 Acid Rinse Cleaning Solutions 17-19 Adapter Cords, G Unit Power Box227 Advantage 200 Portable Extractor173 AFT/HEPA Air Scrubbers. 211-213 Air Cooled Truckmounts 140-146 Air Temperature Sensor, E-TES.....185 AirWolf/WolfPack Hardwood Floor Drying All Solv Extreme40, 43, 45 Anti-Allergen Non-Fragrance Oxidizing Anti-Microbial Coatings. 90-91 Applicator and Terry Cloth Cover133 Apron with Bumper, Versa Pro129, 178 Area Rug Cleaner and Deodorizer. 86 Asthma and Allergy Relief Brochure82 Auto Fill and Chemical Metering Option169 Auto Waste Pump Out Option.....169 Auto-Recharge Water Softener 166

Avenge HD
Avenge Neutral Spotter
Avenge Pro .40, 42 Axial Air Mover .198
Axial Air Mover Stand
AXIOM Clean Deodorizer
AXIOM Clean Extraction Detergent15, 84
AXIOM Clean Free Rinse
AXIOM Clean Multi-Surface Cleaner85
AXIOM Clean Prespray10, 84
Back Pack Vacuums
Bad Odor Blocks261 Bag, Hose120
Ball Shut-Off Valve
Base Molding Lifter
Baseboard Probe
Behr Claws Carpet Re-Stretcher 137
Belt Packs
Benefect Atomic Degreaser
Benefect Botanical Decon 30 81, 264
Benefect Broad Spectrum Disinfectant80
Benefect Impact Cleaner
Benefect Atomic Degreaser
Big Digit Hydro-Thermometer
Big Gulp Truckmount Flood Extractor218
Bio Break
Bio-Modifier
Black Lights
Blazer GT Truckmount
Blitz with Grease Breaker
Bone Scraper
Bonnets
Boost All
Borescope
BotaniClean
Bottle Labels
Bottle, Sprayer
Bottles
Bottles, Spotting
Boxxer 318 Truckmount
Boxxer 423s Truckmount
Boxxer XL Truckmount
Brass
Brass Extension106 Brass Velvet Brush111
Brass, Jets and Motors
Breaker Buddy
Bridgepoint Spotting Kit
Bridgepoint University
Broad Spectrum Disinfectant91, 262 Brochure, Asthma and Allergy Relief82
Brochures
Brochures, Maxim Advanced
Brochures, Tile and Grout Cleaning76
Brochures, Wood
Brush N' Vac
Brush Pro Carpet Cleaner
Brush Pro Carpet Prespray
Brush Pro Dry Compound
Brush Pro Sprayer System
Brushes, Brush Pro
Brushes, Groomers and Bonnets . 110-112
Bucket
Bucket Heater
112-113
Buffing Pad
Busy Pockets
CAM Air Movers
Carpet & Fabric Deodorizers
Carpet Clamp
Carpet Cleaning Boosters/Additives. 23-25
Carpet Cleaning DVD
Carpet Cleaning Foam Control
Carpet Cleaning Presprays
Carpet Extraction Detergents 11-17

Carpet Installation Tools
Carpet Knife
Carpet Protectors
Carpet Repair and Installation Tools
137-139
Carpet Shampoo Brushes, Versa Pro178
Carpet Shears
Carpet Skidders
Carpet Stretcher
Carpet Syringe
Carry Bag
Carry-All Trays
Caution Sign
Caution Tape
CDS Truckmounts
CDV Inline Filter Box
Centrifugal Air Mover
Centrifugal Air Mover Pro
Chemical Dilution
Chemical Storage Shelf
Chemicals, Acid Rinses
Chemicals, Anti-Allergen
Chemicals, Anti-Microbial Coatings . 90-91
Chemicals, Bonnet Cleaning20-22
Chemicals, Boosters/Additives23-25
Chemicals, Carpet Extraction Detergents.
11-17 Chamicala, Constanta Tile and Crout 70, 77
Chemicals, Concrete, Tile and Grout 72-77 Chemicals, Deodorization
Chemicals, Disinfectants
Chemicals, Encapsulation
Chemicals, Foam Control
Chemicals, Green Cleaning83-85
Chemicals, Hard Surface Degreasers 91-93
Chemicals, Leather Cleaning 61-65
Chemicals, Mold Prevention 90-91
Chemicals, Neutralizing Rinses17-19 Chemicals, Paint, Oil and Grease42
Chemicals, Pet Odor and Stain Removers .
52-55
Chemicals, Presprays 1-10
Chemicals, Protectors
Chemicals, Rust Removers
Chemicals, Smoke and Fire Damage 94-95 Chemicals, Spot and Stain Removers
39-51
Chemicals, Stone Cleaning66-71
Chemicals, TES Thermal Energy Fluid .189 Chemicals, Tile and Grout
Chemicals, Upholstery Extraction 34
Chemicals, Upholstery Presprays 31-33
Chemicals, Upholstery Protectors 37
Chemicals, Wood Cleaning
ChemMAX 1 Protective Garment257
Cherry Deodorizer
Citrus Burst
Citrus Gel
Citrus Pro
Citrus Solv
Clean Green
CleanFREE
Cleaning Guides
Cleaning Guides, Concrete, Tile and Grout.
77
Cleaning Guides, Deodorization and Odor
Control
Cleaning Guides, Encapsulation Cleaning .
22 Cleaning Cuidea, Fire and Smalle Oder, 01
Cleaning Guides, Fire and Smoke Odor .91 Cleaning Guides, Hardwood Floor Clean-
ing
Cleaning Guides, Leather Cleaning65
Cleaning Guides, Oriental Rug Cleaning.95
Cleaning Guides, Spot & Stain Removal.51
Cleaning Guides, Stone, Cleaning and
Sealing
Cleaning Guides, Upholstery Cleaning38 Cleaning Wands & Tools 96-104
Cleanwiki.com
CleanXtraction
Clear Plastic Drain Tube
ClearWater Rinse
Client Retention Programs

Clutch Drive Systems Truckmounts
156-158 Cobra 5 Air Duct Machine
Coffee and Tannin Spotter
Coffee Stain Remover
Coil Cleaner
Color Stabilizers
239, 241
Commercial Carpet Cleaning DVD280
Commercial Cleaning Classes
Concrete Cleaning Procedures
Concrete Sealer
Concrete, Tile and Grout Dignetier
Concrete, Tile and Grout Equipment
130-135
Concrobium Broad Spectrum Disinfectant. 91, 269
Concrobium-Pro Mold Control91, 268
Concrobium-Pro Stain Remover91, 268
Cone Jet
Cone, Safety
Console Water Tank
Consumer Kits
Containers
Containment
Cookie Cutter
Corner and Edge Brush
Corner Guard
Crevice Tool
Crystal Odor Counteractant94, 261
Customer Service
Data Logger, E-TES
Datalogger
Decon 3081, 264
DefendAir HEPA 500
Degrease-All
Dehumidifier Comparison
Dehumidifiers
De-Liminate
Delmhorst BD-10
Delmhorst HT-3000
Delmhorst HT-4000
Delmhorst J-Lite
Delmhorst Navigator Pro
Delmhorst TechScan
Delux Grip Pouch
Deluxe Glue Gun
Deluxe Knee Kicker
Deluxe Respirator
Deodorization and Odor Control Proce-
dures
Descaler
Directed Heat Drying
Direct-It Air Mover Adapter
Direct-It In Air Mover Adapter
Direct-It In Hoseline
Direct-It In System
Disinfectants/Biocides
Disposable Nitrile Gloves

INDEX

312 Index

Driver Ded Cauero Corub 100
Driver Pad, Square Scrub
DrizAir LGR 2800i Dehumidifier 205
DrizAir LGR 3500i Dehumidifier 208
Drop Cloth
Dry Cleaning Prespray
Dry Cleaning Sponges
Dry Slurry14
Dry Vapor Odor Control
Duckbill Napping Shears
Duct Cleaning
Duct Cleaning Vacuum Hose
Duct Rings.
Duo Dual Action Deodorizer
Dura-Flow Pump-Out Kit
Duraprotect Stone Sealer
Dust Cloth
Dust Masks
DVD - Hardwood Floors
Dye Stabilizer and Rinse
Dye-Loc
E30 bx, E40 bx, E50 bx, E60 bx Cameras
247
Easy Reach Upholstery Tool
Edging Crevice Tool
Electric Hot Fogger
Electric Rewind Hose Reel
Electrical Converter- 3 and 4 Prong226 Electrical/Power Boxes
Electro-Gen 2000 Fogger
Electronic Descaler
Encapsulation Chemicals
Encapsulation Cleaning Procedures 22 Encapuclean
Encapuclean DS with Maxim
Encapuclean Green DS 6, 20, 84
Encapuclean O2
Enconsul Cuerd Croon 00.04
EncapuGuard Green
End Zone .12, 18 Enlarger Hose Cuff .125
End Zone
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Kit 190 Extech AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Precision Psychrometers 236 Extench Precision Cord 177, 226 Extench Psychrometer with Infrared Ther- 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 EZ-ier Tape 116, 250 EZ-Nixts Refillable Odor Controller 228 1200 Desiccant Dehumidifier 210 Fabric Prespray 31 Fabric Shampoo 33, 86
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Extach AN100 CFM Thermo-Anemometer 245 Extech AN100 CFM Thermo-Anemometer 236 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 127, 246 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 Ez-ier Tape 116, 250 EV-Twist Refillable Odor Controller 228 1200 Desiccant Dehumidifier 210 Fabric Nampoo 33, 86 Fabric Matter Heavy Duty 32 Fab-Set 18, 35, 36
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution UGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Exhaust Kit 190 Extech AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 124 ZMoves Furniture Slides 115 EZ-Access Ramp 167, 175 Ezier Tape 116, 250 EZ-Tiwist Refillable Odor Controller 2210 Fabric Prespray 31 Fabric Shampoo 33, 86 Fabric Shampoo 33, 86 Fabric Shampoo 33, 86 Fabric Master Heavy Duty 32 Fab-Set 18, 35, 36
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Kit 190 Extach AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extench Precision Psychrometers 236 Extench Psychrometer with Infrared Ther- 236 Extend Psychrometer With Infrared Ther- 236 Extend Psychrometer Cuff 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 EZ-ier Tape 116, 250 EZ-Twist Refillable Odor Controller 228 1200 Desiccant Dehumidifier 210 Fabric Prespray 31 Fabric Shampoo 33, 86 Fast Track Accelerate Your Business 288 Fast Track Cleaning Guides 279 Fast Track Diversify for Success 288
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Extach AN100 CFM Thermo-Anemometer 245 Extech AN100 CFM Thermo-Anemometer 236 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 127, 246 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 Ez-ier Tape 116, 250 I200 Desiccant Dehumidifier 210 Fabric Shampoo 33, 86 Fabric Shampoo 338, 86 Fabric Shampoo 328 Fast Track Accelerate Your Business 288 Fast Track Diversify for Success 288 Fast Track Diversify for Success 288 </td
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Exhaust Kit 190 Extech AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 124 ZMoves Furniture Slides 115 EZ-Access Ramp 167, 175 Ezier Tape 116, 250 EZ-Tiwist Refillable Odor Controller 2210 Fabric Prespray 31 Fabric Shampoo 33, 86 Fabric Shampoo 33, 86 Fast Track Accelerate Your Business 288 Fast Track Accelerate Your Business 288 Fast Track Cleaning Guides 279 Fast Track Cleaning Guides 279 Fast Track Cle
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Kit 190 Extech AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Precision Psychrometers 236 Extench Precision Psychrometers 236 Extend Digital pH Meter 127, 246 Extend Psychrometer with Infrared Ther- 177, 226 Extennal Reducer Cuff 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 EZ-ier Tape 116, 250 EZ-Twist Refillable Odor Controller 228 1200 Desiccant Dehumidifier 210 Fabric Nampoo 33, 86 Fabric Shampoo 33, 86 Fast Track Accelerate Your Business 288 Fast Track Cleaning Guides 278 <
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Extach AN100 CFM Thermo-Anemometer 245 Extech AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 Ez-ier Tape 116, 250 EZ-Twist Refillable Odor Controller 220 Evator Prespray 31 Fabric Shampoo 33, 86 Fabric Matter Heavy Duty 32 Evator Calerate Your Business 288 Fast Track Clearing Guides 279 Fast Track Diversify for Success 288 Fast Track Diversify for Success 288 <t< td=""></t<>
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Exhaust Kit 190 Extech AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Psychrometer with Infrared Thermometer 236 External Reducer Cuff 124 Z Moves Furniture Slides 115 EZ-Access Ramp 167, 175 Ezier Tape 116, 250 EZ-Twist Refillable Odor Controller 2210 Fabric Prespray 31 Fabric Shampoo 33, 86 Fabric Master Heavy Duty 32 East Track Accelerate Your Business 288 Fast Track Civersify for Success 288 Fast Track Civersify for Success 288 Fast Track Civersify for Success 288 <td< td=""></td<>
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Kit 190 Extach AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Precision Psychrometers 236 Extench Precision Psychrometers 236 Extend Psychrometer with Infrared Ther- mometer mometer 236 Extennal Reducer Cuff 124 EZ Moves Furniture Slides 115 EZ-Access Ramp 167, 175 EZ-ier Tape 116, 250 EZ-Twist Refillable Odor Controller 228 1200 Desiccant Dehumidifier 210 Fabric Nampoo 33, 86 Fast Track Accelerate Your Business 288 Fast Track Cleaning Guides 279 Fabric Shampoo 288 Fast Track Diversify f
End Zone 12, 18 Enlarger Hose Cuff 125 E-TES Charting Software 185, 259 E-TES Power Cords 186 E-TES SD Low-Profile 184 E-Track Tie-Off Ring 190 Everest Truckmount 152 Evolution LGR Dehumidifier 203 Evolution Wand 96 Exhaust Controller 186, 189 Exhaust Kit 190 Extach AN100 CFM Thermo-Anemometer 245 Extech Digital pH Meter 127, 246 Extech Precision Psychrometers 235 Extech Precision Psychrometers 236 Extend Precision Psychrometers 235 Extend Psychrometer with Infrared Ther- 127 mometer 236 External Reducer Cuff 124 EZ Moves Furniture Slides 115 EZ-ier Tape 116, 250 EZ-riwist Refillable Odor Controller 228 1200 Desiccant Dehumidifier 210 FabricMaster Heavy Duty .32 Fabst Track Accelerate Your Business 288 Fast Track Cleaning Guides .279 <

Filter Free
Filter, Hydro-Filter
Filters
Filters and Cartridges
Filters, ProTeam
Financing
Fine Fabric Cotton Detergent
Fine Fabric Cotton Shampoo
Fine Fabric Detergent
Fine Fabric Prespray
Fine Fabric Rinse
Fine Fabric Shampoo
FireBird Compact 20 Electric Heater 191
FireBird Electric Heater
FireBird Flury
Fission Heavy Duty Traffic Lane Cleaner.10
Fixi-Clamp
Flash Cuff Hydro-Filter
Flash Cuffs
FlashSpotter
FlashXtractor Flood Tool 103, 216
Flex Heavy Duty Liquid Prespray2
Flex Low VOC
Flex Powder with Citrus Solv
Flexi Pro Cordless Sprayer
Flexidry Wall Drying System 189, 219
FlexiPro Cordless Sprayer
Floater
Flojet VSD
Flood King
Floor and Wall Drying Systems
Floor Protection116
Floor-Mounted Hydro-Force Holder 106,
165
Florguard
Flurosil Odor Neutralizer
Flurosil II Protector
Flurosil Odor Neutralizer
Flury, FireBird
Foam Blocks115
Foam Control
Foam Downer
Foam Rails
Foam Wedges
. oan nougoo
Foam-Less 30
Foam-Less
Foil Tabs
Foil Tabs
Foil Tabs 116 Forearm Forklift 115 Forever Clean Water Conditioning Magnet
Foil Tabs
Foil Tabs 116 Forearm Forklift 115 Forever Clean Water Conditioning Magnet
Foil Tabs
Foil Tabs 116 Forearm Forklift 115 Forever Clean Water Conditioning Magnet. 166 Fourguard 29 Free Shipping 14 Fresh H2O Booster 162 Fresh Lemon Deodorizer 57, 274 Fresh Water Tank. 160 Full Carpet Bonnets. 112 Full Face Respirator .255
Foil Tabs

Grandi Brush
Grandi Groom
Grandi Groom/Brush Combo110
Green Balance Carpet Extraction Rinse 13, 83
Green Balance Carpet Prespray 4, 83
Green Balance Hard Surface Cleaner74, 83
Green Balance Neutralizing Rinse18, 83 Green Cleaning
Grip Pouch
Groomers
Grout Brush
Grout Wand
Grungegone Carpet Prespray
GT Loop Pile Cutter
Guardian HEPA System
Guardian R500 Pro HEPA System211
Gum Blaster Wand
Guster 48"
H2O Booster
Hammer Probe
Hand Bonnet
Hand Fit Brush
Hand Vac Tool
Hand-Fit Horsehair Brush
Handi Brush
Handle, Wand
Handy Hook
Hard Hat
Hard Surface Cleaners/Degreasers 91-93
Hardwood Floors DVD
Hardwood Preservation Finish
Hydrocide for Wool
Headpack, Square
Heat Iron
Heating and Cooling Systems 191-192
HeatWave14
Heavy Artillery
Heavy Duty Stand Alone Cartridge .94, 228
Heavy Duty Vacuum Hose
Heavy Duty Velcro Strap
HEPA Respirator Cartridges
HF2000 In-Line Heater
High-Pressure Quad Jet Wand
Holders165
Home Protection
Horizontal Water Tank
Horsehair Brush111
Hose Accessories
Hose Bag
Hose Bridge
Hose Connector
Hose Cuffs
Hose Hanger
Hose Hook
Hose Reducer
Hose Reel Stands
Hose Reels
Hose, Solution
Hoser
Hoser, parts
Hot Shot In-Line Heater
How to Sell Groomers DVD
Humidity/Temperature Datalogger with Display
Humiport 10
Humiport 20. .236 Humiport 5. .236
HVE 3000 Portable Flood Pumper217

Hydra Sponge
HydraBoost CT
Hydra-Clean
HydraCradle Tank
Hydra-Dri14
HydraPort Portable Extractor
HydraSeal
Hydra-Solv
HydraStone
HydraVitalize
Hydro Break
Hydro Stick
Hydrocide
Hydrocide Odor Neutralizer
Hydrocide Xtreme
Hydro-Coil Solution Hose
Hydro-Filter In-Line Waste Filter122, 161
Hydro-Filter, Flash Cuff
Hydro-Flex Solution Hose
Hydro-Force Brass Extension 106
Hydro-Force Leather Kit
Hydro-Force Pile Lifter
Hydro-Force Plus Sprayer
Hydro-Force Pro Solution Hose119
Hydro-Force Pro Sprayer
Hydro-Force Sprayers
Hydro-Force Vapor Cleaning Machine .258
Hydro-Glide Wand Glide
Hydro-Kinetic Upholstery Tool
Hydrosensors
Hydro-Shelf
Hydro-Well II159
Hydro-X Xtreme Xtractor and Vacuum Pac.
217
Hydroxyl Titan Generator
Hydro-Zone Ozone Generator231
HyDry Delux Upholstery Cleaning Tool .100
HyDry Upholstery Tool, parts
Hypo-Allergenic All Fiber Rinse82
Hypo-Allergenic Prespray
i3, i5 and i7 Thermal Cameras
IAQ 1000 Mold Remediation Cleaner265
IAQ 5000 Stain Blocking Primer
IAQ 6000 Mold Resistant Coating 270
IAQ 6000 Mold Resistant Coating270 IAQ 6000HD Mold Resistant Coating White 269
IAQ 6000HD Mold Resistant Coating White 269
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer 270 IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards 259, 278 Index 309-312 Injectidry HP-Plus-FDP Floor Drying Pack- age age Injectidry Adaptidry 220 Injectidry HP60i - Vall and Ceiling Drying Package Package 1njectidry HP-Plus-01 Wall and Ceiling Package 1njectidry Wall Vent 220 Injectidry Wall Vent 220 Injections prayer Containers 10 Injection Sprayer, parts 304-305 Injection Prayers 106 Injection Prayers 105 Ink Lifter 104-105 In-Line Filter 104
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards Injectidry HP-Plus-FDP Floor Drying Pack-age age Injectidry HP-Plus-FDP Floor Drying Pack-age age Injectidry HP60FDP - Floor Drying Pack-age age Injectidry HP60FDP - Floor Drying Pack-age age Injectidry HP60FDP - Sloor Drying Pack-age age Package 223 Injectidry HP60FDP - Sloor Drying Pack-age 223 Injectidry HP60i - Wall and Ceiling Drying Package 223 Injectidry Wall Vent 220 Injection Sprayer Containers 106 Injection Sprayer, parts 304-305 Injection Sprayer, parts 304-305 Injection Sprayer, and the strifter 62 In-Line Filter 106 In-Line Filter 106 In-Line Waste Filter 107
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer IAQ 9000 Mold Resistant Waterproofer 270 IICRC Standards
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer
IAQ 6000HD Mold Resistant Coating White 269 IAQ 8000 HVAC Insulation Sealer

Index 313

NDEX

Koolglide Pro Carpet Seam Iron138 Lamb's Wool Duster114, 259 Laser Distance Meter117, 246 Leather Brochure and Postcard64 Lift Buddy115 Lindhaus Floor Scrubber.....177 Marketing and Education278-288 Maxim Advanced for Upholstery......37 Maxim Advanced Upholstery Demo Kit .37 Maxim Advanced Warranty Cards. 28 Measuring Tools117 Megapack Traffic Lane Cleaner.....7 Microban Disinfectant Spray Plus . .81, 265 Microban Disinfectant Spray Plus Fra-Microban X-590 Institutional Spray Plus... 265 Microfiber Carpet Bonnets112 Microguard Equipment Protectant212 Milgo Plus Antimicrobial Sanitizer Cleaner . 266 Model 102ASB-10P Wet/Dry HEPA Model 115A Ozone Generator.231 Model 390ASB Dry HEPA Vacuum 214 Model 86ASB Dry HEPA Vacuum 214

Moisture Content Sensor, E-TES. 185

Moisture Test Meter
Mold Coatings
Mold Control
Mold Prevention
Mold Remover
Molding Lifter139
Mold-Resistant Coating
MultiPhase
MultiPhase Deodorant
Multi-Port Panels
Multi-Purpose Cleaner
Multi-Sprayer109
N95 Disposable Respirator
Nap Brush with Handle
Natural Fiber Cleaner
Natural Ocean Sponge
Natural Orange
Nautilus Portable Extractor
Navigator Pro
Neutral Air
Neutral Floor Cleaner
Neutralizing Rinses
New Guide to Restorative Drying259
Ninja Warrior Portable Extractor170
Nitrile Gloves
Nubuck Cleaning Cloth
Nubuck Eco Protector
Nubuck Foam Control
O.G.C. Spotter
O.J. Orange Jel
Odor Control Equipment
Odor Control Procedures
Odor Rescue
OdorKlenz-Air Cartridges
Olefin Pre-Clean
Oleosa
Olympus Auto Fill & Chemical Metering
169
Olympus Auto Waste Pump Out 169
Olympus Portable Extractor
Olympus Power X Pro Spot Machine 173
OmniDry 2.9 AMP Air Mover 188, 194
OmniDny Cornet Cleme Kit 104
OmniDry Carpet Clamp Kit
OmniDry Flexidry Wall Drying System189
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198
OmniDry Flexidry Wall Drying System189
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System221 One-Step Oxy Rescue49 Optimum 4000228 Oriental Rug Cleaning Procedures89 Oriental Rug/Wool Cleaning
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System 189 OmniDry Focal Point Axial Air Mover 198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System. 189 OmniDry Focal Point Axial Air Mover .198 OmniDry Wall and Cavity Drying System .221 One-Step Oxy Rescue. .49 Optimum 4000. .228 Oriental Rug Cleaning Procedures .89 Original HyDry Upholstery Tool. .100 Original HyDry Upholstery Tool. .00 Original HyDry Upholstery Tool. .24 Oxybuff Cotton Shampoo .33, 88 Ozone - Warning Sign .118 P.I.G. .24 Oxybuff Cotton Shampoo .33, 88 Ozone - Warning Sign .118 P.I.G. .42 Pad Drivers, Versa Pro. .129 Pads .136 Paint, Oil and Grease Removers .42-43 Parker Parflex Solution Hose .119 Particle Counter and Data Logger .213, 246 Parts .289-308 Peak GTX Truckmount .150 Penetrating Tile and Grout Sealer .76 Perky Brush .110 Perky Spotter .41, 85 Perky Spotter Plus .43 Peroxiblast
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System 221 One-Step Oxy Rescue
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System
OmniDry Flexidry Wall Drying System189 OmniDry Focal Point Axial Air Mover198 OmniDry Wall and Cavity Drying System

Pile Lifter
Pine Boost
Pinless Moisture Meter
Pinless Moisture Psychrometer + IR Ther-
mometer
Plastic Gloves
Plastic Tab Holder
Pocket Moisture Meter
Pocket Thermo-Hygrometer
Point Blue
Polishing Pads
Poly Film
Poly Film Knife
Polymer Tape
Polypropylene Coveralls
Portable Extractors 168-173
Portable Industrial
Portable Unit, Invisi-Tag
Postcards
Postcards, Tile and Grout Cleaning76
Powder Defoamer Concentrate
Powdered Defoamer
Power Burst
Power Cords, E-TES
Power Jet Pressure Wash Assembly 102,
118
Power Lok Stretcher
Power Point
Power Washer
Power X Pro Spot Machine
Powerjet Pressure Wash Gun, parts 300
Powerwand
Precision Psychrometer
Premium Blue Styro Blocks
Premium Grout & Stone Sealer 69, 75
Premium Grout Brush
Preservation Tape
Prespray Comparison Chart1
Pressure Wash Gun Assembly102, 118
Pressure Wash Gun, parts
Pressure Washers
Protein Spotter41
Pro 1200 Truckmount
Pro Stain Remover
ProCaps
Prochem Long Stair Tool
Professional Leather Cleaner61
Professional Leather Protector63
Professional Leather Revitalizer61
Professional Spotting Kit
Professional Spotting Kit.
Professional Spotting Kit
Professional Spotting Kit.
Professional Spotting Kit
Professional Spotting Kit.
Professional Spotting Kit
Professional Spotting Kit.
Professional Spotting Kit.
Professional Spotting Kit. .39 Professional Tile and Grout Cleaner .72 Profinisher Cartridge .213 Proforce 1500 .179 Proforce 1500XP .179 Proforce 1500XP .179 Proguard 20 Wet/Dry Vacuum .180 Propane Install Kit .190 Propane Nater Heaters .117 Pro's Choice Red Relief .48 Pro's Choice Stain Magic .49 Profeam Super Coach Backpack Vacuum .181 Protection Films .116, 250 Protective Coveralls .255 Protective Glasses .135 Protein and Stain Spotter .41 Protimeter Aquant .238 Protimeter Mini .239 Protimeter Mini .236 Psychrometric Calculator .237 Psychrometric Calculator .236 Psychrometric/Dehumidifier Calculator.237 Psychrometric/Dehumidifier Calculator.237 Psyclone Thermo-Hygrometer .236 Pullman Holt Vacuums .214 Pump Sprayer .108 Pump Sprayer Parts Breakdowns.305-308
Professional Spotting Kit. .39 Professional Tile and Grout Cleaner .72 Profinisher Cartridge .213 Proforce 1500 .179 Proforce 1500XP .179 ProGuard 20 Wet/Dry Vacuum .180 Propane Install Kit .190 Propane Install Kit .190 Propane Nater Heaters .117 Pro's Choice Red Relief .48 Pro's Choice Stain Magic .49 Protection Films .116, 250 Protection Films .116, 250 Protective Glasses .135 Protective Glasses .135 Proteim and Stain Spotter .41 Protimeter Aquant .238 Protimeter MMS2 .245 Psychrometer .236 Psychrometer .236 Psychrometric/Dehumidifier Calculator.237 Psychrometer Psychrometric/Dehumidifier Calculator.237 .236 Pullman Holt Vacuums .214 Pump Sprayer Parts Breakdowns.305-308 Pump-Out Kit
Professional Spotting Kit.

Quad Jet Wand
Quake HD
Quick Chamber
Quick Connect Main Y
Quick Connect Manifold
Quick Disconnect Wraps
Quicknav
R125 LGR Dehumidifier
R150 LGR Dehumidifier
R175 LGR Dehumidifier
R200 Dehumidifier
Rage Truckmount144
Ram Air Duct System
Range Adapter, Temporary Power Box.227 Ratchet Strap123, 190
Red 148 Red Break 148
Red Relief Dual Chamber Spraver48
Red Relief Stain Magic
Red Rescue
Red Zone Ready
Red Zone Red Stain Remover
Reducer Hose Cuff
Reed LM-8000 Multi-Meter
Reets Drying Academy
Refreshsoft
Regenerate
Regular Horsehair Brush
Relax
Remote Exhaust Fan Control
Remote Fan Control Receiver
Remote Field Commander
Rescue Mat System
Reservoir
Respirator
Restoration
Restoration Accessories 258-259
Restoration Kit
Restoration Tile & Grout Cleaner74
Restorator
Restorator Cartridges
Restorator Cartridges
Restorator Cartridges .228 Resuscitate .66 Revive .69
Restorator Cartridges .228 Resuscitate .66 Revive .69 Revolution Spraver .105
Restorator Cartridges .228 Resuscitate .66 Revive .69 Revolution Sprayer .105 Revolution Sprayer, parts .305
Restorator Cartridges .228 Resuscitate .66 Revive .69 Revolution Sprayer .105 Revolution Sprayer, parts .305 FC .233
Restorator Cartridges .228 Resuscitate .66 Revive .69 Revolution Sprayer .105 Revolution Sprayer, parts .305 RFC .233 RFID Label Tag .234
Restorator Cartridges

INDEX

314 Index

Shelf Hanger Tool Holder
Shelves
ShockWave
ShockWave RTU
Shoe Covers
Shut-Off Valve
Side Clamp
Sight Tube
Signature
Silencer
Single Pump-Up Sprayer Holder106, 165
Smart Buy
Smoke and Fire Damage Chemicals 94-95,
228, 260-262
Smoke and Fire Damage Procedures95 Smoke and Severe Odor Counteractant
260-262
Smoke Wash
Snap Link
Soft Cloth
Soft Remover
Soft Touch Valve
Solidrock
Solution Hose
Solution Hose Accessories 120-121
Solution Hose Reel
Solution LGR Performance Amplifier206 Solution Reel Stack Bracket163
Solution T
Solv Ink
Solvent Based Grout Sealer70, 76 Solvent Clean
Solvent Sprayer
Sonin 4-in-1 Multi-Function Detector238
Sonin Moisture Measure Tool
Sonozaire Ozone Generators
Space Spray
Spatula Probe
Speedtrek Carpet Bonnets
Spigot
Spigot .112 Spinergy Catalog .71 Spinergy Consumer Sales DVD .280
Spigot .112 Spinergy Catalog .71 Spinergy Consumer Sales DVD .280 Spinergy Stone Care Solution DVD .280
Spigot 112 Spinergy Catalog. 71 Spinergy Consumer Sales DVD. 280 Spinergy Stone Care Solution DVD. 280 Spinergy Stone Polishing Pads. 130 Spinning Chemical Rack. 164
Spigot .112 Spinergy Catalog. .71 Spinergy Consumer Sales DVD. .280 Spinergy Stone Care Solution DVD. .280 Spinergy Stone Polishing Pads. .130 Spinning Chemical Rack. .164 Sponges
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Spores 64, 128, 134 Sporicidin Disinfectant Solution
Spigot .112 Spinergy Catalog. .71 Spinergy Consumer Sales DVD. .280 Spinergy Stone Care Solution DVD. .280 Spinergy Stone Polishing Pads. .130 Spinning Chemical Rack. .164 Sponges
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner 90, 268 Sporicidin Mold and Mildew Stain Re- 140
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution .80, 264 Sporicidin Disinfectant Spray .183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .264
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner 90, 268 Sporicidin Mold and Mildew Stain Re- 140
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Solution 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal DVD .278 Spot and Stain Removal DVD .280 Spot and Stain Removal DVD .280
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution .80, 264 Sporicidin Disinfectant Spray .83 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removal DVD .280 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Remover .39-51 Spot Lifter .103 Spot Stop .40
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Remover .39-51 Spot Lifter .103 Spot Stop .40 Spot Stop .45
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Solution 80, 264 Sporicidin Enzyme Mold Cleaner 90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot stop .40 Spot Stop .40 Spot Stop .40 Spot Stop .40 Spot Master Gel XP .43
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution .80, 264 Sporicidin Disinfectant Spray .83 Sporicidin Disinfectant Spray .83 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal AVD .280 Spot and Stain Removal AVD .280 Spot and Stain Removal APP .278 Spot and Stain Removal AVD .280 Spot and Stain Removal AVD .280 Spot and Stain Remover .90 Spot Stop .40 SpotMaster Gel XP .43 Spotting Bottle .112 Spotting Bottle .112
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Disinfectant Spray 183 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removal DVD .280 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal App .40 Spot Stop .40 Spottiffer .103 Spot Master Gel XP .43 Spotting Bottle .1126 Spotting Bottles .126 Spotting Brush .111, 126
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal App .280 Spot and Stain Removal App .45 Spot Stop .40 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .112 Spotting Brush .111, 126 Spotting Kit
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner 90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removal App .40 Spot Stop .40 Spot Stop .40 Spot Stop .40 Spotting Bottle .112 Spotting Bottle .126 Spotting Bottle .126 Spotting Tools and Accessories .126-128
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removal DVD .280 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal Avp .280 Spot and Stain Removal Avp .280 Spot Stop .40 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .111 Spotting Bottles .126
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner 90, 268 Sporicidin Mold and Mildew Stain Remover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removers .90-51 Spot tand Stain Removers .39-51 Spot Stop .40 Spotting Bottle .112 Spotting Bottle .112 Spotting Bush .111 Spotting Tools and Accessories .126-128 Spotting Tools and Accessories .261 Sprayer Bottle .212 Spotting Tools and Accessories .126-128 Spotting Towels
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removal DVD .280 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal AVD .280 Spot Bot Bestor .40 Spotting Tools and Accessories .126 Spotting Bottle .112 Spo
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal App .280 Spot and Stain Removers .39-51 Spot Lifter .103 Spot Stop .40 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .112 Spotting Towls .126 Spotting Tools and Accessories .126-128
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Disinfectant Spray 183 Sporicidin Disinfectant Spray 183 Sporicidin Mold and Mildew Stain Remover .90 mover .268 Sporicidin Mold and Mildew Remover .90 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal AVD .280 Spot and Stain Removal AVD .280 Spot and Stain Removal AVD .280 Spot and Stain Removal AVD .278 Spot and Stain Removal AVD .280 Spot and Stain Remover .40 SpotMaster Gel XP .45 Spotting Bottle .112 Spotting Bottle .112 Spotting Brush .111,
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal App .280 Spot and Stain Removers .39-51 Spot Lifter .103 Spot Stop .40 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .112 Spotting Towls .126 Spotting Tools and Accessories .126-128
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal App .280 Spot and Stain Removal App .278 Spot Stop .40 Spot Kap .45 Spotting Bottle .112 Spotting Bottle .112 Spotting Bottle .112 Spotting Towels .126 Spotting Towels .126 Spotting Towels .126 Spotting Towels .126 Sprayer Bottl
Spigot 112 Spinergy Catalog 71 Spinergy Consumer Sales DVD 280 Spinergy Stone Care Solution DVD 280 Spinergy Stone Polishing Pads 130 Spinning Chemical Rack 164 Sporicidin Disinfectant Solution 80, 264 Sporicidin Disinfectant Spray 183 Sporicidin Enzyme Mold Cleaner .90, 268 Sporicidin Mold and Mildew Stain Remover .90 Spot and Stain Procedures .51 Spot and Stain Removal App .278 Spot and Stain Removal DVD .280 Spot and Stain Removal DVD .280 Spot and Stain Removal App .278 Spot and Stain Removal App .278 Spot and Stain Removal AVD .280 Spot Bot Spot .40 Spotting Bottle .111 Spotting Bottle .112 Spotting Bottle

Stain Tools
Stainless Connector
Stainless Steel Filter161
Stainless Steel Solvent Sprayer108
Stainless Steel Sprayer, parts
Stair Tool
Stand Alone Water Softener
Standard Sprayer
Start Up and Run
Starter Cuff
Steamer
Sticky Tabs
Sto & Go Vortex Ducting
Stone Care and Polishing 129-130
Stone Cleaning Procedures
Stone Polishing Equipment 129-134
Stone Polishing Pads
Stone, Cleaning and Sealing 66-71
Stone, Tile and Grout Cleaning DVD 280
Stoneperfect
Stor-Ease Bottle
Strainers and Pumps
Straps
Strong Cleaner
Stryker Wand96
Studebaker AirPath
Stunned Traffic Lane Cleaner
Styro Blocks
Styro-Block Holder
Sub-Mount Water Tank
Super Coach Pro 10 Vacuum
Super Pump-Out
Super Remover
Super Strap
SureTest Circuit Analyzer
Surface Shield
Surface Temperature Sensor, E-TES185
Surge Traffic Lane Cleaner10
Surveymaster by Protimeter
Sweet Lemon Deodorizer
Swivel Assembly
Swivel Head Stair Tool
Swivel Hose Cuff
SX-15 Hard Surface Tool
SX-15, parts
SX7 Gekko Head101, 132
SX-7 Hand Tool
SX7 Hand Tool, parts
0/// Hand 1001, parts
SX-7 Stand-Up
SX-7 Stand-Up
SX-7 Stand-Up
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder .164 Tabac-Attack .260
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter .241, 264 Tab Holder 164 Tabac-Attack .260 TCBS 3 Gallon Heavy Duty Sprayer .107 TCBS Sprayer, parts .308
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Tefion Advanced 287 Terry Cloth Cover. 133, 136
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TGBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 287 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder .164 Tabac-Attack .260 TCBS 3 Gallon Heavy Duty Sprayer .107 TCBS Sprayer, parts .308 TCU Neutralizer .42, 54 Teflon Advanced .287 Terry Cloth Cover .133, 136 TES Fluid Filter Kit .189 TES Quick Connects .190
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Solution Tee 190
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Solution Tee 190
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TGBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Oulck Connects 190 TES Solution Tee 190 TES Thermal Energy Fluid 189
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 287 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Popane Install Kit 190 TES Ouick Connects 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Tefion Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 190 TES Quick Connects 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TES Trailers 188
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TGBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Solution Tee 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes. 189
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover. 133, 136 ES Fluid Filter Kit. 189 TES Propane Install Kit 190 TES Solution Tee 190 TES Thermal Energy Fluid. 189 TES Trailers 188 TEX Thermal Energy System 187 TEX Thermal Energy Exchanger Boxes. 188 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Energy Exchanger Boxes. 188 TEX Thermal Energy Exchanger Boxes. 187 Tex Thermal Energy Exchanger Boxes. 188 Tex Thermal Energy Exchanger Boxes. 187 Tex Thermal Energy Exchanger Boxes. 188 Tex Thermal Energy Exchanger Boxes. 188 Tex Thermal Energy Exchanger Boxes. 188<
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Nopane Install Kit 190 TES Quick Connects 190 TES Nermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Hose 189 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Tefton Advanced 28 Temporary Power Boxes 227 Ferry Cloth Cover 133, 136 TES Fluid Filter Kit 190 TES Outick Connects 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Solution Tee 190 TES Thermal Energy Fluid 189 TES Trailers 188 TEX Thermal Energy System 187 TEX Thermal Energy Exchanger Boxes. 188 The Interceptor In-line HEPA Filtering System System 220 Thermal Imaging Cameras 247 Thermo 2000 261 Thermo -55 94, 261
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Veropane Install Kit 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Inaging Cameras 247 Thermo 2000 261 Thermo 255 94, 261 Tile & Grout Rinse 75
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Ferry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Quick Connects 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System 220 Thermo 2000 261 Thermo-55 94, 261 Thermo 2000 261 Thermo-675 94, 261 Tek Grout Rinse 75 Tile and Grout Cleaning Procedures 75
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Veropane Install Kit 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Inaging Cameras 247 Thermo 2000 261 Thermo 255 94, 261 Tile & Grout Rinse 75
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover. 133, 136 ES Fluid Filter Kit. 189 TES Propane Install Kit 190 TES Nermal Energy Fluid. 189 TES Thermal Energy Fluid. 189 TES Trailers 188 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Imaging Cameras 247 Thermo 2000 261 Thermo 55 94, 261
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover. 133, 136 ES Fluid Filter Kit. 189 TES Propane Install Kit 190 TES Nermal Energy Fluid. 189 TES Thermal Energy Fluid. 189 TES Trailers 188 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Energy Exchanger Boxes. 189 TEX Thermal Imaging Cameras 247 Thermo 2000 261 Thermo 55 94, 261
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Ouick Connects 190 TES Thermal Energy Fluid 189 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes 220 Thermal Imaging Cameras 247 Thermo 2000 261 Thermo 2000 261 The A Grout Cleaning Procedures 77 Tile and Grout Cleaning Program 68 Tes Grout Rinse 75 Tile and Grout Cleaning Program 68 Tes Grout Cleaning Program 68
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Ferry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Quick Connects 190 TES Thermal Energy Fluid 189 TES Trailers 188 TEX Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Teflon Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Nermal Energy Fluid 189 TES Thermal Energy Fluid 189 TES Trailers 188 TEX Thermal Energy Exchanger Boxes 220 Thermal Imaging Cameras 247 Thermo 2000 261 The A Grout Rinse 75 Tile and Grout Cleaning Procedures 77 Tile and Grout Cleaning Program 68 Tile and Grout Cleaning Program 68 Tile and Grout Cleaning Program 130-135 Tile and Grout Cleaning Procedures 77 Tile and Grout Cleaning Program 68 Tile and Grout Tols
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Tefion Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Quick Connects 190 TES Thermal Energy Fluid 189 TES Trailers 189 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System 220 Thermo 2000 261 Thermo 2000 261 Thermo 55 94, 261 Tile ad Grout Cleaning Procedures 77 Tile and Grout Cleaning Program 68 Tile and Grout Lequipment
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Tefion Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Quick Connects 190 TES Thermal Energy Fluid 189 TES Thermal Energy System 187 TES Trailers 188 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System 220 Thermo 2000 261 Thermo 2000 261 Tile and Grout Cleaning Procedures 77 Tile and Grout Equipment 130-135 Tile and Grout Equipment
SX-7 Stand-Up 133 Syringe, Carpet 127 SystemSure Plus - ATP Meter 241, 264 Tab Holder 164 Tabac-Attack 260 TCBS 3 Gallon Heavy Duty Sprayer 107 TCBS Sprayer, parts 308 TCU Neutralizer 42, 54 Tefion Advanced 28 Temporary Power Boxes 227 Terry Cloth Cover 133, 136 TES Fluid Filter Kit 189 TES Propane Install Kit 190 TES Quick Connects 190 TES Thermal Energy Fluid 189 TES Trailers 189 TEX Thermal Energy Exchanger Boxes.188 The Interceptor In-line HEPA Filtering System 220 Thermo 2000 261 Thermo 2000 261 Thermo 55 94, 261 Tile ad Grout Cleaning Procedures 77 Tile and Grout Cleaning Program 68 Tile and Grout Lequipment

Towels
Traffic Slam
Trafficlean6
Trailer Fan Kit
Treated Dust Cloth
Triad AFD
Triad Air Mover
Trident LGR Dehumidifier
Trigger Sprayers109
Triplephase
TruckMaster Duct Cleaning System 182
Truckmount and Van Accessories. 159-167
Truckmount Filters
Truckmount Financing153, 158
Truckmount Pump-Out Hose
Truckmount Reference Guide
Truckmount Unit, Invisi-Tag
Truckmount Upholstery Tool
Truckmount Vacuum Hose
Truckmounts
T-Rust
Tubing Connectors
Turbocat Zoom
TurboDuct
TurboJet Max II
TurboVent - InterAir Drying System 219
TurboVent 48 - InterAir Drying System .219
TWBS 1-Gallon Pump Up Sprayer 107
TWBS 2-Gallon Pump Up Sprayer 107
TWBS 3-Gallon Pump Up Sprayer 107
TWBS Sprayer, parts
Two-Bin Back Door Shelf Assembly 164
Ultra Strong Foam Blocks
Ultra Violet Flashlights
Ultrapac Pre-Treat LVC
Ultrapac Renovate
Ultrapac Trafficlean
Ultrapac Trafficlean Mint Fresh
Understanding Chemical Dilution 26
Un-Duz-It
Un-Flame Fire Retardent
Unicorn and Weight Kit, Versa Pro 129, 178
Universal Found Adapter Vit 167
Universal Faucel Adapter Nit 107
Universal Faucet Adapter Kit
Unsmoke Degrease-All E
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Prosprays .31-33 Upholstery Protectors .37 Upholstery Shampoos .33 Upholstery Colon .99-100 Upholstery Cleaning Procedures Guide .38 U-P-S Prespray .54
Unsmoke Degrease-All E
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Prosprays .31-33 Upholstery Protectors .37 Upholstery Shampoos .33 Upholstery Colon .99-100 Upholstery Cleaning Procedures Guide .38 U-P-S Prespray .54
Unsmoke Degrease-All E
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Protectors .37 Upholstery Protectors .37 Upholstery Rinse .35 Upholstery Role .33 Upholstery Rinse .35 Upholstery Role .33 Upholstery Cleaning Procedures Guide .38 U-P-S Prespray Urine Detection .135 Urine Stain Remover .52 Utility Scrub Brush .111, 134 UV Lights .135 Vac Attack .125 Vac-It Panels .225 Vacuum Hose .121 Vacuum Hose Reel .163 Vacuum Hose, Duct Cleaning .183
Unsmoke Degrease-All E
Unsmoke Degrease-All E
Unsmoke Degrease-All E
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Protectors .37 Upholstery Protectors .37 Upholstery Rinse .35 Upholstery Rinse .35 Upholstery Rinse .33 Upholstery Rinse .33 Upholstery Rinse .33 Upholstery Response .93 Upholstery Rinse .54 Urine Detection .135 Urine Stain Remover .52 Utility Scrub Brush .111, 134 UV Lights .135 Vacut Panels .225 Vacattack .125 Vacuum Hose .121 Vacuum Hose, Duct Cleaning .183 Vacuum Relief .125 Vacuum Relief .125 Vacuum Hose, Duct Cleaning .183 Vacuum Relief .125 Vacuum Relief
Unsmoke Degrease-All E
Unsmoke Degrease-All E
Unsmoke Degrease-All E
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Presprays .31-33 Upholstery Protectors .37 Upholstery Color Stabilizers .37 Upholstery Prosprays .31-33 Upholstery Prosprays .31 Upholstery Prosprays .33 Upholstery Cleaning Procedures Guide .38 U-P-S Prespray .54 Urine Detection .135 Urine Stain Remover .52 Utrins Pre Spotter .54 USR with Multi-Phase .52 Utilty Scrub Brush .111, 134 UV Lights .135 Vac-It Panels .225 Vacuum Hose .122 Vacuum Hose .121 Vacuum Hose, Duct Cleaning .183 Vacuum Hose, Duct Cleaning .183 Vacuum Relief .125 Vacuum Relief .125 </td
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Protectors .37 Upholstery Protectors .37 Upholstery Rinse .35 Upholstery Rinse .35 Upholstery Rinse .33 Upholstery Rinse .33 Upholstery Rinse .33 Upholstery Respiration .99-100 Upholstery Cleaning Procedures Guide .38 U-P-S Prespray .54 Urine Detection .135 Urine Stain Remover .52 Utility Scrub Brush .111, 134 UV Lights .135 Vaccut Panels .225 Vacattack .125 Vacuum Hose .122 Vacuum Hose .121 Vacuum Hose .121 Vacuum Hose .121 Vacuum Hose .121 Vacuum Hose, Duct Cleanin
Unsmoke Degrease-All E
Unsmoke Degrease-All E
Unsmoke Degrease-All E .93, 273 Unsoot #1 and #2 .90, 262 Upholstery Color Stabilizers .36 Upholstery Extraction Detergents .34 Upholstery Neutralizing Rinses .35 Upholstery Presprays .31-33 Upholstery Protectors .37 Upholstery Color Stabilizers .37 Upholstery Prosectors .33 Upholstery Cleaning Procedures Guide .38 U-P-S Prespray .54 Urine Detection .135 Urine Stain Remover .52 Utilty Scrub Brush .111, 134 UV Lights .135 Vac-It Panels .225 Vacuum Cleaners .214 Vacuum Hose .122 Vacuum Hose, Duct Cleaning .183 Vacuum Pac, Hydro-X Xtreme .217 Vacuum Relief .125 Vacuum Y .125 Vacuum Relief .125 Vacuum Hose, Duct Cleaning .183 Vacuum Relief .125 Vacuum Relief .120
Unsmoke Degrease-All E

Velo Air Mover
Velvet Carding Brush111
Versa Pro Floor Machine
VersaClean17
Vibrant Carpet Extraction Detergent 15
Video Borescope
Vinyl Disposable Gloves
Viper 11
Viper 2
Viper 7
Viper Concrete & Stone Densifier76
Viper Grout & Concrete Sealer70, 76
Viper Peroxiblast Powder72
Viper Peroxibright CTG73
Viper Renew
Viper Venom
Vivid Stone & Tile Cleaner
VMax Adapter
Vortex Axial Fan
Wagner 705 Power Steamer
Wall Mount Bracket
Wall-Mounted Hydro-Force Holder 106,
165
Wand and Upholstery Tool Parts 300-301
Wand Glide98
Wand Handle104
Wand Holder Storage Rack
Wands
Warning Sign - Ozone
Waste Pump-Out System
Water Based Tile and Grout Sealer76
Water Claw
Water Claw Spot Lifter103, 216
Water Cooled Truckmounts 147-155
Water Damage Restoration Kit
Water Extraction
Water Hardness Test Tape
Water Heaters
Water Otter Power Washer
Water Pond
Water Separator
Water Softener
Water Softener Stand166
Water Tanks
Water/Mold/Antimicrobial 262-269
Water/Mold/Antimicrobial
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro 178 Wet Vacuum Tool 101, 132, 216 WetChec Moisture Meter 235 Wheel Kit & Trailer Mount Assembly 190 White Lightning 12
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro .178 Wet Vacuum Tool .101, 132, 216 WetChec Moisture Meter .235 Wheel Kit & Trailer Mount Assembly .190 White Lightning .12 Whizgroom .110
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro .178 Wet Vacuum Tool .101, 132, 216 WetChec Moisture Meter. .235 Wheel Kit & Trailer Mount Assembly .190 White Lightning .12 Whizgroom .110 Wide Mouth Gallon .112 Wide Range Cleaner .93, 272 Window Adapter
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro .178 Wet Vacuum Tool .101, 132, 216 WetChec Moisture Meter. .235 Wheel Kit & Trailer Mount Assembly .190 White Lightning .12 Whitgroom .110 Wide Mouth Gallon .112 Wide Range Cleaner .93, 272 Window Adapter .251 Winners' Circle .285 Wieless Pin/Pinless Meter .241 Wolf Pack Attachments .221 Wood and Laminate Floor Care. .136
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro .178 Wet Vacuum Tool .101, 132, 216 WetChec Moisture Meter. .235 Wheel Kit & Trailer Mount Assembly .190 White Lightning .12 Whitgroom .110 Wide Mouth Gallon .112 Wide Range Cleaner .93, 272 Window Adapter .251 Winners' Circle .285 Wieless Pin/Pinless Meter .241 Wolf Pack Attachments .221 Wood and Laminate Floor Care. .136
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro .178 Wet Vacuum Tool .101, 132, 216 WetChec Moisture Meter. .235 Wheel Kit & Trailer Mount Assembly .190 White Lightning .12 Whitggroom .110 Wide Mouth Gallon .112 Wide Range Cleaner .93, 272 Window Adapter .251 Winners' Circle .285 Wireless Pin/Pinless Meter .241 Wood and Laminate Floor Care. .136 Wood Floor Care .78-79 Wood Floor Cleaning Procedures .79 Wood Fresh Hardwood Cleaner .78
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro
Water/Mold/Antimicrobial 262-269 Weighted Pad Drivers, Versa Pro

THE ONLY PORTABLE EXTRACTOR TO FEATURE



TECHNOLOGY



HYDRO-FORCE



[®]NAUTILUS PORTABLE FXTRACTOR

MORE LIFT

Increase your lift by as much as 60% when running your vacuum motors in series.

IDEAL FOR:

- Water Extraction
- Long Hose Runs
- Carpet Cleaning with smaller wands ≤ 12 "

MORE AIRFLOW

Double your airflow when running your vacuum motors in parallel.

IDEAL FOR:

- Tile Cleaning
- Large Wands ≥ 14"

FLEX POWDER with CITRUS SOLV When Getting It Clean Matters Most

New Flex Powder with Citrus Solv has revolutionized cleaning with powders. We could go on and on about how great it is, but we will let our customers tell you what they think of it.

"It mixes easily, is low foaming, smells great and best of all cuts through grease like a hot knife through butter!"

"Flex Powder will undoubtedly be our new weapon of choice for our tough commercial carpet cleaning."

"We have always preferred to use powder pre-sprays but none were good enough for this type of job (dirty restaurant carpet). We have tried many! The search is over."

"You should have named it WOW!, Holy Smoke! Check it Out!"














BRIDGEPOINT





See page 168 for more information.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE, PLEASE CALL OR VISIT WWW.INTERLINKSUPPLY.COM FOR CURRENT PRICING, NOT ALL PRODUCTS AVAILABLE AT ALL LOCATIONS.

Clean up to 10,000 sq. ft. an hour.

Brush Pro users are seeing production rates shoot through the roof and many are reporting cleaning millions of feet of carpet a year. Hot water extraction averages between 750-1,000 sq. ft. per hour. The Brush Pro can easily average 3,000 sq. ft. and the top performers are getting between 5,000-10,000 sq. ft. per hour with the tandem setup! Talk to us to learn more.



See pages 176 for more information.

"Do you Brush Pro?"

